



A STORY BEHIND EVERY TOOL

Solid, tried and true. For those willing to get their hands dirty to raise the bar. Because the measure of a pro is the work they leave behind. Their legacy is every project completed until they break ground and build what's next. Our legacy? That's simple. It's on the hip and in the hand of every Pro since 1843.

THE MEASURE OF A PRO™

CONTENTS

Stud Sensors

132 Multi Meters

Inspection Cameras / Thermometers

Knives Hammers 139 Claw Hammers 17 Retractable blade Knives Safety Knives Blacksmith Hammers Fixed blade Knives Locksmith Hammers Club Hammers Spare blades Construction Hammers Snap-off blade Knives 44 Replacement blade Snap-off Speciality Hammers Rubber/Compo-Cast® Hammers 47 Hobby/Sports Knives Replacement blades hobby/sport Knives Glass scrapers Multi-tool Scissors **Demolition material** Insulating Knives 153 Crowbars **Measuring Tool Clamps and vices 61** Short Tape Measures with thumb lock Clamps and Vices Short Tape Measures without thumb loock Folding Rules Long tapes 75 Measuring wheels Sawing Marking out tools 80 Chalk line reels 171 Wood saws Markers and Pencils 175 Miter boxes Specific Saws Metal Saws / Hacksaws Spare Blades Hacksaws Levels Saw Sets Tree/Pruning Saws 87 Levels Spare Blades Tree/Pruning Saws <u>97</u> Lasers and detectors Chisels and punches Distance measuring Chisels Sweetheart and Bailey 360° lasers Chisels Bailey Cross lasers Chisels FATMAX® Point/spot lasers Chisels Dynagrip™ Rotary Lasers Chisels Basic Laser Accessories Cold chisels FATMAX® Laser Detectors Punches & Center Points

CONTENTS

Planes

Bailey® Planes

Handyman Planes

214 SB Bench Planes215 Combination Planes / Spare blades

Block Planers

Specific Planers

219 Planer Accessories

Files, rasps and SURFORM

Files

Rasps

Plane Surform® Metal

Plane Surform® Plastic

Surform® Spare Blades

Screwdrivers, bits & Hex Keys

FATMAX® Screwdrivers

FATMAX® Bolster Screwdrivers

FATMAX® VDE Screwdrivers

Cushion Grip Screwdrivers

Screwdrivers Essential

Speciality Screwdrivers

Precision Screwdrivers

Bits Screwdriver

Ratchet Screwdrivers

Screwdrivers & Bits sets, Hand Drills

T-Handles, P-Handles, Hex Keys

Key Tools

Reversible Ratcheting Wrench Sets

Combination Wrenches

Adjustable Wrenches

Ratchets

288 Ratchet Sets 1/2", 1/4" & 3/8"

289 Socket Sets 1/4"

Socket Sets 3/8" & 1/2"

292 Socket Sets Mixed

294 1/2" MAXIDRIVE Sockets

295 1/2" Accessories

3/8" MAXIDRIVE Sockets

297 3/8" Accessories

298 MAXIDRIVE Sockets 1/4"

1/4" Accessories

PRO-STACK Socket Set Foam Inlays

FATMAX® PRO-STACK® Socket Kits

Transmodule System

Automotive Tools

Pliers and Scissors

FATMAX® Pliers

Dynagrip Pliers

323 VDE Pliers

325 Pliers Sets

Locking Pliers

FATMAX® Locking Pliers

Speciality Pliers

Aviation Snips

333 Bolt Cutters

Fastening Tools

Staple Guns & Hammer Tackers

353 Staples

Riveters

354 Glue Guns

CONTENTS

Plumbing Tools

Tools for Plumbing

Drywall Tools

Drywall Tools

Work Lights

375 Flash Lights

376 Flash Lights

Storage Solutions

Rolling Workshops

Mobile Job Chests

Toolboxes

Technicians Cases

Tool Bags

Tool Belts

410 Knee Pads

FATMAX® PRO-STACK

418 FATMAX® PRO-STACK®

Kits

Organizers

Workshop Solutions

Metal Cabinets Ready to Assemble

Tool Cabinets

Trackwall® Hanging System

Workbenches & Sawhorses

















OVERVIEW OF DIDACTICAL PAGES

The didactic pages guide you in choosing the right tool according to your own preferences and needs. These pages will help you learn about unique features that help you deliver outstanding results.

Knives



PAGE 13 - 16, 22 - 23,

MEASURING TOOLS



PAGE 57 - 60, 71, 77

LASERS AND DETECTORS



PAGE 98 - 99, 105 - 106

HAMMERS



DEMOLITION TOOLS CLAMPS



PAGE 159 - 162

SAWS



PAGE 170, 182

CHISELS



PAGE 193

PLANERS



PAGE 210

PAGE 152

SURFORM®



PAGE 226

SCREWDRIVERS



PAGE 234, 246

PLIERS



PAGE 313

MOUNTING TOOLS



PAGE 340 - 342, 351 352

STORAGE SYSTEMS



PAGE 379, 412

This number indicates the number of products in an outer box. All Knives/replacement Knives, tane measures, folding rules, clawhammers and products in display can be purchased per full


package.

Alternative Codes:

XTHT = FATMAX ® Pro Hand Tools FMHT = FATMAX ® Hand Tools STHT = STANLEY Hand Tools STST = STANLEY Storage

FATMAX® SNAP-OFF KNIFE QUICK SNAP 18 MM STANLEY FATMAX **QUICK, EASY & SAFE**

with all product variants and prices in a clear table.



A WORD OF EXPLANATION ABOUT THE PRODUCT INFORMATION

Below is an example of a FATMAX [®] Hero product with the most important features highlighted, along

OUR STORY

STANLEY® has set the precedent for quality tools and engineered solutions for professionals around the globe for more than 175 years. With a legacy of reliability, STANLEY is the No. 1 tapes manufacturer in the world and continues to drive the industry forward with innovations including the STANLEY® FATMAX® product line as well as hand tools, power tools, storage and accessories that get the job done.

We're proud of our reputation for excellence and are dedicated to continually testing, designing, and improving our products to ensure quality and maximum function.

Maintaining our standing as the world's best at what we do is vital to us and what you expect from a name like STANLEY.

For more than 175 years our innovative products have helped build, repair and protect our world. Today that legacy continues. Explore our history by using the interactive timeline below.



THE MEASURE OF A PROTM



KNIVES

Rely on STANLEY® for utility knives, pocket knives, replacement blades, Snap-off knives, safety knives, and specialty knives for a variety of cutting jobs from floor to roof and wherever razor-sharp performance is required.





KNIVES

Rely on STANLEY® for utility knives, pocket knives, replacement blades, snap-off knives, safety knives, and specialty knives for a variety of cutting jobs from floor to roof and wherever razor-sharp performance is required.



KNIFE INFORMATION

THE BEST KNIFE MEETS YOUR NEEDS

We now offer the most comprehensive range of fixed, retractable, and snap-off knives and blades, with innovative features that meet the needs of professional contractors and craftsmen.



FIXED BLADE KNIVES

Fits all STANLEY replaceable blades. These are intended for the toughest applications. Although it is a fixed leaf, the majority of STANLEY knives include a quick blade change system.

SAFETY KNIVES

A range of safe cutting solutions.
Safety above all!

SNAP-OFF KNIVES 25, 18 & 9 mm

Ideal in situations where residues stick to the blade.

The snap-off blade provides consistently sharp edges, but is also strong and thick enough to withstand heavy pressure without breaking the blade.

CRAFT, SPORTS, POCKET KNIVES



RETRACTABLE UTILITY KNIVES

Suitable for most replaceable blades. These offer the same performance as the fixed blade models and the blade retracts safely into the handle when the blade is not in use.



STANLEY STANLEY STANLEY CARBIDET BLADE General applications 75% sharper,

10× more durable

RETRACTABLE UTILITY KNIVES OVERVIEW

ТҮРЕ	IMAGE	Metal housing	Bimaterial grip	Integrated magazine for spare blades	Quick blade change system	Blade locking system	
0-10-789 FATMAX® PRO	STANSAY	•	•	•	•	•	
0-10-819 FATMAX® PRO		•		•	•	•	
2-10-122 TITAN		•		•	•	•	
0-10-788 Instant Change	and the second	•	•	•	•		
0-10-778 FATMAX®	THAILT EXCECS!	•	•	•	•		RET
0-10-237 AUTOLOAD	STARLEY	•	•	•	•		RETRACTABLE BLADE KNIVES
STHT10432-0 COMPACT	STARLEY	•	•		•	•	BLADE KNI
STHT10479-0 SOFTGRIP	STARLEY	•	•	•	•	•	IVES
STHT10430-0 EXTENSION BLADE	STANLEY :	•	•	•	•	•	
1-10-099 99 E	() () () () () () () () () ()	•		•		•	
0-10-088 ABS				•	•	•	
0-10-810 Quickslide		•			•	•	
XTHT0-10502 DUO EXTENDABLE FOLDING KNIFE		•	•		•		FOLDING
0-10-825 FOLDABLE EXTENSION BLADE	O FOR AS	•	•	•	•		RETRACTA
FMHT0-10827 FIXED FOLDING KNIFE	TO THE EXECUTE	•	•	•	•		FOLDING RETRACTABLE BLADE KNIVES
STHT10424-0 FIXED FOLDING KNIFE	O STANLEY O	•			•		KNIVES

FIXED BLADE UTILITY KNIVES OVERVIEW

ТҮРЕ	IMAGE	Metal housing	Bimaterial grip	Integrated magazine for spare blades	Quick blade change system	Blade locking system	
0-10-818 FATMAX® PRO		•		•	•	•	
1-10-550 TITAN		•		•	•	•	FIXE
0-10-780 FATMAX®	O con second	•	•	•	•	•	FIXED BLADE KNIVES
1-10-199 199E	· marco	•		•		•	IIVES
0-10-299 299	8 (100 to 100	•		•		•	

REPLACEMENT BLADES OVERVIEW


ТУРЕ	IMAGE	Plastic materials	Carpet	Special carpet cutter	Special safety knife	Textile	Harde plastics (precision)	Leather	Fine finish	Layered material
CARBIDE	PASIDE	•	•	•	•	•	•	•	•	•
FATMAX®	FatMax	•	•	•	•	•	•	•	•	•
1991	an at 2 of 1 (2) man	•	•							
1992		•	•		•					
1992 ROUNDED	Service Servic				•					
1996			•	•						
5192								•		
1998		•						•		

WHICH SPARE BLADE FIT WHICH KNIFE?

ТҮРЕ	IMAGE	0-10-789	0-10-819	2-10-122	0-10-788	0-10-778	STHT10479-0	1-10-099	0-10-088	STHT10430-0	STHT10432-0	0-10-810	0-10-825	0-10-242	0-10-189	0-10-243	0-10-818	1-10-550	0-10-780	1-10-199	0-10-299	STHT10424-0
CARBIDE	CIREIDE	•	•	•	•	•	•	•	•	•	•	•	•		•		•	•	•	•	•	•
0-11-700	FatMax	•	•	•	•	•	•	•	•	•	•	•	•		•		•	•	•	•	•	•
0-11-911 (1991)	e con contract to contract	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
0-11-921 (1992)		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
0-11-983 (1996)		•	•	•	•	•	•	•	•	•	•	•	•		•		•	•	•	•	•	•
1-11-967 (1995H)		•	•	•	•	•	•		•	•	•		•						•	•	•	•
0-11-952 (5192)		•	•	•	•	•	•	•	•	•	•	•	•		•		•	•	•	•	•	•
2-11-987							•	•		•	•			•	•	•						

CHANGING THE BLADE

Quickly and without extra tools, for most STANLEY knives.




FAST BLADE CHANGE SYSTEM

By the simple push of a button can the blade be changed.

INTERLOCK SYSTEM

Exclusive STANLEY lock system ensures a perfect locking of the blade.





BLADE LOCKING SYSTEM WITH INTERLOCK BLADE

This allows the blade, even under great force, to not pushed upwards.

RETRACTABLE BLADE KNIVES

STANLEY® FATMAX® PRO TWIN BLADE KNIFE

STANLEY FATMAX



- · Ergonomically shaped knife with 2 different blades
- · Extra safety: while cutting with 1 blade, the other cannot be extended
- · Quick blade change system by the simple push of a button
- Interlock nose locking system for greater safety during cuttingStorage space for 5 Replacement blades
- · Suitable for all standard STANLEY® Replacement blades
- · Supplied with 2× 11-700 and 2× 11-983
- · Length 180mm

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
0-10-789	STANLEY® FATMAX® PRO Twin Blade Knife	Х	6	3 2 5 3 5 6 0 1 0 7 8 9 5	

STANLEY® FATMAX® XTREME™ RETRACTABLE BLADE KNIFE

STANLEY FATMAX



- · Extra light, but indestructible aluminum housing
- · Holds up to 15 Replacement blades
- · Magnetic tip holds the Replacement blade in place when changing
- Rotary knob to adjust the blade opening when using extra sturdy Replacement blades
- · Spring-loaded opening system for easy blade replacement
- · Diamond embossed handle for better grip
- · Supplied with 10 Replacement blades
- · Length 205mm

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
0-10-819	STANLEY® FATMAX® Xtreme™ Retractable Blade Knife	Х	6	3 2 5 3 5 6 0 1 0 8 1 9 9	

TITAN RETRACTABLE BLADE KNIFE



- · Dolphin shape ideal to cut without scrapping knuckles
- · Suitable for heavy duty cutting applications
- · Robust aluminum design
- \cdot Interlock nose locking system for greater safety during cuttingCopper rotary knob to change and clamp blades
- · Storage space for 7 Replacement blades in the handle
- · Supplied with 3 Replacement blades
- · Length 185mm

CODE	DESCRIPTION		\boxtimes		PRICE
2-10-122	Titan Retractable Blade Knife	Х	12	3 2 5 3 5 6 2 1 0 1 2 2 8	

QUICK CHANGE KNIFE



- · Metal design, durable and lightweight
- · Bi-material soft handle
- · Quick blade change system by the simple push of a button
- · Interlock nose locking system for greater safety during cutting
- · Cord cutter works when blade is retracted
- · Storage space for 8 Replacement blades in the handle
- · Supplied with 3 Replacement blades
- · Length 180mm

CODE	DESCRIPTION	<u>_</u>	\boxtimes		PRICE
0-10-788	Quick change knife	Х	6	3 253560 107888	

STANLEY® FATMAX® RETRACTABLE UTILITY KNIFE





- · Ergonomic design
- · Pop-up magazine for Replacement blades
- · User-friendly blade change system without tools
- 2 positions for the blade
- · Supplied with 5 FATMAX® Replacement blades
- · Length 170mm

CODE	DESCRIPTION	0	\boxtimes		PRICE
0-10-778	FATMAX Retractable Utility Knife	Х	6	3 253560 107789	
7-10-778	FATMAX Retractable Utility Knife - with 5 carbide blades	Х	6	3253567107782	


AUTOLOAD RETRACTABLE KNIFE



- Autoload: automatic supply of new Replacement blade gives instant blade change, without touching the new blade. Simply pull out the used blade, pull the blade back and load up with a new, sharp blade
- · Handle with magazine for 5 Replacement blades
- · Narrow nose design is ideal for drywall applications
- · Soft rubber grip for added comfort
- Quick blade change system with easy access to the Replacement blade magazine
- · Suitable for all standard 1992 blades (11-921)
- · Length 160mm

CODE	DESCRIPTION		\boxtimes		PRICE
0-10-237	Retractable Knife Autoload	Х	4	3 2 5 3 5 6 0 1 0 2 3 7 1	

RETRACTABLE KNIFE COMPACT



- Ergonomic design for extra control: slider position and blade change button on the side
- \cdot 4 extendable positions for depth control
- · Quick blade change system by the simple push of a button
- · Ergonomically shaped nose for precise cutting applications such as cable stripping
- · Interlock nose locking system for greater safety during cuttingBelt clip
- · Length 130mm



STANZEY

RETRACTABLE KNIFE SOFTGRIP

- · Die-cast metal housing
- \cdot Ergonomic, bi-material handle for better grip
- \cdot 5 extendable positions for depth control
- \cdot Quick blade change system by the simple push of a button
- Interlock nose locking system for greater safety during cuttingHandle with magazine for Replacement blades
- · Supplied with 3 Replacement blades
- · Length 170mm

CODE	DESCRIPTION		\boxtimes		PRICE
STHT10479-0	Retractable Knife Softgrip	Х	6	3 2 5 3 5 6 0 1 0 4 7 9 5	

19



RETRACTABLE KNIFE



- · Die-cast metal housing
- · Ergonomic, bi-material handle for better grip
- · 5 extendable positions for depth control
- · Quick blade change system by the simple push of a button
- · Interlock nose locking system for greater safety during cutting
- · Handle with magazine for Replacement blades
- · Supplied with 3 Replacement blades
- · Length 170mm

CODE	DESCRIPTION	<u></u>	\boxtimes		PRIC
STHT10430-0	Retractable Knife	Х	6	3 2 5 3 5 6 0 1 0 4 3 0 6	

RETRACTABLE KNIFE 99E



- · Original retractable STANLEY® knife
- · Zinc version, durable and light
- For left and right handed people
- · 5 extendable positions for depth control
- · Storage space for Replacement blades in the handle
- · Interlock nose locking system for greater safety during cutting
- · Supplied with 3 Replacement blades
- · Length 155mm

CODE	DESCRIPTION		\boxtimes		PRICE
2-10-099	Retractable Knife 99E	Х	12	3 2 5 3 5 6 2 1 0 0 9 9 3	
1-10-099	Retractable Knife 99E	-	12	3 2 5 3 5 6 1 1 1 0 0 9 9 4	

RETRACTABLE KNIFE ABS



- · Made of ABS plastic, durable and lightweight
- · 5 extendable positions for depth control
- · Snap lock for quick and easy blade changes; no more tools needed
- · Supplied with 2 Replacement heavy duty blades (1992)
- · Length 150mm

CODE	DESCRIPTION		\boxtimes		PRICE
0-10-088	Retractable Knife ABS Plastic	Х	12	3 253560 100889	

QUICK SLIDE KNIFE



- · Suitable for all standard and hook Knives
- · Innovative sliding system with automatic locking
- · Change blades without tools
- · 9-10-810: display 12 Knives
- · Length 145mm

CODE	DESCRIPTION		\boxtimes		PRICE
0-10-810	Quick Slide Knife	Х	6	3 2 5 3 5 6 0 1 0 8 1 0 6	
9-10-810	Quick Slide Knife - Display x12	Х	12	3253569108107	

STANLEY® FATMAX® FOLDING TWIN-BLADE RETRACTABLE KNIFE

STANLEY FATMAX



- · Duo extendable folding knife: 1 holder for 2 different Knives
- · Quick change mechanism
- · Longer life: use the right blade for the job
- · Compact and convenient to store
- · Length 180mm

CODE	DESCRIPTION		\boxtimes		PRICE
XTHT0-10502	STANLEY® FATMAX® Folding Twin-Blade Retractable Knife	Х	6	3 2 5 3 5 6 0 1 0 5 0 2 0	

STANLEY® FATMAX® RETRACTABLE FOLDING UTILITY KNIFE

STANLEY FATMAX.



- · Sturdy, ergonomic design for heavy use
- · Retractable Knife: safe and convenient
- · Quick blade change system
- · Magazine for Replacement blades
- · Length 140mm

CODE	DESCRIPTION		\boxtimes		PRICE
0-10-825	STANLEY® FATMAX® Retractable Folding Utility Knife	Х	6	3 2 5 3 5 6 0 1 0 8 2 5 0	

SAFETY KNIVES OVERVIEW



	ļ	Â	ATMAX	PATMAX
		FILM C	UTTERS	
ARTIKELCODE	STHT10355-1	STHT10356-0	FMHT10358-0	FMHT10373-0
MODEL	STANLEY® Single-Sided Pull Cutter (10 PK)	STANLEY® Single-Sided Bi-Material Pull Cutter	STANLEY® FATMAX bSingle-Sided Replaceable Head Pull Cutter	STANLEY® FATMAX Single-Sided Replaceable Blade Pull Cutter
	✓	√ √		
		,	√	/
				✓



	SQUEEZE		TRISLIDE				
STHT10368-0	FMHT10369-0	FMHT10370-0	FMHT10365-0	FMHT10367-0	0-10-189	0-10-243	0-10-244
STANLEY® Squeeze Self-Retract Safety Knife	STANLEY® FATMAX® Squeeze Bi-Material Auto-Retract Safety Knife	STANLEY® FATMAX® Squeeze Metal Auto-Retract Safety Knife	STANLEY® FATMAX® Tri-Slide Bi-Material Auto-Retract Safety Knife	STANLEY® FATMAX® Tri-Slide Metal Auto-Retract Safety Knife	Self-Retracting Safety Utility Knife	Pocket Folding Safety Knife	Safety Wrap Cuttter
	✓	✓	✓	1			
		✓		1	✓	✓	
							√ [2]
✓	✓	✓	✓	✓			
✓	1	1	1	1			
			✓	1			
			✓	1	✓		
✓							
	✓	✓	✓	✓			

DISPOSABLE

METAL

LOCKABLE

BIMATERIAL GRIP

REPLACEABLE HEAD

REPLACEABLE BLADE [1]

HEIGHT ADJUSTABLE BLADE

SPARE BLADES STORAGE

SELFRETRACTING

AUTORETRACTING



SAFETY KNIVES

SINGLE-SIDED PULL CUTTER (10 PK)



- · Profiled handle for optimal comfort and a perfect grip
- \cdot Hook awl for piercing and cutting single and double wall corrugated board
- · Recessed blade less risk of injury
- $\cdot \ \text{Integrated splitter for plastic tape for multifunctional convenience} \\$
- Lightweight construction helps reduce operator fatigue, compared to heavier metal blades
- · Attachment loop for more security or to store the blade
- · Length 170mm

CODE	DESCRIPTION		\boxtimes		PRICE
STHT10355-1	Single-Sided Pull Cutter (10 PK)	Х	10	3 2 5 3 5 6 1 1 0 3 5 5 1	

SINGLE-SIDED BI-MATERIAL PULL CUTTER



- \cdot Bi-material handle for non-slip comfort and a perfect grip
- \cdot Hook awl for piercing and cutting single and double wall corrugated board
- · Recessed blade less risk of injury
- \cdot Integrated splitter for plastic tape for multifunctional convenience
- \cdot Lightweight construction helps reduce operator fatigue, compared to heavier metal blades
- \cdot Attachment loop for more security or to store the blade
- · Length 170mm

CODE	DESCRIPTION	<u>_</u>	\boxtimes		PRICE
STHT10356-0	Single-Sided Bi-Material Pull Cutter	Х	50	3 2 5 3 5 6 0 1 0 3 5 6 9	

STANLEY® FATMAX® SINGLE-SIDED REPLACEABLE HEAD PULL CUTTER





- \cdot Interchangeable cutting head for longer life & optimum cost efficiency
- · Bi-material handle for non-slip comfort and a perfect grip
- Hook awl for piercing and cutting single and double wall corrugated cardboard
- \cdot Recessed blade less risk of injury
- · Integrated splitter for plastic tape for multifunctional convenience
- \cdot Lightweight construction helps reduce operator fatigue, compared to heavier metal blades
- · Attachment loop for more security or to store the blade
- $\cdot \ \text{Length 170mm}$

CODE		DESCRIPTION	<u>_</u>	\boxtimes		PRICE
FMH	T10358-0	STANLEY® FATMAX® Single- Sided Replaceable Head Pull Cutter	Х	36	3 2 5 3 5 6 0 1 1 0 3 5 8 3	

STANLEY® FATMAX® SINGLE-SIDED REPLACEABLE BLADE PULL CUTTER

STANLEY.



- · Replaceable blades easy to replace with standard blades
- · Reusable product for longer life & optimal cost efficiency
- · Recessed blade less risk of injury & longer product life
- · Bi-material handle for non-slip comfort and a perfect grip
- · Integrated splitter for plastic tape for multifunctional convenience
- Lightweight construction helps reduce operator fatigue, compared to heavier metal blades
- · Attachment loop for more security or to store the blade
- · Length 180mm

CODE	DESCRIPTION	<u>_</u>	\boxtimes		PRICE
FMHT10373-0	STANLEY® FATMAX® Single- Sided Replaceable Blade Pull Cutter	Х	6	3 2 5 3 5 6 0 1 1 0 3 7 3 6	

SQUEEZE SELF-RETRACT SAFETY KNIFE



- Pinch trigger safety blade improved ergonomics for use compared to a spring-loaded sliding pawl: less tension
- The blade automatically retracts when the pressure on the trigger disappears for greater safety
- · Safety Knife Supplied with 1× round tip safety knife
- · Integrated safety lock the blade can be locked to prevent accidental use
- · Lightweight construction helps reduce operator fatigue, compared to heavier metal blades
- · Attachment loop for more security or to store the blade
- · Profiled handle for optimal comfort and a perfect grip
- Quick blade change more efficiency thanks to a quick, tool-free blade change
- · Length 155mm

CODE	DESCRIPTION		\boxtimes		PRICE
STHT10368-0	Squeeze Self-Retract Safety Knife	Х	6	3 2 5 3 5 6 0 1 0 3 6 8 2	

STANLEY® FATMAX® SQUEEZE BI-MATERIAL AUTO-RETRACT SAFETY KNIFE

STANLEY FATMAX.



- Automatic safety blade with pinch trigger improved ergonomics for use compared to a spring-loaded sliding pawl: less tension
- The blade retracts automatically when the pressure on the trigger disappears or when contact with the material is lost, for maximum safety
- · Safety Knife Supplied with 1× round tip safety knife
- · Integrated safety lock the blade can be locked to prevent accidental use
- · Lightweight construction helps reduce operator fatigue, compared to heavier metal blades
- \cdot Attachment loop for more security or to store the blade
- · Bi-material handle for non-slip comfort and a perfect grip
- Quick blade change more efficiency thanks to a quick, tool-free blade change
- · Length 160mm

CODE	DESCRIPTION	<u>_</u>	\boxtimes		PRICE
FMHT10369-0	STANLEY® FATMAX® Squeeze Bi-Material Auto-Retract Safety Knife	Х	6	3 2 5 3 5 6 0 1 0 3 6 9 9	

STANLEY® FATMAX® SQUEEZE METAL AUTO-RETRACT SAFETY KNIFE

STANLEY FATMAX



- Automatic safety blade with pinch trigger improved ergonomics for use compared to a spring-loaded sliding pawl: less tension
- \cdot The blade retracts automatically when the pressure on the trigger disappears or when contact with the material is lost, for maximum safety
- · Safety Knife Supplied with 1× round tip safety knife
- \cdot Integrated safety lock the blade can be locked to prevent accidental use
- Metal construction for unparalleled strength & durability in demanding conditions
- · Attachment loop for more security or to store the blade
- · Bi-material handle for non-slip comfort and a perfect grip
- Quick blade change more efficiency thanks to a quick, tool-free blade change
- · Lenath 160mm

CODE	DESCRIPTION		\boxtimes		PRICE
FMHT10370-0	STANLEY® FATMAX® Squeeze Metal Auto-Retract Safety Knife	Х	6	3 2 5 3 5 6 0 1 0 3 7 0 5	

STANLEY® FATMAX® TRI-SLIDE BI-MATERIAL AUTO-RETRACT SAFETY KNIFE

STANLEY



- Automatic safety blade the blade automatically retracts when the pressure on the trigger disappears or when contact with the material is lost, for maximum safety
- Adjustable blade height & lock 3 positions for different materials & applications + LOCK for safe storage and transport of the blade
- · Integrated knife storage for greater convenience
- · Supplied with 4× round tip safety blades (1 on blade, 3 in storage)
- · Lightweight construction helps reduce operator fatigue, compared to heavier metal blades
- · Attachment loop for more security or to store the blade
- \cdot Bi-material handle for non-slip comfort and a perfect grip
- Quick blade change more efficiency thanks to a quick, tool-free blade change
- · Length 180mm

CODE	DESCRIPTION		\boxtimes		PRICE
FMHT10365-0	STANLEY® FATMAX® Tri-Slide Bi-Material Auto-Retract Safety Knife	Х	6	3 2 5 3 5 6 0 1 0 3 6 5 1	

STANLEY® FATMAX® TRI-SLIDE METAL AUTO-RETRACT SAFETY KNIFE

STANLEY. FATMAX.



- Automatic blade the blade retracts automatically when the pressure on the trigger disappears or when contact with the material is lost, for maximum safety
- Adjustable blade height & lock 3 positions for different materials & applications + LOCK for safe storage and transport of the blade
- · Integrated knife storage for greater convenience
- · Supplied with 4× round tip safety blades (1 on blade, 3 in storage)
- Metal construction for unparalleled strength & durability in demanding conditions
- · Attachment loop for more security or to store the blade
- · Bi-material handle for non-slip comfort and a perfect grip
- Quick blade change more efficiency thanks to a quick, tool-free blade change
- · Length 180mm

CODE	DESCRIPTION	Õ	\boxtimes		PRICE
FMHT10367-0	STANLEY® FATMAX® Tri-Slide Metal Auto-Retract Safety Knife	Х	6	3 2 5 3 5 6 0 1 0 3 6 7 5	

SELF-RETRACTING SAFETY UTILITY KNIFE



- · User-friendly steel safety knife
- Blade retracts automatically when slide button is released
- · Heavy duty rounded blade (included)
- · Length 155mm

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
0-10-189	Self-Retracting Safety Utility Knife	Х	6	3 2 5 3 5 6 0 1 0 1 8 9 3	
1-10-189	Self-Retracting Safety Utility Knife	-	12	3 2 5 3 5 6 1 1 0 1 8 9 2	

POCKET FOLDING SAFETY KNIFE



- · Automatic retractable blade for safety
- · Pocket size for easy storage
- · Including tape cutter for opening boxes
- Recommended replacement blades: 2-11-987 round nose blade or any 1992 series blades (11-921)
- · Length 160mm

CODE	DESCRIPTION		\boxtimes		PRICE
0-10-243	Pocket Folding Safety Knife	Х	24	3 2 5 3 5 6 0 1 0 2 4 3 2	

SAFETY WRAP CUTTER



- · Pocket shrink wrap cutter with tape cutter
- · The blade can be replaced

CODE	DESCRIPTION	٥	\times		PRICE
0-10-244	Safety Wrap Cuttter	Х	6	3 2 5 3 5 6 0 1 1 0 2 4 4 9	
0-10-245	Replacement blade Safety Wrap Cuttter	Х	6	3 2 5 3 5 6 0 1 0 2 4 5 6	

FIXED BLADE KNIVES

STANLEY® FATMAX® XTREMETM FIXED BLADE KNIFE


STANLEY FATMAX



- · Extra light, but indestructible aluminum housing
- · Holds up to 15 Replacement blades
- · Magnetic tip holds the Replacement blade in place while changing
- · Rotary knob to adjust the blade opening when using extra sturdy Replacement blades
- · Spring-loaded opening system for easy blade replacement
- · Embossed handle for better grip
- · Supplied with 10 Replacement blades
- · Length 205mm

CODE	DESCRIPTION	Ó	\boxtimes		PRICE
0-10-818	STANLEY® FATMAX® Xtreme™ Fixed Blade Knife	Х	6	3 2 5 3 5 6 0 1 0 8 1 8 2	

TITAN FIXED BLADE KNIFE WITH SCABBARD



- · Curved shape for better grip and finger protection while cutting
- · Suitable for heavy duty cutting applications
- · Robust aluminum design, light and durable
- · Copper rotary knob to change and clamp blades
- · Supplied with 3 Replacement blades
- · Length 175mm

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
2-10-550	Titan Fixed Blade Knife with Scabbard	Х	12	3 2 5 3 5 6 2 1 0 5 5 0 9	
1-10-550	Titan Fixed Blade Knife with Scabbard with Holster	-	12	3 2 5 3 5 6 1 1 0 5 5 0 0	

STANLEY® FATMAX® FIXED BLADE KNIFE





- · Blade cleaner to remove dirt and dust when storing the blade
- · Blade lock when cutting for safety and accuracy
- · Ergonomic design
- \cdot Pop-up magazine for 5 Replacement blades
- · User-friendly blade change system without tools
- \cdot 2 positions for the blade
- · Supplied with 5 FATMAX® Replacement blades
- · Length 170mm

CODE	DESCRIPTION	6	\boxtimes		PRICE
0-10-780	STANLEY® FATMAX® Fixed Blade Knife	Х	6	3 2 5 3 5 6 0 1 0 7 8 0 2	

FIXED BLADE KNIFE 199E



- · Aluminum design, durable and light
- Interlock nose locking system for greater safety during cuttingMagazine for Replacement blades in handle
- · Supplied with 3 Replacement blades
- · Length 140mm

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
10-2-199	Fixed Blade Knife 199E	Х	12	5 0 0 0 3 6 6 1 0 1 9 9 6	
1-10-199	Fixed Blade Knife 199E	-	12	3 2 5 3 5 6 1 1 0 1 9 9 1	

FIXED BLADE KNIFE 299



(STANLEY)

- · Original STANLEY® fixed blade knife
- · Aluminum design, durable and light
- · Interlock nose locking system for greater safety during cutting
- · Magazine for Replacement blades in handle
- · Supplied with 1 Replacement blade
- · Length 136mm

CODE	DESCRIPTION		\boxtimes		PRICE
0-10-299	Fixed Knife 299	Х	12	3 2 5 3 5 6 0 1 0 2 9 9 9	

FATMAX® FOLDING FIXED BLADE KNIFE

STANLEY FATMAX



- \cdot Ergonomic design for ease of use in heavy duty applications
- \cdot Metal housing for longer life
- \cdot Bi-material handle for added comfort and control
- \cdot Tape cutter to open packages without damaging the contents
- · Quick change mechanism
- · Magazine for Replacement blades in the handle
- · Equipped with handy Belt clip
- · Length 160mm

CODE	DESCRIPTION		\boxtimes		PRICE
FMHT0-10827	FATMAX Folding Fixed Blade Knife	-	36	3 2 5 3 5 6 0 1 0 8 2 7 4	

FOLDING FIXED BLADE UTILITY KNIFE




- \cdot Quick blade change system by the simple push of a button
- · Compact and light aluminum design
- · Fixed blade with a corrosion-resistant folding mechanism
- · Belt clip

CODE	DESCRIPTION	٥	\boxtimes		PRICE
STHT10424-0	Folding Fixed Blade Utility Knife	Χ	6	3 2 5 3 5 6 0 1 0 4 2 4 5	




REPLACEMENT BLADES

CARBIDE REPLACEMENT BLADES STANLEY FAIMAX



CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
0-11-800	Carbide Replacement blade - 5 pcs	Х	10	3 2 5 3 5 6 0 1 1 1 8 0 0 6	
2-11-800	Carbide Replacement blade - 10 pcs	Х	10	3 2 5 3 5 6 2 1 1 1 8 0 0 4	
8-11-800	Carbide Replacement blade - 50 pcs	Х	6	3 2 5 3 5 6 8 1 1 8 0 0 8	



FATMAX® REPLACEMENT BLADES

FatMax





- · Stays sharper 75% longer
- · 2× longer service life
- · Cutting edges 20% stronger
- · Does not break resistance up to 35 kg
- Suitable for all cutting applications
- · Length 63mm
- · Thickness 0.65mm
- · Height 20mm

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
0-11-700	FATMAX Replacement blade - 5 pcs	Х	10	3 2 5 3 5 6 0 1 1 7 7 0 0 9	
1-11-700	FATMAX Replacement blade - 100 pcs	-	6	3 2 5 3 5 6 1 1 1 7 0 0 8	
11-2-700	FATMAX Replacement blade - 10 pcs	Х	10	3 2 5 3 5 6 2 1 1 7 0 0 7	
4-11-700	FATMAX Replacement blade - 50 pcs	-	6	3 2 5 3 5 6 4 1 1 7 7 0 0 5	

REPLACEMENT BLADES 1991



- \cdot For general cutting suitable for paper, cardboard etc.
- · Length 50mm
- · Thickness 0.43mm
- · Height 19mm

CODE	DESCRIPTION		\boxtimes		PRICE
0-11-911	Replacement blades 1991 without holes - 5 pcs/card	Х	10	5 0 0 0 3 6 6 1 1 9 1 1 3	
1-11-911	Replacement blades 1991 without holes - box 100	-	1	3 2 5 3 5 6 1 1 1 1 9 1 1 8	
2-11-911	Replacement blades 1991 without holes - 10 pcs/dispenser	Х	10	3 2 5 3 5 6 2 1 1 9 1 1 7	

REPLACEMENT BLADES 1992





- · Long model
- · Strong replacement blade suitable for heavy cutting such as carpets, vinyl
- Length 62mm, thickness 0.65mm, height 19mm

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
0-11-921	Replacement blades 1992 without holes - 5 pcs/card	Х	10	5 0 0 0 3 6 6 1 1 9 2 1 2	
1-11-921	Replacement blades 1992 without holes - box 100	-	1	3 2 5 3 5 6 1 1 1 9 2 1 7	
2-11-921	Replacement blades 1992 without holes - 10 pieces/dispenser	Х	10	3 2 5 3 5 6 2 1 1 9 2 1 6	
3-11-921	Replacement blades 1992 without holes - Dispenser x10 carded	Х	10	3253563119215	
8-11-921	Replacement blades 1992 without holes - 100 pcs/dispenser	Х	6	3 2 5 3 5 6 8 1 1 9 2 1 0	
3-11-916	Replacement blades 1992 with holes- 5 pcs			3253563119161	
6-11-916	Replacement blades 1992 with holes - 10 pcs			3253566119168	
1-11-916	Replacement blades 1992 with holes - bulk x100			3253561119163	

REPLACEMENT BLADES WITH ROUNDED TIP



- · Rounded corners for safety and to prevent material damage
- · Length 62mm
- · Thickness 0.65mm
- · Height 19mm

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
2-11-987	Replacement blades Rounded Point - 10 pieces/dispenser	Х	10	3 2 5 3 5 6 2 1 1 9 8 7 2	


REPLACEMENT BLADES 1996



- \cdot Hook blade with sharp point for piercing and cutting carpeting and plastic, packaging material
- · Length 50mm
- · Thickness 0.65mm
- · Height 19mm

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
0-11-983	Replacement blades 1996 without holes - 5 pcs/card	Х	10	5 0 0 0 3 6 6 1 1 9 6 1 8	
11-1-983	Replacement blades 1996 without holes - box 100	-	1	3 2 5 3 5 6 1 1 1 9 8 3 5	
2-11-983	Replacement blades 1996 without holes - 10 pcs/dispenser	Х	10	3 2 5 3 5 6 2 1 1 9 8 3 4	
1-11-802	Replacement blades 1996N with holes - box 100	Х	1	3253561118029	
6-11-802	Replacement blades 1996 with holes - box 100	Х	1	3253566118024	

REPLACEMENT BLADES 1995 H





- · Thickness 0.65mm
- · Height 19mm

CODE	DESCRIPTION		\boxtimes		PRICE
1-11-967	Replacement blades 1995H - box 100	-	1	3 2 5 3 5 6 1 1 1 9 6 7 5	



REPLACEMENT BLADES 5192




- $\cdot \ \text{Replacement blade with concave cutting edges, ideal for cutting out leather}$ A repracement brade with concave cutting edges, ideal for cutting out reading and inlays
 Length 60mm
 Thickness 0.65mm
 Height 19mm
 Suitable for all Knives except 10-550 (Fixed Knife Titan) and 10-199 (Fixed

- Knife 199E)

Knife 19	9E)				
CODE	DESCRIPTION	٥	\boxtimes		PRICE
0-11-952	Replacement blades 5192 - 5 pcs/card	Х	10	3 2 5 3 5 6 0 1 1 9 5 2 2	
1-11-952	Replacement blades 5192 - box 100	-	2	3 2 5 3 5 6 1 1 1 1 9 5 2 1	

SNAP-OFF BLADE KNIVES

FATMAX® SNAP-OFF KNIFE QUICK SNAP 18 MM STANLEY



ALSO AVAILABLE WITH WHEEL LOCK FMHT10592-0

CODE	DESCRIPTION	<u>_</u>	\boxtimes		PRICE
FMHT10594-0	FATMAX Snap-Off Knife Quick Snap 18 mm - Length: 165 mm	Х	6	3 2 5 3 5 6 0 1 0 5 9 4 5	
FMHT10592-0	FATMAX Snap-Off Knife Quick Snap with wheel lock -18 mm - Length: 165 mm	Х	6x	3253560105921	







STANLEY® FATMAX® 9MM SNAP-OFF KNIFE



- · Diamond shaped texturing provides sure grip
- · Die cast all metal construction stands up to the most extreme job site
- · Textured die cast finish for positive slip-resistant grip

CODE	DESCRIPTION		\boxtimes	PRICE
0-10-820	STANLEY® FATMAX® 9 mm Snap-Off Knife	Х	6	

STANLEY® FATMAX® PRO 25 MM SNAP-OFF KNIFE

STANLEY FATMAX



- \cdot Holds up to 4 snap-off blades
- · Automatic blade change system
- · Self-locking blade slide system
- · Blocking screw on end use during heavy duty applications
- · With built-in cap to break off blade segments
- · Available in 25mm with 7 segments

CODE	DESCRIPTION	<u>_</u>	\boxtimes		PRICE
0-10-820	STANLEY® FATMAX® Pro 25 mm Snap-Off Knife	Х	6	3 2 5 3 5 6 0 1 0 8 2 0 5	

FATMAX® SNAP-OFF KNIFE METAL 25 MM, 18 MM OR 9 MM

STANLEY FATMAX



- · Die-cast zinc housing for strength and durability
- · Streamlined design for good control and accuracy
- · Blocking screw
- · Built-in end cap to break off blade segments
- · Belt clip
- · Available in: 25mm (0-10-431), 18mm (0-10-421) and 9mm (0-10-411)

ODE	DESCRIPTION		\boxtimes		PRICE
-10-431	FATMAX Snap-Off Knife Metal 25 mm - Length: 195 mm	Χ	24	3 2 5 3 5 6 0 1 0 4 3 1 3	
-10-421	FATMAX Snap-Off Knife Metal 18 mm - Length: 155 mm	Χ	4	3 2 5 3 5 6 0 1 0 4 2 1 4	
-10-411	FATMAX™ Snap-Off Knife Metal 9 mm - Length: 135 mm	Х	6	3 2 5 3 5 6 0 1 0 4 1 1 5	

FATMAX® SNAP-OFF BLADE - SCREW BUTTON OR SLIDER - 25 MM OR 18 MM

STANLEY FATMAX



- \cdot Blade change system at the front
- · Patented housing design
- · Ergonomic bi-material grip
- $\cdot \ \textbf{Plastic housing with metal blade holder}$
- · Large wheel blade lock for heavy duty cutting
- · Thumb recess for better comfort & control while cutting
- · Tether ready attachment point

	a, amainment perm				
CODE	DESCRIPTION		\boxtimes		PRICE
FMHT10330-0	FATMAX Snap-Off Knife with Screw Knob 25mm - Length: 205mm	Х	24	3 2 5 3 5 6 0 1 0 3 3 0 9	
FMHT10329-0	FATMAX Snap-Off Knife with Screw Knob 18mm - Length: 175mm	Х	36	3 2 5 3 5 6 0 1 0 3 2 9 3	
FMHT10338-0	FATMAX Snap-Off Knife slider 18mm - Length: 175mm	Х	36	3253560103385	

FATMAX® SNAP-OFF BLADE KNIFE 25 MM, 18 MM OR 9 MM


STANLEY FATMAX



- · Stainless steel construction for ease of use, sturdiness and long life
- Magazine with 4 Replacement snap-off blades for quick and automatic blade change
- · Bi-material, ergonomic slider
- Removable breaking cap to break off the old blade segment safely and quickly
- · Resistant to 20kg of compressive force when cutting
- · Available in: 25mm (0-10-486), 18mm (0-10-481) and 9mm (0-10-475)

CODE	DESCRIPTION	Ô	\boxtimes		PRICE
0-10-486	FATMAX Snap-off Knife 25 mm - Length: 215 mm	Х	6	3 2 5 3 5 6 0 1 0 4 8 6 3	
0-10-481	FATMAX Snap-off Knife 18 mm - Length: 180 mm	Х	6	3 2 5 3 5 6 0 1 0 4 8 1 8	
0-10-475	FATMAX Snap-Off Knife 9 mm - Length: 138 mm	Х	6	3 2 5 3 5 6 0 1 0 4 7 5 7	

SNAP-OFF KNIFE DYNAGRIP® 25 MM



- · Large wheel blade lock for heavy duty cutting
- · Comfortable bi-material soft elastomer handle
- · Blade: 25 mm wide and 0.7 mm thick, for heavy work
- · Each snap-off blade has 6 blade segments
- · Supplied with 1 Replacement snap-off blade

CODE	DESCRIPTION	Ô	\boxtimes		PRICE
0-10-425	Snap-off knife Dynagrip 25 mm - Length: 180 mm	Х	6	3 2 5 3 5 6 0 1 0 4 2 5 2	
1-10-425	Snap-off knife Dynagrip 25 mm - Length: 180 mm	-	6	3 2 5 3 5 6 1 1 0 4 2 5 1	

SNAP-OFF KNIFE DYNAGRIP® WITH MAGAZINE 18 MM

- · Snap-off blade with automatic blade change system
- · Stainless steel construction for ease of use, sturdiness and long life
- · Bi-material soft elastomer handle
- · Magazine suitable for 6 Replacement snap-off Knives
- · Ribbed locking screw, adjustable with thumb, for secure blade locking
- · Built-in end cap to break off the old blade segment
- · Supplied with 6 Replacement snap-off blades

CODE	DESCRIPTION		\boxtimes		PRICE
STHT10270-0	Snap-off knife Dynagrip with magazine 18 mm - Length: 175 mm	Χ	72	3 2 5 3 5 6 0 1 0 2 7 0 8	

STANLEY® FATMAX® SNAP OFF KNIFE IN 18MM - DISPLAY



- · Cast aluminium body for durability
- · Slim-line design for ease of control, precision cutting and convenient storage
- · Pocket clip portable and easy to store

CODE	DESCRIPTION		\boxtimes		PRICE
8-10-421	STANLEY® FATMAX® SNAP OFF KNIFE IN 18MM - DISPLAY	Χ	72	3 2 5 3 5 6 0 1 0 2 7 0 8	

SNAP-OFF BLADE KNIFE INTERLOCK 18 MM OR 9 MM



- · Metal design, durable and lightweight
- Interlock nose locking system for greater safety during cuttingUser-friendly blade change system, no tools required
- In the extended position, the blade is immovably clamped and cannot unintentionally snap back
- · Convenient to clean
- · Available in: 18mm (10-018) and 9mm (10-095)

CODE	DESCRIPTION		\boxtimes		PRICE
0-10-018	Interlock Snap-Off Knife 18 mm - Length: 165 mm	Х	12	3 2 5 3 5 6 0 1 0 0 1 8 6	
1-10-018	Interlock Snap-Off Blade 18 mm - Length: 165 mm	-	12	3 2 5 3 5 6 1 1 0 0 1 8 5	
0-10-095	Interlock Snap-Off Knife 9 mm - Length: 135 mm	Х	12	3 2 5 3 5 6 0 1 0 0 9 5 7	

SNAP-OFF BLADE KNIFE 18 MM



- · Stainless version: user-friendly, long service life
- · Ergonomic shape for comfortable grip in all conditions
- Large wheel blade lock for heavy duty cutting during heavy duty cutting applications
- · Knurled housing for extra locking
- · Supplied with 1 Replacement blade

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
STHT10268-0	Snap-off knife 18 mm - Length: 165 mm	Х	6	3 2 5 3 5 6 0 1 0 2 6 8 5	
STHT10268-1	Snap-off knife 18 mm - Length: 165 mm - bulk x12	-	72	3 2 5 3 5 6 1 1 0 2 6 8 4	

SNAP-OFF KNIFE TPR 9 MM



- · Stainless version: user-friendly, long life
- \cdot Ergonomic shape for comfortable grip in all conditions
- \cdot Large wheel blade lock for heavy duty cutting during heavy duty cutting applications
- $\cdot \ \textbf{Knurled housing for extra locking}$
- · Supplied with 1 Replacement blade

CODE	DESCRIPTION	0	\boxtimes		PRICE
0-10-409	Snap-off knife TPR 9 mm - Length: 135 mm	Х	12	3 2 5 3 5 6 0 1 0 4 0 9 2	


DYNAGRIP® 18 MM X 165 MM SNAP-OFF BLADE KNIFE



- Blade carrier and blade guide in stainless steel for smooth operation, strength and longlife
- · Ergonomic and strong handle for long life
- · Large wheel blade lock for heavy duty cutting
- · Quick and easy blade change through notched wheel no tools required

CODE	DESCRIPTION	<u>_</u>	\boxtimes		PRICE
0-10-418	DynaGrip® 18 mm x 165 mm Snap-off Blade Knife	Х	12	3253560104184	
1-10-418	DynaGrip® 18 mm x 165 mm Snap-off Blade Knife - bulk x12	Х	12	3253561104183	

SNAP-OFF BLADE KNIFE AUTOLOCK 18 MM OR 9 MM




- · Tapered center section for extra control and cutting precision
- · Stainless steel slider with automatic locking secures the blade
- · Supplied with 3 Replacement blades and a removable blade breaker
- · Ideal for all light, medium and heavy cutting applications
- · Available in: 18mm (STHT10266) and 9mm (STHT0-10264)

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
STHT10266-0	Snap-off knife Autolock 18 mm	Х	6	3 2 5 3 5 6 0 1 0 2 6 6 1	
STHT10266-1	Snap-off knife Autolock 18 mm	-	12	3 2 5 3 5 6 1 1 0 2 6 6 0	



- · Tapered center section for extra control and cutting precision
- · Stainless steel slide with automatic locking secures the blade
- · Supplied with 3 Replacement blades and a removable blade breaker
- · Ideal for all light, medium and heavy cutting applications



SNAP-OFF BLADE KNIFE HYBRID 18 MM

- · Hybrid housing: combination of ABS and metal
- · Secure slider
- · Removable cap to safely break off blade segments
- · Supplied with 1 Replacement snap-off blade

CODE	DESCRIPTION	٥	\boxtimes		PRICE
STHT10345-0	Snap-off knife hybrid 18 mm - Length: 160 mm	Х	144	3 2 5 3 5 6 0 1 0 3 4 5 3	




SNAP-OFF BLADE KNIFE SM 18 MM OR 9 MM



- · ABS version
- · Secure slider
- · Removable cap to safely break off blade segments
- · Supplied with 1 Replacement snap-off blade
- · Available in: 18mm (1-10-151) and 9mm (0-10-150)

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
0-10-151	Snap-off knife SM 18 mm - Length: 160 mm	Х	12	3 2 5 3 5 6 0 1 0 1 5 1 0	
1-10-151	Snap-off knife SM 18 mm - Length: 160 mm	-	24	3 2 5 3 5 6 1 1 0 1 5 1 9	
0-10-150	Snap-off knife SM 9 mm - Length: 130 mm	Х	24	3 2 5 3 5 6 0 1 0 1 5 0 3	
1-10-150	Snap-off knife SM 9 mm - Length: 130 mm	-	24	3 2 5 3 5 6 1 1 0 1 5 0 2	
STHT10202-0	Snap-off knife SM kit - 9 mm & 18 mm	Х	12	3253560102029	
STHT10151-2	Snap-off knife SM kit - 3x 18 mm	Х		3253562101518	
2-10-150	Snap-off knife SM kit - 3x 9 mm Polybag	Х		3253562101501	
1-10-150	Snap-off knife SM 9 mm - bulk x24	-	-	3253561101502	



REPLACEMENT SNAP-OFF BLADES

CARBIDE REPLACEMENT SNAP-OFF BLADES 25 MM



- · Unique Replacement blade with new patented technology
- · Replacement blade with longest service life
- · Improved durability lasts up to 5× longer than existing replacement blades
- · Cutting edge finished with Tungsten Carbide and induction hardened, so that the rest of the knife retains its flexibility

CODE	DESCRIPTION	٥	\boxtimes		PRICE
STHT0-11825	Carbide snap-off blades 25 mm (5 pieces)	Х	6	3 2 5 3 5 6 0 1 1 8 2 5 9	
STHT3-11825	Carbide snap-off blades 25 mm (20 pieces)	Х	10	3 2 5 3 5 6 3 1 1 8 2 5 6	

FATMAX® REPLACEMENT SNAP-OFF BLADES 25 MM



- · Replacement snap-off blade with patented induction hardened edge
- · 75% sharper*
- · 2× longer lifespan*
- · 20% stronger*
- · Suitable for all cutting applications



CODE	DESCRIPTION		\boxtimes		PRICE
0-11-725	FATMAX Replacement Snap-off Blade - 25 mm (5 pcs)	Х	6	3 2 5 3 5 6 0 1 1 7 2 5 2	
2-11-725	FATMAX Replacement Snap-off Blade - 25 mm (10 pcs)	Х	10	3 2 5 3 5 6 2 1 1 7 2 5 0	
3-11-725	FATMAX Replacement Snap-off Blade - 25 mm (20 pcs)	-	10	3 2 5 3 5 6 3 1 1 7 2 5 9	

REPLACEMENT SNAP-OFF BLADES 25 MM



- · Thickness 1mm
- · For professional applications
- · Suitable for 10-425



CODE	DESCRIPTION		\boxtimes		PRICE
0-11-325	Replacement snap-off blades 25 mm - 10 pieces/dispenser	Х	10	3 2 5 3 5 6 0 1 1 3 2 5 4	
1-11-325	Replacement snap-off blades 25 mm - bulk 20	-	10	3 2 5 3 5 6 1 1 1 1 3 2 5 3	

CARBIDE REPLACEMENT SNAP-OFF BLADES 18 MM

- · Unique Replacement blade with new patented technology
- · Replacement blade with longest service life
- · Improved durability lasts up to 5× longer than existing replacement blades
- Cutting edge finished with Tungsten Carbide and induction hardened, so that the rest of the knife retains its flexibility



CODE	DESCRIPTION		\boxtimes		PRICE
STHT0-11818	Carbide snap-off blades 18 mm (5 pieces)	Х	10	3 2 5 3 5 6 0 1 1 8 1 8 1	
STHT2-11818	Carbide snap-off blades 18 mm (10 pieces)	Х	10	3 2 5 3 5 6 2 1 1 1 8 1 8 9	
STHT8-11818	Carbide snap-off blades 18 mm (50 pieces)	Х	10	3 2 5 3 5 6 8 1 1 8 1 8 3	

FATMAX® REPLACEMENT SNAP-OFF BLADES 18 MM



- · Replacement snap-off blade with patented induction hardened edge
- · 75% sharper*
- · 2× longer lifespan*
- · 20% stronger*
- · Suitable for all cutting applications




ODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
-11-718	FATMAX Replacement Snap-off Blade 18 mm (5 pieces)	Х	10	3 2 5 3 5 6 0 1 1 7 1 8 4	
-11-718	FATMAX Replacement Snap-Off Knife 18 mm (10 pcs)	Х	10	3 2 5 3 5 6 2 1 1 7 1 8 2	
-11-718	FATMAX Replacement Snap-off Blade 18 mm (50 pieces)	-	W10	3 2 5 3 5 6 3 1 1 7 1 8 1	

REPLACEMENT SNAP-OFF BLADES 18 MM DISPENSER

- · 18mm Replacement blade with 8 segments
- · For heavy duty applications
- · Thickness 0.63mm
- · Suitable for 10-218, 10-418, 10-280, 10-380, 10-480

CODE	DESCRIPTION	<u>_</u>	\boxtimes		PRICE
0-11-219	Replacement snap-off blades 18 mm - 8 pieces/dispenser	Χ	10	3 2 5 3 5 6 0 1 1 2 1 9 6	



REPLACEMENT SNAP-OFF BLADES 18 MM



- · Thickness 0.55mm
- · Suitable for all 18 mm snap-off Knives



CODE	DESCRIPTION		\boxtimes		PRICE
0-11-301	Replacement snap-off blades 18 mm - 10 pieces/dispenser	Х	10	3 2 5 3 5 6 0 1 1 1 3 0 1 8	
2-11-301	Replacement snap-off blades 18 mm - 5-pack carton	Х	10	3253562113016	
1-11-301	Replacement snap-off blades 18 mm - 10 pcs/dispenser x 10	-	1	3 2 5 3 5 6 1 1 1 1 3 0 1 7	
3-11-301	Replacement snap-off blades 18 mm - box 50	-	16	3 2 5 3 5 6 3 1 1 3 0 1 5	

REPLACEMENT SNAP-OFF BLADES 9 MM



- · 9mm Replacement blade with 12 segments
- · Suitable for all 9.5 mm snap-off Knives

CODE	DESCRIPTION	٥	\boxtimes		PRICE
0-11-300	Replacement snap-off blades 9 mm - 10 pieces/dispenser	Х	10	3 2 5 3 5 6 0 1 1 1 3 0 0 1	
1-11-300	Replacement snap-off blades 9 mm - 10 pcs/dispenser x 10	-	1	3 2 5 3 5 6 1 1 1 1 3 0 0 0	

HOBBY/SPORTS KNIVES

HOBBY KNIFE



- · For very fine and very precise cutting
- With round metal handle
- · Supplied with Replacement blade 11-411

CODE	DESCRIPTION		\boxtimes		PRICE
0-10-401	Hobby knife 120 mm	Х	5	3 2 5 3 5 6 0 1 0 4 0 1 6	

HOBBY KNIFE SET



- · Two handle sizes for flexibility
- 12 different types of blades for a wide range of materials and applications, including high-precision cutting, deburring, marquetry, modeling, stenciling and etching
- · Safe, easy-to-use bin for both new and used blades
- Storage box for safe storage slide the handle over the blade and twist to remove it from the holder

CODE	DESCRIPTION		\boxtimes		PRICE
STHT0-73872	Hobby knife set	-	72	3 2 5 3 5 6 0 7 3 8 7 2 3	

DISPOSABLE KNIVES



- · Precision blade
- · Plastic handle
- · Supplied with protective cover for Knives (5901)

CODE	DESCRIPTION	<u>_</u>	\boxtimes		PRICE
0-10-601	Disposable Knives 140 mm - 3 pcs	Х	12	3 2 5 3 5 6 0 1 0 6 0 1 0	
1-10-601	Disposable Knives 140 mm - 50 pcs	-	1	3 2 5 3 5 6 1 1 0 6 0 1 9	

FOLDABLE HOBBY POCKET KNIFE



- · Metal housing
- \cdot Foldable blade with locking mechanism
- · Supplied with disposable blade (5901)

CODE	DESCRIPTION		\boxtimes		PRICE
0-10-598	Pocket knife 110 mm	Х	12	5 0 0 0 3 6 6 1 0 5 9 8 7	

INTERLOCK HOBBY KNIFE



- · Exclusive INTERLOCK system that allows efficient lateral blade locking
- · Quick and easy blade change through notched wheel no tools required
- · Supplied with 5 blades in the integrated blade holder

CODE	DESCRIPTION		\boxtimes		PRICE
0-10-590	Interlock Hobby Knife 175 mm	Х	12	3253560105907	

QUICKSLIDE™ SPORT UTILITY KNIFE



- · Durable aluminum housing
- · No tools needed to change utility blade quick and easy to replace blades. Suitable for cutting yarn, rope, nylon
- · Knives cannot be used simultaneously due to built-in safety system
- · Change blades quickly and without tools

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
0-10-813	QuickSlide™ Sport Utility Knife	Х	2	3 2 5 3 5 6 0 1 0 8 1 3 7	
9-10-813	QuickSlide™ Sport Utility Knife - Display x12	Х	12	3253569108138	

SKELETON LINER LOCK KNIFE



- · Foldable sports knife
- · Rockwell tested steel guaranteed toughness
- · Titanium coated blade for longer life
- · Length 173mm

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
0-10-253	Skeleton Liner Lock Knife	-	6	3 2 5 3 5 6 0 1 0 2 5 3 1	

ROTARY CUTTER



- · Suitable for cutting curved lines
- · Ergonomic handle, for both left and right handed people
- · Length 175mm

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
STHT0-10194	Rotary Cutterx 45 mm	Х	4	3 2 5 3 5 6 0 1 0 1 9 4 7	

ALL PURPOSE KNIFE - STAINLESS STEEL BLADE




- · 1.5mm stainless steel blade
- · A better choice for use around water, especially salt water
- · Blade length 90mm
- \cdot Knife blades hardened to 60 HRC for added durability and life
- · Holster with belt clip for convenient knife transport
- · Soft grip design for comfortable extended heavy duty use
- · Ground and hand sharpened for extended first cut sharpness

CODE	DESCRIPTION		PRICE
0-10-232	All purpose Knife - Stainless steel	3253560102326	

STANLEY DECORATORS SNAP-OFF KNIFE WITH HOLSTER



- · In built carpet tucker
- Grooved handle for good grip
- · Comes with 10 blades + holster



REPLACEMENT BLADES HOBBY/SPORT

REPLACEMENT SLIM KNIFE BLADE 5901



- · Knife with straight cutting edge for crafts and model making
- · Thickness 0.63mm
- · Length 60mm
- · Suitable for 0-10-598

CODE	DESCRIPTION	<u></u>	\boxtimes		PRIC
0-11-221	Replacement Slim Knife Blade 5901 - 3 pcs/card	x	10	3 2 5 3 5 6 0 1 1 2 2 1 9	
1-11-221	Replacement Slim Knife Blade 5901 - box 50	-	2	3 2 5 3 5 6 1 1 1 2 2 1 8	

REPLACEMENT BLADE HOBBY KNIVES 10-401



- \cdot Knife with long oblique cutting edge for fine carving such as illustrations, inlays and veneers
- · Hardened and tempered steel for longer life
- · Length 45mm
- Suitable for Hobby knife 10-401

CODE	DESCRIPTION	٥	\boxtimes		PRICE
0-11-411	Replacement blade Hobby Knives 10-401 - 5 pcs/card	Х	10	3 2 5 3 5 6 0 1 1 1 4 1 1 4	

GLASS SCRAPERS

GLASS SCRAPER 2-SIDED



· 0-28-290 suitable for 0-28-617

· 0-28-292 suitable for 0-28-619



CODE	DESCRIPTION	٥	\boxtimes		PRICE
0-28-616	Glass scrapers 25 mm	Х	6	3 2 5 3 5 6 0 2 8 6 1 6 3	
0-28-631	Replacement blades 25 mm for 0-28-616 - 2 pcs/card	Х	5	3 2 5 3 5 6 0 2 8 6 3 1 6	
0-28-617	Glass scraper 38 mm [6]	Х	6	3 2 5 3 5 6 0 2 8 6 1 7 0	
0-28-290	Replacement blade 38 mm for 0-28-617 - 1 piece/card	Х	5	3 2 5 3 5 6 0 2 8 2 9 0 5	
0-28-619	Glass scraper 64 mm [6]	Х	6	3 2 5 3 5 6 0 2 8 6 1 9 4	
0-28-292	Replacement blade 64 mm for 0-28-619 - 1 piece/card	Х	5	3 2 5 3 5 6 0 2 8 2 9 2 9	

PROFESSIONAL GLASS SCRAPER



- · Metal holder with pull-out mechanism
- For removing paint, glue, stickers, etc. on glass
- · Supplied with 1 Replacement blade
- · Replacement blades 0-28-510 available separately

CODE	DESCRIPTION		\boxtimes		PRICE
0-28-500	Professional Glass Scraper 95×40 mm	Х	10	3 2 5 3 5 6 0 2 8 5 0 0 5	
0-28-510	Replacement blades for 0-28-500 10 pcs/card	Х	10	3 2 5 3 5 6 0 2 8 5 1 0 4	
1-11-515	Replacement blades for 0-28- 500 - Pack of 100	Х	10	3253561115158	

WINDOW SCRAPER PLASTIC



- \cdot Yellow plastic handle with replaceable blade 1992 heavy duty
- \cdot For removing excess paint from windows

CODE	DESCRIPTION	<u>_</u>	\boxtimes		PRICE
)-28-590	Window scraper Plastic 170×60 mm	Х	12	5 0 0 0 3 6 6 1 0 5 9 3 2	

MULTI-TOOL

MULTI-TOOL 12-IN-1



- · Combination plier, wire cutter, saw, pocket knife, large knife, bottle opener,
- screwdriver 3mm / 6mm / 8mm / PH1, file
- · With pounch
- · Stainless steel
- · Length (closed) 105 mm
- · Length (open) 165mm

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
0-84-519	Multi-tool 12 in 1	Х	5	3 2 5 3 5 6 0 8 4 5 1 9 3	

FOLDING LOCKING MULTI-TOOL 14-IN-1

- · Patented Locking Mechanism to lock the tools
- · Hassle Free and Secure Tool Selection
- · Compact & foldable design
- · Bit holder lockable at 90°, 135° and 180°
- · Multi-tool supplied with knife, saw, file, bottle opener, 10, 11, 12 & 13 mm sockets and 6 screw bits

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
STHT0-70695	Multi-tool 14 in 1	Х	6	3 2 5 3 5 6 0 7 0 6 9 5 1	

FATMAX® MULTITOOL T16 STANLEY FATMAX



- · Compact multi-tool with soft ergonomic handle for better grip
- · Sturdy, black, oxidized finish for added durability
- · Easy to open
- · Contains 16 tools: needle nose and regular spring pliers, spring nippers, regular and serrated blades, scissors, wood/metal file, stripping pliers, 4× screwdrivers, unfolding carabiner, ruler, bottle and can opener

CODE	DESCRIPTION	Ō	\boxtimes		PRICE
FMHT0-72414	FATMAX Multi Tool T16	-	24	3 2 5 3 5 6 0 7 2 4 1 4 6	

SCISSORS & GLAS CUTTERS

HEAVY-DUTY SCISSORS



- · Titanium coating for longer life
- · Bi-material handle for greater comfort
- \cdot Full tang once piece design for long life
- · Spring mechanism for easy opening

CODE	DESCRIPTION	<u>©</u>	\boxtimes		PRICE
STHT0-14103	Heavy-duty scissors	Х	6	3 2 5 3 5 6 0 1 4 1 0 3 5	

SCISSORS



- · Serrated blade holds material in place and gives nice clean cut
- · Stainless steel blade for long life
- · Ergonomic handle for extra ease of use
- · Suitable for: Twine, heavy fabric, strapping and other heavy duty materials



GLAS CUTTER



- · 6 steel wheels
- · Traditional glass cutter
- · Varnished wooden handle



CODE DESCRIPTION PRICE 0-14-040 3253560140403 Glass cutter X 6

INSULATING KNIFE


FATMAX® IINSULATION CUTTING KNIFE 350MM

STANLEY FATMAX



- · Durable stainless steel blade
- \cdot Bi-material handle for improved comfort and grip
- · Tether ready attachment point
- 50mm twin-edge blade stainless steel blade
- \cdot Fine cutting edge for cavity insulation and high density foam block
- · Coarse teeth suitable for insulation wool"

CODE	DESCRIPTION				PRICE
FMHT0-10327	FATMAX Insulation cutting knife 350 mm	Х	4	3 2 5 3 5 6 0 1 0 3 2 7 9	
FMHT10327-1	FATMAX Insulation cutting knife 350 mm with sheath	Х	4	3253561103278	





MEASURING & LAYOUT TOOLS

Precision, our mission since 1854.

Since 1843 STANLEY® tools have been on the belt and in the hands of professional contractors and accomplished homeowners. Synonymous with quality, reliability, innovation, and value, STANLEY is the first name in tape measures and trusted worldwide for accuracy and dependability.

STANLEY® tape measures, levels and layout tools deliver the features needed for fast & accurate measurements.

PERFORMANCE YOU CAN MEASURE This tape measure is the strongest and most compact tape from STANLEY. Our patented twin-core[™] technology provides stand-out of 4m - a tape in a compact body with a convenient 56 design.

THE IMPORTANCE OF THE END HOOK



REGULAR END HOOK

Extendable end hook with true zero position for accurate internal and external measurements.





VERSATILE END HOOK


Slightly larger than a regular end hook, sticking out on all edges. A versatile end hook, easily grabs behind building materials from the top, bottom and sides, allowing for easy

SPECIAL END HOOKS



DETACHABLE END HOOK

Some jobs require a small and precise hook, while others require a large versatile hook. The detachable hook offers all possibilities.




MAGNETIC END HOOK

Useful when measuring metal objects.






UNDERSTANDING THE BLADE – BLADE WIDTHS & MARKINGS




TYLON: 5m STANLEY MAX: 3m



TYLON DUALLOCK: 8m

TYLON: 8m STANLEY: 8m FATMAX® BladeArmor®:

5m - 8m -10m



	ТУРЕ	COATING	WIDTH	EXTRA
FATMAX® PRO Next Generation 2.0	STANGE ST	MAX SMIELD BLAC CORING BLACE CORING	32mm	DOUBLE-SIDED PRINT REACH*
FATMAX® PRO AUTOLOCK	5	MYLAR* Blade Armor**	32mm	AUTO-LOCK BLADE
FATMAX® BLADEARMOR®	Sm Code	MYLAR* Blade Armor**	32mm	
STANLEY CONTROL-LOCK	STANLEY STANLEY STANLEY	MYLAR* Blade Armor"	19 - 25mm	** ** ** ** ** ** ** ** ** ** ** ** **
STANLEY POWERLOCK	STANLEY POWEROOK	MYLAR [®] Blade Armor [™]	13 - 19 - 25mm	
STANLEY TYLON®	STANLEY MOS 5m	TYLON™	13 - 19 - 25mm	
STANLEY	STARLEY 5m	TYLONTM	13 - 19 - 25mm	

DURABILITY / COATING



Up to 1.5× more resistance to abrasion vs a standard coating



10× more resistance against abrasion vs a standard coating




20× more resistance against abrasion vs a standard coating



First 14 cm extra protection with thermoplastic layer reduces the risk of breaking with 95%

SHORT TAPE MEASURES WITH THUMB LOCK

FATMAX® PRO NG 2.0 TAPE MEASURE 32 MM



CODE	DESCRIPTION	<u>_</u>	\boxtimes		PRICE
FMHT33100-0	FATMAX Pro NG 2.0 Tape measure 5m - 32mm printed on both sides	Х	6	3 2 5 3 5 6 0 3 3 1 0 0 9	
FMHT33102-0	FATMAX Pro NG 2.0 Tape measure 8m - 32mm printed on both sides	Х	6	3 2 5 3 5 6 0 3 3 1 0 2 3	

FATMAX® PRO TAPE MEASURE AUTOLOCK





- · Can be easily secured to a belt, pocket or waistband using the integral belt clin.
- · Comfortable and robust bi-material housing
- · BladeArmor coating on the first 80mm to double the lifespan
- \cdot Mylar $^{\! @}$ coated tape up to 10 times more resistant to abrasion than standard tape measures
- Detachable magnetic hook included for added convenience when measuring metallic objects.
- This versatile tape comes complete with a multi-catch hook, detachable oversized multi-catch hook and removable magnetic hook
- · CLASS II accuracy, suitable for most professionals, providing a reassuring +/-0.5mm error tolerance at 1m.

DDE	DESCRIPTION	<u>_</u>	\boxtimes		PRICE
THT0-33671	Tape measure FATMAX Pro Autolock 5m - 32 mm	Χ	6	3 2 5 3 5 6 0 3 3 6 7 1 4	
THT0-33501	Tape measure FATMAX Pro Autolock 8m - 32 mm	Χ	6	3 2 5 3 5 6 0 3 3 5 0 1 4	

FATMAX® TAPE MEASURE BLADEARMOR™ MAGNETIC

STANLEY FATMAX.





- · Patented bi-material housing for durability and comfort
- · Clearly readable 32 mm blade
- · Mylar® protective layer on the entire belt length and BladeArmor™ on the first 150 mm for longer life
- · Patented magnet position for 100% accuracy
- · Magnetic end hook with patented Multi-Catch Design
- · Accuracy: Class II

CODE	DESCRIPTION	٥	\boxtimes		PRICE
FMHT0-33864	FATMAX Tape measure BA Magnetic 5m - 32 mm	Х	4	3 2 5 3 5 6 0 3 3 8 6 4 0	
FMHT0-33868	FATMAX Tape measure BA Magnetic 8m - 32 mm	Х	4	3 2 5 3 5 6 0 3 3 8 6 8 8	


FATMAX® TAPE MEASURE BLADEARMOR™

STANLEY FATMAX









- · Mylar™ blade coating provides greater durability and wear resistance of blade markings for improved readability over time and prolonged product life
- · First 14cm covered with BladeArmor™ reduces risk of tire breakage by 95%
- · The blade can extend 3.35m horizontally without kinking
- · TRU-ZERO™ hook for precise inner and outer measurements
- · Multi-functional hook: on top and bottom of measuring tape
- · Shockproof cushion for protection of hook during belt return
- · Belp clip
- · Accuracy: Class II
- · Double sided



CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
0-33-720	FATMAX Tape measure BladeArmor 5m - 32 mm	Х	4	3 2 5 3 5 6 0 3 3 7 2 0 9	
0-33-728	FATMAX Tape measure BladeArmor 8m - 32 mm	Х	4	3 2 5 3 5 6 0 3 3 7 2 8 5	
0-33-811	FATMAX Tape measure BladeArmor 10m - 32 mm	Х	4	3 2 5 3 5 6 0 3 3 8 1 1 4	

FATMAX® TAPE MEASURE 2M KEYCHAIN



- · Tylon™ blade coating for improved durability and wear resistance versus a standard lacquered blade.
- · Small, compact and lightweight design 90cm standout
- TRU-ZERO™ hook for precise inner and outer measurements, moving back and forth along the securing rivets to account for the hook thickness.

CODE	DESCRIPTION	<u>_</u>	\boxtimes		PRICE
FMHT1-33856	FATMAX Tape Measure 2m Keychain Display × 36	-	36	3 2 5 3 5 6 1 3 3 7 0 6 2	
FMHT0-33856	FATMAX Tape Measure 2m Keychain	Х	6	3 2 5 3 5 6 0 3 3 8 5 6 5	

TAPE MEASURE CONTROL-LOCK



- · The tape is equipped with an integrated finger brake, providing users with maximum control, except STHT37230-0
- · Double-sided printing for top and bottom measurements
- · Compact, light and ergonomic design
- · First 8cm treated with BladeArmor® coating
- · Versatile hook with true zero position for accurate internal and external
- · Removable magnet for use on metal surfaces, except STHT37230-0

CODE	DESCRIPTION		\boxtimes		PRICE
STHT37230-0	Tape measure Control-Lock 3m - 19mm	Х	4	3 2 5 3 5 6 0 3 7 2 3 0 9	
STHT37231-0	Tape measure Control-Lock 5m - 25mm	Х	4	3 2 5 3 5 6 0 3 7 2 3 1 6	
STHT37232-0	Tape measure Control-Lock 8m - 25mm	Х	4	3 2 5 3 5 6 0 3 7 2 3 2 3	
STHT37233-0	Tape measure Control-Lock 10m - 25mm	Х	4	3 2 5 3 5 6 0 3 7 2 3 3 0	
	-				



TAPE MEASURE POWERLOCK® BLADEARMOR™



- · Chrome-plated housing made of shock-resistant ABS
- · Compact Ergo House- 12% smaller than traditional tape measures
- · BladeArmor[™] tape lasts 2× longer 95% less likely to break
- · Hook attached with 3 rivets, reduces risk of breakage if used carelessly -40% stronger than attachment with 2 rivets
- · Sliding hook with true zero for accurate internal and external measurements
- · Belt clip
- · Accuracy: Class II

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
0-33-514	Tape measure Powerlock BladeArmor 5m - 25 mm	Х	4	3 2 5 3 5 6 0 3 3 5 1 4 4	
0-33-527	Tape measure Powerlock BladeArmor 8m - 25 mm	Х	4	3 2 5 3 5 6 0 3 3 5 2 7 4	

TAPE MEASURE POWERLOCK® CLASSIC





- · Chromed housing
- · Mylar™ blade coating provides greater durability and wear resistance of blade markings for improved readability over time and prolonged product life
- · TRU-ZERO™ hook for precise inner and outer measurements measurements
- · Belt lock button
- · Belt clip
- · Accuracy: Class II

CODE	DESCRIPTION	<u>_</u>	\boxtimes		PRICE
0-33-218	Tape measure Powerlock 3m - 12.7 mm metal	Х	6	3 2 5 3 5 6 0 3 3 2 1 8 1	
1-33-218	Tape measure Powerlock 3m - 12.7 mm metal	-	12	3 2 5 3 5 6 1 3 3 2 1 8 0	

TAPE MEASURE POWERLOCK® ABS



- · Chrome-plated housing made of shock-resistant ABS
- · Tape with Mylar® coating: up to 10× more protected against wear than traditional measuring tapes
- · Hook fixed with 2 rivets (3 rivets from 5m), reduces the risk of breaking
- · TRU-ZERO™ hook for precise inner and outer measurements
- · Belt clip
- Accuracy: Class II



CODE	DESCRIPTION	٥	\boxtimes		PRICE
0-33-194	Tape Measure Powerlock 5m - 19mm	Х	6	3 2 5 3 5 6 0 3 3 1 9 4 8	
1-33-194	Tape Measure Powerlock 5m - 19mm	-	18	3 2 5 3 5 6 1 3 3 1 9 4 7	
0-33-195	Tape measure Powerlock 5m - 25 mm	Х	4	3 2 5 3 5 6 0 3 3 1 9 5 5	
0-33-198	Tape measure Powerlock 8m - 25 mm	Χ	4	3 2 5 3 5 6 0 3 3 1 9 8 6	
1-33-198	Tape measure Powerlock 8m - 25 mm	-	12	3 2 5 3 5 6 1 3 3 1 9 8 5	
0-33-442	Tape measure Powerlock 10m - 25 mm	Х	4	3 2 5 3 5 6 0 3 3 4 4 2 0	
1-33-442	Tape measure Powerlock 10m - 25 mm	-	12	3 2 5 3 5 6 1 3 3 4 4 2 9	

TAPE MEASURE POWERLOCK® ABS M/FT







- · Chrome-plated housing made of shock-resistant ABS
- · Mylar™ blade coating provides greater durability and wear resistance of blade markings for improved readability over time and prolonged product
- · Hook fixed with 2 rivets (3 rivets from 5m) on metal plate, reduces the risk of breaking in case of careless use
- \cdot TRU-ZEROTM hook for precise inner and outer measurements
- · Accuracy: Class II
- · Belt lock button
- · Belt clip

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICI
0-33-158	Tape Measure Powerlock 5m/16"; - 19mm	Х	6	3 2 5 3 5 6 0 3 3 1 5 8 0	

TAPE MEASURE POWERLOCK® TOP VIEWING WINDOW



- · Top viewing window: this makes it easy and accurate to measure inside
- · Chrome-plated housing made of shock-resistant ABS
- · Mylar™ blade coating provides greater durability and wear resistance of blade markings for improved readability over time and prolonged product
- · Hook fixed with 3 rivets, reduces risk of breakage in case of careless use -40% stronger than fastening with 2 rivets
- · TTRU-ZERO™ hook for precise inner and outer measurements
- · Belt lock button
- · Belt clip
- · Accuracy: Class II
- · Double sided

CODE	DESCRIPTION		\boxtimes		PRICE
0-33-932	Tape measure Powerlock 5m - 19mm top viewing window	Х	6	3 2 5 3 5 6 0 3 3 9 3 2 6	

STANLEY® FATMAX® XTREME™ TAPE MEASURE - 32 MM





- Coated blade provides up to 10 times more resistance to abrasion than a standard lacquered blade, increasing the life of the tape and reducing wear on most heavily used sections of the blade.
- · BLADEARMOR® COATING reinforces the first 7.5cm of the blade, the section most vulnerable to wear
- · TRU-ZERO™ HOOK for precise inner and outer measurements
- · Large, protruding oversized multi-catch hook
- · Belt clip
- · Accuracy: Class II

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
0-33-887	STANLEY® FATMAX® Xtreme™ 5M Tape Measure	Х	6	3253560338879	
0-33-892	STANLEY® FATMAX® Xtreme™ 8M Tape Measure	Х	6	3253560338923	
0-33-897	STANLEY® FATMAX® Xtreme™ 10M Tape Measure	Х	6	3253560338978	

TAPE MEASURE TYLON DUAL-LOCK



- · Innovative Dual lock mechanism, combines automatic blade locking with classic blade locking
- · Soft grip for maximum comfort during use
- \cdot Shockproof housing for increased protection of the blade and mechanism
- · New Tylon protective layer, 1.75× more resistant to abrasion: improved readability and longer life
- · Matt, non-reflective finish of the blade prevents reflection of (sun)light
- · Clearly legible digits for fast and accurate measurements
- · End hook secured to the blade with 2 or 3 pop rivets for increased strength
- · Handy belp clip to store the tape measure quickly and at hand
- · Accuracy: Class II

DESCRIPTION	٥	\times		PRICE
Tape measure Tylon Duallock 3m - 13 mm	Х	6	3 2 5 3 5 6 0 3 6 8 0 2 9	
Tape measure Tylon Duallock 5m - 19 mm	Х	6	3 2 5 3 5 6 0 3 6 8 0 3 6	
Tape measure Tylon Duallock 8m - 25 mm	Х	6	3 2 5 3 5 6 0 3 6 8 0 4 3	
	Tape measure Tylon Duallock 3m - 13 mm Tape measure Tylon Duallock 5m - 19 mm Tape measure Tylon Duallock	Tape measure Tylon Duallock X Tape measure Tylon Duallock X Tape measure Tylon Duallock X Tape measure Tylon Duallock X	Tape measure Tylon Duallock X 6 Tape measure Tylon Duallock X 6 Tape measure Tylon Duallock X 6 Tape measure Tylon Duallock X 6	Tape measure Tylon Duallock X 6 3 2 5 3 5 6 0 3 6 8 0 2 9 Tape measure Tylon Duallock X 6 3 2 5 3 5 6 0 3 6 8 0 3 6 Tape measure Tylon Duallock X 6 3 2 5 3 5 6 0 3 6 8 0 3 6

TAPE MEASURE TYLON™



- · Innovative and ergonomic design: light and compact measuring tape
- · Soft grip for maximum comfort during use
- · Shockproof housing for increased protection of the belt and mechanism
- New Tylon protective layer, 1.5× more resistant to abrasion: improved readability and longer life
- · Matt, non-reflective finish of the band prevents reflection of (sun)light
- · Clearly legible digits for fast and accurate measurements
- · Manual locking system
- · End hook secured to the blade with 2 or 3 pop rivets for increased strength and durability
- · Handy belt clip to store the tape measure quickly and at hand
- · Accuracy: Class II



CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
0-30-687	Tape Measure Tylon 3m - 12.7mm	Х	6	3 2 5 3 5 6 0 3 0 6 8 7 8	
1-30-687	Tape Measure Tylon 3m - 12.7mm	-	12	3 2 5 3 5 6 1 3 0 6 8 7 7	
0-30-697	Tape Measure Tylon 5m - 19mm	Х	6	3 2 5 3 5 6 0 3 0 6 9 7 7	
1-30-696	Tape Measure Tylon 5m/16' - 19mm - Bulk tray		12	3253561306969	
1-30-697	Tape Measure Tylon 5m - 19mm	-	12	3 2 5 3 5 6 1 3 0 6 9 7 6	
0-30-657	Tape Measure Tylon 8m - 25mm	Х	6	3 2 5 3 5 6 0 3 0 6 5 7 1	
1-30-657	Tape Measure Tylon 8m - 25mm	-	12	3 2 5 3 5 6 1 3 0 6 5 7 0	

TAPE MEASURE TYLON™ M/FT







- · Innovative and ergonomic design: light and compact measuring tape
- · Soft grip for maximum comfort during use
- · Shockproof housing for increased protection of the belt and mechanism
- · New Tylon protective layer, 1.5× more resistant to abrasion: improved readability and longer life
- · Matt, non-reflective finish of the band prevents reflection of (sun)light
- · Clearly legible digits for fast and accurate measurements
- · Manual locking system
- · End hook secured to the blade with 2 or 3 pop rivets for increased strength and durability
- · Handy belt clip to store the tape measure quickly and at hand
- · Accuracy: Class II

CODE	DESCRIPTION	<u>_</u>	\boxtimes		PRICE
0-30-686	Tape Measure Tylon - 3m/10"; - 12.7mm	Х	6	3 2 5 3 5 6 0 3 0 6 8 6 1	
0-30-696	Tape Measure Tylon - 5m/16"; - 19mm	Х	6	3 2 5 3 5 6 0 3 0 6 9 6 0	
0-30-656	Tape Measure Tylon - 8m/24"; - 25mm	Х	36	3 2 5 3 5 6 0 3 0 6 5 6 4	

TAPE MEASURE





- · Polymer protective layer and sturdy ABS housing
- · Clearly readable
- · Chromed belt clip
- · Ergonomic design with strap lock button
- · TRU-ZERO™ hook for precise inner and outer measurements.

c Ae curac	cy: Otassitt ion	<u>_</u>	\boxtimes		PRICE
0-30-487	Tape measure 3m - 12.7mm	Х	6	3 2 5 3 5 6 0 3 0 4 8 7 4	
1-30-487	Tape measure 3m - 12.7mm	-	12	3 2 5 3 5 6 1 3 0 4 8 7 3	
0-30-497	Tape measure 5m - 19mm	Х	6	3 2 5 3 5 6 0 3 0 4 9 7 3	
1-30-497	Tape measure 5m - 19mm	-	12	3 2 5 3 5 6 1 3 0 4 9 7 2	
0-30-457	Tape measure 8m - 25mm	Х	6	3 2 5 3 5 6 0 3 0 4 5 7 7	

SHORT TAPE MEASURES WITHOUT THUMB LOCK

TAPE MEASURE PLA



- · Pocket tape measure: extra flat housing
- · Shockproof ABS housing
- · Automatic tape return
- · Accuracy: Class II

CODE	DESCRIPTION		\boxtimes		PRICE
0-32-100	Tape measure Pla 3m - 6.35 mm	Х	12	3 2 5 3 5 6 0 3 2 1 0 0 0	

TAPE MEASURE PANORAMIC



- · Shockproof ABS housing
- · Protective aluminum base plate
- · Hardened and tempered carbon steel measuring tape covered with Mabolon $^{\text{TM}}$ polyamide protective coating abrasion resistant, resistant to
- chemicals and virtually unbreakable
- \cdot Top viewing window: this makes it easy and accurate to measure inside dimensions
- \cdot TRU-ZEROTM hook for precise inner and outer measurements.
- · Automatic tape return
- · Accuracy: Class II

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
0-32-125	Tape measure Panoramic 3m - 12.7 mm	Х	6	3 2 5 3 5 6 0 3 2 1 2 5 3	

FOLDING RULERS - FOLDING RULERS

FOLDING RULER WOOD



- · Multi layered finish
- · Weatherproof top layer with UV coating
- · Copper fittings
- · Hidden rivets and steel coil springs

CODE	DESCRIPTION		\boxtimes		PRICE
0-35-455	Folding rule 2m - 15 mm wood	Х	10	3 2 5 3 5 6 0 3 5 4 5 5 8	

FOLDING RULER WOOD - YELLOW/WHITE



- · Multi layered finish
- · Weather resistant top layer with UV coating
- · Copper fittings
- · Hidden rivets and steel coil springs

CODE	DESCRIPTION		\boxtimes		PRICE
0-35-458	Folding Ruler 2m - 15 mm Yellow/White	Х	10	3 2 5 3 5 6 0 3 5 4 5 8 9	

FOLDING RULER PLASTIC



- · Fiberglass ruler
- · Deep engraving
- · Red decimal numbers
- · Hollow rivets and double coil springs

CODE	DESCRIPTION		\boxtimes		PRICE
0-35-229	Folding ruler 2m plastic	Х	10	3 2 5 3 5 6 0 3 5 2 2 9 5	

YARDSTICK FLEXIBLE

- Engineer's Yardstick, stainless steel with photographically etched tick marks
- · Markings of 1 mm on the front and 0.5 mm on the back
- · Non-reflective surface makes reading easy
- · Accuracy: Class II

CODE	DESCRIPTION	2	\boxtimes		PRICE
1-35-524	Yardstick 300 mm - 13 mm	-	10	3 2 5 3 5 6 1 3 5 5 2 4 0	
1-35-536	Yardstick 500 mm - 19 mm	-	10	3 2 5 3 5 6 1 3 5 5 3 6 3	

THE MEASURE OF A PRO™

LONG TAPES



3 TYPES OF HOUSING



OPEN HOUSINGErgonomic
Easy to maintain




HALF CLOSED HOUSING Compact Easy to maintain






MABOLON LONG TAPES

Carbon steel ribbon, hardened and tempered MABOLON protective polyamide layer guarantees exceptional resistance to abrasion. Virtually unbreakable under normal use.



STAINLESS STEEL MEASURING TAPE

Available up to 9.5 mm wide. Resistant to abrasion, with maximum corrosion protection. anti-corrosion.



FOLDABLE END HOOK

Hardened steel hook opens to 90° with the zero point on the inside of the hook. Barbs provide a non-slip grip on most materials.



FIBERGLASS MEASURING TAPE

Fiberglass measuring tape, very resistant to stretching.
Markings protected by a unique transparent coating. Smooth and washable. Does not conduct electricity.

FIBERGLASS MEASURING TAPE – GRADATION EVERY 2 MM

4 5 6 7 8 **4 7** 2 3 4 5 6 7 8

STAINLESS STEEL MEASURING TAPE – GRADE EVERY 1 MM

94 95 96 97 98 99 1 41 2 3 4 5 6 7 8

EUROPEAN STANDARDS FOR ACCURACY

ALLOWED TOLERANCES



10m	20m	30m	50m	100
2,1mm	4,3mm	6,3mm	10,3mm	20,3
4,6mm	8,6mm	12,6mm	20,6mm	40,6

All STANLEY tape measures sold in the Nordics are compliant to European accuracy standards.

Example: for a 20m class II long tape measure, the tolerance allowed is 4.3mm over the entire length.

LONG TAPES

LONG TAPE MASTER II



- · Ergonomic moulded handle
- Open chrome-plated copper frame
- · Tape and handle interchangeable for right handed or left handed users
- · Large tape loop (DIN standard) equipped with a removable strap with a fully retractable catching pallet
- · Yellow band color with 2 mm graduations for good legibility
- · Accuracy: Class II

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
1-34-477	Long tape Master II 30m - 12.7mm	-	1	3 2 5 3 5 6 1 3 4 4 7 7 0	
1-34-478	Long tape Master II 50m - 12.7mm	-	1	3 2 5 3 5 6 1 3 4 4 7 8 7	

LONG TAPE ACIELAK



- Perforated Steel case covered with an epoxy lacquer that is highly resistant to shocks and corrosion
- · Tangential tape exit for optimal tape return
- Chrome-plated folding steel crank (DIN standard) with folding hook
- Yellow band color with 2 mm graduations for good legibility
- · Accuracy: Class II

CODE	DESCRIPTION	٥	\boxtimes		PRICE
0-34-406	Long tape ACIELAK 20m - 12.7mm	Χ	2	3 2 5 3 5 6 0 3 4 4 0 6 1	

FATMAX® LONG TAPE FIBERGLASS

STANLEY FATMAX



- · Fiberglass tape
- · Handle bimaterial
- · 3:1 ratio when winding
- · Hook for anchoring
- · Accuracy: Class II

CODE	DESCRIPTION	<u>_</u>	\boxtimes		PRICE
2-34-824	FATMAX Long tape 60m - 19 mm - open case	Х	2	3 2 5 3 5 6 2 3 4 8 2 4 1	

FATMAX® LONG TAPE

STANLEY FATMAX



- · Impact resistant enclosed ABS housing with soft elastomer for comfortable grip
- · Stainless steel strap
- · 3.1 ratio when winding
- · Foldable handle
- · Yellow band color with 1 mm graduations for good readability
- · Accuracy: Class II

CODE	DESCRIPTION		\boxtimes		PRICE
0-34-133	FATMAX Long tape 20m - 9.5 mm - closed case	Х	6	3 2 5 3 5 6 0 3 4 1 3 3 6	
0-34-134	FATMAX Long tape 30m - 9.5 mm - closed box	Х	6	3 2 5 3 5 6 0 3 4 1 3 4 3	

LONG TAPE CLOSED CABINET



- · Shock-resistant yellow ABS housing for long life and optimal visibility
- Tempered carbon steel measuring tape with durable polymer protective coating
- · Hook fits inside house for easy storage
- · Foldable crank handle for easy storage
- · Yellow strap color with clearly legible 1 mm graduations
- · Accuracy: Class II

CODE	DESCRIPTION	<u>_</u>	\boxtimes		PRICE
0-34-105	Long tape Steel 20m - 9.5 mm - closed case	Х	6	3 2 5 3 5 6 0 3 4 1 0 5 3	
0-34-108	Long tape Steel 30m - 9.5 mm - closed case	Х	6	3 2 5 3 5 6 0 3 4 1 0 8 4	

LONG TAPE POWERWINDER FIBERGLASS



- · Fiberglass tape
- · 3:1 ratio when wound up
- · Transparent coating against wear
- · End hook with ";true zero";
- · Hook for anchoring
- · Shockproof ABS housing
- · Accuracy: Class III

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
2-34-772	Long tape Powerwinder 30m - 12.7mm	Х	2	3 2 5 3 5 6 2 3 4 7 7 2 5	
2-34-775	Long tape Powerwinder 60m - 12.7mm	Х	2	3 2 5 3 5 6 2 3 4 7 7 5 6	
2-34-777	Long tape Powerwinder 100m - 12.7mm	Х	2	3 2 5 3 5 6 2 3 4 7 7 7 0	

LONG TAPE FIBERGLASS



- ABS structure with high impact capacity for use in harsh working conditions
- · Reinforced fiberglass tape with 40 strands: reduces elasticity and increases accuracy.
- Highly visible yellow tape with 2 mm graduations for precise measurements
- Tape: corrosion resistant, with UV protection, non-conductive and with a washable PVC coating for extra durability
- · Includes large handle and a ground spike for even more accuracy
- · Accuracy: Class III

CODE	DESCRIPTION	Õ	\boxtimes		PRICE
2-34-792	Long tape Fiberglass 30m - 12.7 mm - open case	Х	2	3 2 5 3 5 6 2 3 4 7 9 2 3	
2-34-795	Long tape Fiberglass 60m - 12.7 mm - open box	Х	2	3 2 5 3 5 6 2 3 4 7 9 5 4	

LONG TAPE FIBERGLASS CLOSED CABINET



- ABS structure with high impact capacity for use in harsh working conditions
- · Reinforced fiberglass tape reduces elasticity and increases accuracy
- · Highly visible yellow tape with 2 mm graduations for precise measurements
- Tape: corrosion resistant, with UV protection, non-conductive and with a washable PVC coating for extra durability
- Perforated at the back for easier cleaning of the tape
- · Accuracy: Class III

CODE	DESCRIPTION	٥	\boxtimes		PRICE
0-34-295	Long tape Fiberglass 10m - 12.7mm closed box	Х	6	3 2 5 3 5 6 0 3 4 2 9 5 1	
0-34-296	Long tape Fiberglass 20m - 12.7mm closed box	Х	6	3 2 5 3 5 6 0 3 4 2 9 6 8	
0-34-297	Long tape Fiberglass 30m - 12.7mm closed box	Х	6	3 2 5 3 5 6 0 3 4 2 9 7 5	

MEASURING WHEELS

MW40M COUNTER MEASURING WHEEL



- · 5 digit counter with manual reset button for superb accuracy
- · Sturdy folding handle with rubber grip
- · Aluminum wheel with rubber tire
- · Accuracy +/- 99%
- With carrying bag

CODE	DESCRIPTION		\boxtimes		PRICE
1-77-174	MW40M COUNTER MEASURING WHEEL	-	6	3 2 5 3 5 6 1 7 7 1 7 4 3	

THE MEASURE OF A PRO™

PRACTICAL INFORMATION

OUR ASSORTMENT

MULTIUSE SQUARE

This is an important part in the carpenter's toolbox. Can be used as a try and mitre square, depth or height gauge and spirit level



CARPENTERS FLAT STEEL SQUARE

A very useful tool if you often need to mark large panels. Reverse reading scale and crisply embossed graduations for easy reading



FOLDING SQUARE

Indispensable for the large-scale layout of building profiles, foundations, tiling, paving, driveway construction and landscaping. The simple folding system makes it compact and easy to carry.



SLIDING BEVEL

Intended for repeating and marking angles, but the bevel must be used in conjunction with a protractor if you want to set the bevel at a specific angle.



MARKING GAUGE

Used for scoring lines along the length of a piece of wood parallel to the top or top edge. It is more accurate to cut or plan along a scored line than along a pen line. The marking gauge consists of a baffle plate that rubs against the top or top edge of the work and a graduated bar that contains a hardened notching pin. The spacing of the pin and striker plate is set with a steel gauge bar and the bar is locked in position with a thumbscrew.

CHALK LINE

Used for marking straight lines on the floor, wall or ceiling. It is an important part in the toolbox of contractors and plumbers for the layout of walls, floors etc.



MARKING OUT TOOLS

STANLEY® DIGITAL ANGLE LEVEL - 40CM



- · Digital angle level with illuminated LCD screen
- · Measurements from 0° to 225°
- · 2 vials: 1 horizontal and 1 vertical
- · Aluminium profile
- · Accuracy in digital measurements: 0.1°
- · Supplied with 2× AAA batteries
- · Supplied with waterproof bag
- · 360° readability text on screen rotates with the device
- · HOLD function
- Memory
- · Calibration function
- · Suitable for measuring double miter angles (via memory function)

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
0-42-087	STANLEY® DIGITAL ANGLE LEVEL - 40CM	Х	4	3 2 5 3 5 6 0 4 2 0 8 7 1	

JOINERS BEVEL 5025



- · Extendable Joiners' Bevel
- · Impact-resistant plastic bar with precision-finished surface
- · Plastic beam with hardened and blued steel blade
- · Chromed locking knob

CODE	DESCRIPTION	٥	\boxtimes		PRICE
0-46-529	Swivel hook 5025 - 228 mm	Х	6	3 2 5 3 5 6 0 4 6 5 2 9 2	
0-46-535	Swivel hook 5025 - 267 mm	Х	6	3 2 5 3 5 6 0 4 6 5 3 5 3	

PLASTIC JOINERS BEVEL H1225



- · Extendable Joiners' Bevel
- · Plastic bar with built-in handles
- · Stainless hardened steel blade
- · Locking knob with wing nut

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
0-46-825	Swivel hook H1225 - 200 mm	Х	6	3 2 5 3 5 6 0 4 6 8 2 5 5	9.00

COMBINATION SQUARE



- · Light plastic body
- \cdot Etched sheet metal, durable and easy to read
- · Built-in level
- · Graduation in mm
- · Functions: square and miter, depth or height gauge, and level

CODE	DESCRIPTION	٥	\boxtimes		PRICE
2-46-017	Combination Square 300 mm	Х	6	3 2 5 3 5 6 2 4 6 0 1 7 2	

CARPENTER'S TRY/MITRE SQUARE

- · Printedgraduation in mm on stainless steel, clearly visible
- Ribbed aluminum bar with 3 rivets attached to square for strength and accuracy
- · Th beam is chamfered to make 90° and 45° angles
- · mm division on both sides

CODE	DESCRIPTION		\boxtimes		PRICE
1-45-685	Square 250 × 140 mm	-	6	3 2 5 3 5 6 1 4 5 6 8 5 5	
1-45-686	Square 300 × 200 mm	-	6	3 2 5 3 5 6 1 4 5 6 8 6 2	
1-45-687	Square 400 × 200 mm	-	6	3 2 5 3 5 6 1 4 5 6 8 7 9	

STEEL SQUARE



- · Square metric with crisply embossed graduations for easy reading
- \cdot Steel square with buffed finish and protective lacquer coating for rust resistance
- · Face graduated every 2mm, reverse of blade every 1/8" th for detailed work
- · Not supplied with data books

CODE	DESCRIPTION		\boxtimes		PRICE
1-45-530	Steel Square 600 × 400 mm	-	6	3 2 5 3 5 6 1 4 5 5 3 0 8	

FOLDING BUILDER'S SQUARE



- · Foldable construction square
- · Durable, lightweight aluminum design
- · Angles of 90° and 45°
- · Equipped with suspension hole for vertical storage

CODE	DESCRIPTION	<u>_</u>	\boxtimes		PRICE
1-45-013	Foldable construction hook Aluminum 1720 × 1220 mm	-	1	3 2 5 3 5 6 1 4 5 0 1 3 6	

METRIC DIECAST COMBINATION SQUARE



- · Durably etched, hard-chrome-plated blades are rust resistant
- \cdot 300 mm square has precision-machined working surfaces for improved accuracy
- Built-in scriber comes in handy for surface marking
- · Precision die cast body with 3 precision machined faces for accuracy

CODE	DESCRIPTION		\boxtimes		PRICE
2-46-028	Met Diecast Comb Square 300 mm	Х	4	3253562460288	

COMBINATION SQUARE



- \cdot Blade etched with imperial/metric graduations in mm & cm and inch and 1/8" and 1/16"
- · Can be used as a try and mitre square, depth or height guage and spirit level
- · Cast iron professional combination square for accuracy & long life
- · Class I accuracy
- · Machined on all faces for accuracy

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
0-46-151	Combination Square - 300 mm	Х	4	3253560461515	

CHALK LINE REELS

STANLEY® FATMAX® 30 M XTREME™ CHALK LINE

STANLEY FATMAX



- · Chalkview™ housing with see-through powder container
- · Durable aluminum housing with steel hook, belt clip and twist handle
- Easy to handle: the line is extracted effortlessly without using the handle
- · On-board hook storage for convenience
- Pivoting handle locks into housing to hold back line cord
- · Powder container: 45g
- · Contains 30m of polyester/nylon cord
- · Specially designed hook grabs on side, top or bottom for versatility
- · Quick release system

CODE	DESCRIPTION	٥	\boxtimes		PRICE
0-47-480	FATMAX Pro Chalk Line Reel 30m	Х	6	3 2 5 3 5 6 0 4 7 4 8 0 5	
0-47-488	FATMAX Pro Chalk Line Reel 30m - with black powder	Х	6	3253560474881	

CHALK LINE



- · Aluminum housing with folding handle
- · Chalk line (replaceable): length: 30m, diameter: 1 mm
- · Can be used vertically as a plumb bob
- The line is blocked by folding the handle
- · 30g chalk capacity

CODE	DESCRIPTION	ò	\boxtimes		PRICE
0-47-100	Chalk line mill 30m	Х	6	3 2 5 3 5 6 0 4 7 1 0 0 2	

STANLEY® FATMAX® 30 M CHALK LINE KIT





- · 0-47-140 FATMAX® Chalk Line Reel 30m
- · 1-47-403 115g chalk line powder
- · 0-47-316 STANLEY® Fine Marker Pen

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
0-47-681	STANLEY® FATMAX® 30 m Chalk Line Kit	Х	6	3 2 5 3 5 6 0 4 7 6 8 1 6	

CHALK LINE REEL POWERWINDER



- $\cdot\,$ 3.5 x faster Quick Gear Release
- · Steel rotary handle
- · Transparent powder container
- On-Board Hook Storage
- · Sliding door for quick and easy refill
- · Can also be used as a plumb bob
- · High Impact ABS Case

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
0-47-460	Chalk line reel Powerwinder 30m	Х	6	3 2 5 3 5 6 0 4 7 4 6 0 7	

CHALKING LINE KIT POWERWINDER



- · 0-47-460 Battle Line Reel Powerwinder 30m
- · 1-47-403 115gr chalk line powder
- · 0-42-287 Line spirit level

CODE	DESCRIPTION		\boxtimes		PRICE
0-47-465	Chalk line kit Powerwinder 30m	Х	5	3 2 5 3 5 6 0 4 7 4 6 5 2	

ABS CHALK LINE REEL



- · Shockproof ABS housing
- · Foldable rotary handle
- · Sliding door for refilling powder
- · Stainless steel hook

CODE	DESCRIPTION		\boxtimes		PRICE
0-47-440	ABS Chalk Line Reel 30m	Х	6	3 2 5 3 5 6 0 4 7 4 4 0 9	

ABS CHALK LINE KIT



- · 0-47-440 Chalk Line STANLEY® ABS
- · 1-42-403 115gr chalk line powder
- · 0-42-287 Line spirit level

CODE	DESCRIPTION		\boxtimes		PRICE
0-47-443	ABS Chalk Line Kit 30m	Х	5	3 2 5 3 5 6 0 4 7 4 4 3 0	_

^{*} Photo for illustrative purposes only

COMPACT CHALK LINE REEL 9M



- Less than half the volume of a standard chalk line for easier carrying and storage
- · 9m precision line displays clear, accurate lines
- · High-impact ABS housing with soft grip layer for extra durability, comfort and a secure grip
- 3:1 rewind speed pulls the line 3× faster than standard 1:1 chalk line reels
- · Slide door for a quick refill of chalk
- · 28gr chalk capacity gives 50 lines per refill
- Includes belt clip for convenient transportation

CODE	DESCRIPTION		\boxtimes		PRICE
STHT0-47147	Compact Chalk Line Reel 9m	Х	6	3 2 5 3 5 6 0 4 7 1 4 7 7	
STHT0-47244	Compact Chalk Line Reel Kit 9m	Х	6	3 2 5 3 5 6 0 4 7 2 4 4 3	

REPLACEMENT CHALK LINE





- · 30m reserve line: diameter: 1 mm
- · For all models except Traçor (0-01-000)

CODE	DESCRIPTION	ð	\boxtimes		PRIC
0-47-101	REPLACEMENT CHALK LINE 30m	Х	6	3 2 5 3 5 6 0 4 7 1 0 1 9	

FATMAX® PRO CHALK LINE POWDER

STANLEY FATMAX



- · Suitable for use in a humid environment
- · Water resistant
- · More accurate & durable than traditional chalk line powder
- · Up to 75% less waste
- · Available in red and black powder
- · Class 3 (visibility ±4 months)

CODE	DESCRIPTION		\boxtimes		PRICE
9-47-822	FATMAX Pro Chalk Line Powder - Black	-	18	3 2 5 3 5 6 1 4 7 8 2 2 2	
9-47-821	FATMAX Pro Chalking Line Powder - Red	-	18	3 2 5 3 5 6 1 4 7 8 2 1 5	

CHALK LINE POWDER



- · Special powder for good adhesion and visibility
- · Water-resistant
- · White: indoor use; for example floor covering Class 1 (visibility ±1 week)
- Blue: for general work both indoors and outdoors Class 1 (visibility ±1 week)
- · Red: for masonry, outside. Non-removable Class 3 (visibility ±2 months)

CODE	DESCRIPTION	٥	\boxtimes		PRICE
1-47-403	Chalk line powder Blue 115gr	-	12	3 2 5 3 5 6 1 4 7 4 0 3 3	
1-47-404	Chalk line powder Red 115gr	-	12	3 2 5 3 5 6 1 4 7 4 0 4 0	
1-47-803	Chalk line powder Blue 225gr	-	12	3 2 5 3 5 6 1 4 7 8 0 3 1	
1-47-804	Chalk line powder Red 225gr	-	12	3 2 5 3 5 6 1 4 7 8 0 4 8	
1-47-917	Chalk line powder Blue 1000gr	-	6	3 2 5 3 5 6 1 4 7 9 1 7 5	
1-47-919	Chalk line powder Red 1000gr	-	6	3 2 5 3 5 6 1 4 7 9 1 9 9	

^{*} Photo for illustrative purposes only

MARKERS AND PENCILS

BLACK TIP MARKER STANLEY FATIMAX

- · Permanent ink makes it ideal to mark out in all weather/conditions
- · Strong, durable tip reduces wear bevel angle
- · Suitable for industrial applications
- · Use on concrete, roofing material, nuts & bolts, hand tools, wood & metal and pipes
- · Available in black 2 pcs/card
- · Available in red, blue, black 3 pcs/card (0-47-315)
- · Beveled tip 0-47-314 & 0-47-315
- · Fine tip 0-47-312

CODE	DESCRIPTION	<u>©</u>	\boxtimes		PRICE
0-47-312	FATMAX Marker Black - fine tip (×2)	Х	12	3253560473129	
0-47-314	FATMAX Marker Black (×2)	Х	12	3 2 5 3 5 6 0 4 7 3 1 4 3	
0-47-315	FATMAX Marker Red/Black/ Blue (× 3) Clipstrip	Х	12	3 2 5 3 5 6 0 4 7 3 1 5 0	

MARKER FINE TIP



- $\cdot \ \textbf{Permanent black ink}$
- · Water resistant
- \cdot Use on concrete, copper, nuts & bolts, hand tools, wood & metal, pipes



MARKERS MINI



- · Permanent, water-resistant ink
- \cdot Use on concrete, copper, nuts & bolts, hand tools, wood & metal and pipes
- · Available in black (1-47-324)
- \cdot Available in red/green/blue (1-47-329)

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
1-47-324	Marker Mini Black (× 72)	-	72	3 2 5 3 5 6 1 4 7 3 2 4 1	
1-47-329	Marker Mini Red/Green/Blue (× 72)	-	72	3 2 5 3 5 6 1 4 7 3 2 9 6	



CODE	DESCRIPTION				PRICE
2-47-329	STANLEY® mini MULTI Fine Tip - Carder x 4 on clipstrip (Black/ Red/Green/Blue)	-	48	3253562473295	

CARPENTER'S PENCIL



- $\cdot \ \textbf{Oval-shaped carpenter's pencil}$
- · Rectangular HB graphite pencil

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
1-03-850	Pencil Red	-	60	3 2 5 3 5 6 1 0 3 8 5 0 1	

MARKING GAUGE



- · Plastic marking Gauge
- · Plastic stock with metal insert for abrasion resistance
- Calibrated plate for easy adjustment
 Graduation per 2 mm
 Total length 215mm

CODE	DESCRIPTION				PRICE
2-47-064	Marking Gauge 150 mm	Х	5	3 2 5 3 5 6 2 4 7 0 6 4 5	



LEVELS

Around the jobsite, in your garage, or just for hanging pictures, you need a level tool you can count on to keep your project level and functional. We offer a wide selection of levels, including laser, I-beam, torpedo, box beam levels, and others.

LEVELS THE RIGHT LEVEL **FOR THE JOB** The longer the better, particularly if the surface to be levelled is not perfectly true. A shorter level will tend to follow the contour of the surface, whereas a longer level will even out the undulations. For bricklaying and general builders the best choice is the 1200mm and for concreters the 1800mm would be a good choice. Finish carpenters may prefer a lighter box or I beam section body in a length of 600 or 900mm, ideal for fi tting kitchen furniture and general trim work.

LEVELS

FATMAX® PRO I BEAM LEVELS

STANLEY.

- \cdot Sturdy I-Beam profile up to 5× stronger than other STANLEY® Levels
- · Extra large center vial for clear readability
- · Block vials with excellent accuracy (0.5 mm/m)
- · Bi-material handle bolted to the frame
- · 2 work surfaces for maximum accuracy
- · Rubber protection ends
- · Lifetime accuracy guarantee



CODE	DESCRIPTION	<u>_</u>	\boxtimes		PRICE
0-43-616	FATMAX Pro Level 400mm	-	1	3 2 5 3 5 6 0 4 3 6 1 6 2	
0-43-624	FATMAX Pro Level 600mm	-	4	3 2 5 3 5 6 0 4 3 6 2 4 7	
0-43-636	FATMAX Pro Level 900mm	-	1	3 2 5 3 5 6 0 4 3 6 3 6 0	
0-43-648	FATMAX Pro Level 1200mm	-	1	3 2 5 3 5 6 0 4 3 6 4 8 3	
0-43-672	FATMAX Pro Level 1800mm	-	1	3 2 5 3 5 6 0 4 3 6 7 2 8	
0-43-681	FATMAX Pro Level 2000mm	-	1	3 2 5 3 5 6 0 4 3 6 8 1 0	

FATMAX® PRO I BEAM LEVEL 3-PACK





- · 1 x 0-43-672 180cm FATMAX Box Beam Level
- · 1 x 0-43-648 120cm FATMAX Box Beam Level
- · 1 x 0-43-624 60cm FATMAX Box Beam Level
- · 1 x 1-98-101 180cm Level Bag

CODE	DESCRIPTION		\boxtimes		PRICE
XTHT0-43119	FATMAX Pro Level 3-pack	-	1	3253560431198	

FATMAX® PRO I BEAM MAGNETIC LEVELS

STANLEY FATMAX

- \cdot Sturdy I-beam profile up to 5× stronger than other STANLEY $^{\! \rm B}$ Levels
- · Extra large center vial for clear readability
- · Block vials with excellent accuracy (0.5 mm/m)
- · Bi-material handle bolted to the frame
- · 2 work surfaces for maximum accuracy
- · Built-in magnets 2× stronger than regular strip magnets
- $\cdot \ Rubber \ protection \ ends$
- · Lifetime accuracy guarantee



CODE	DESCRIPTION		\times		PRICE
0-43-617	FATMAX Pro Magnetic Level 400 mm	-	1	3 2 5 3 5 6 0 4 3 6 1 7 9	
0-43-625	FATMAX Pro Magnetic Level 600 mm	-	4	3 2 5 3 5 6 0 4 3 6 2 5 4	
0-43-637	FATMAX Pro Magnetic Level 900 mm	-	1	3 2 5 3 5 6 0 4 3 6 3 7 7	
0-43-649	FATMAX Pro Magnetic Level 1200 mm	-	1	3 2 5 3 5 6 0 4 3 6 4 9 0	
0-43-679	FATMAX Pro Magnetic Level 2000 mm	-	1	3 2 5 3 5 6 0 4 3 6 7 9 7	

THE RIGHT LEVEL FOR THE JOB

SELECT THE RIGHT LENGTH OF LEVEL

The longer the better, particularly if the surface to be levelled is not perfectly true. A shorter level will tend to follow the contour of the surface, whereas a longer level will even out the undulations. For bricklaying and general builders the best choice is the 1200mm FatMax Xtreme and for concreters the 1800mm would be a good choice. Finish carpenters may prefer a lighter box or I beam section body in a length of 600 or 900mm, ideal for fitting kitchen furniture and general trim work.

BOX BEAM LEVELS

The box section provides the ultimate in terms of overall strength and performance. They are fi tted with solid block acrylic vials that have been machined to exacting tolerances to ensure that the movement of the bubble is smooth and comes to rest quickly. A small magnifying area in the centre makes reading the position of the vial easier.



ADJUSTABLE VIAL LEVEL

The rotating vial can be adjusted to between 0° and 90°, enabling you to set angles for roofing or drainage pipes etc.



1' BEAM LEVELS

I beam or girder section levels offer a lighter weight alternative, fi tted with tubular 360° vials.



The FatMax® Xtreme Torpedo Level has a V groove machined in the magnetic base, which allows it to fit fi rmly on pipe work, ideal for scaffolders, plus it is also perfect for installing machinery, air conditioning ducting or shelving.

TORPEDO	CLASSIC BOX	BOX BEAM	I BEAM	DIGITAL
Traditional Practical Compact	Practical Strong Accurate	Very Strong Accurate Range of lengths	Lightweight Strong Accurate Range of lengths Magnetic available	Lightweight Accurate Easy read Measures Angles Range of lengths

FATMAX® DIGITAL LEVEL

STANLEY FATMAX

- · Digital Level with illuminated LCD screen
- · 360° readability on-screen text rotates with the Level
- · HOLD function and MODE function (degrees, percentage, cm-m)
- · Memory up to 9 measurements
- · Calibration function and own reference point setting
- \cdot Sound signal at 0°, 45° and 90°
- · Low battery voltage notification
- · Aluminum profile with handle and protective caps
- \cdot 2 vials: 1 horizontal and 1 vertical
- · Accuracy in digital measurements: 0.1°, 0.2° in angles
- · Supplied with waterproof bag and 2× AAA batteries

CODE	DESCRIPTION	<u>_</u>	\boxtimes		PRICE
0-42-065	FATMAX Digital Level 600 mm	Х	1	3 2 5 3 5 6 0 4 2 0 6 5 9	
0-42-086	FATMAX Digital Level 1200 mm	Х	1	3 2 5 3 5 6 0 4 2 0 8 6 4	

FATMAX® II LEVEL - STANDARD

DO SELECTION

STANLEY FATMAX

- · Aluminum Level
- · 2 work surfaces
- · Large horizontal center vial and 2 vertical vials
- \cdot Shock-absorbing end pieces
- · Accuracy: +/- 0.5mm/m



CODE	DESCRIPTION	0	\boxtimes		PRICE
1-43-524	Level FATMAX 600 mm	-	1	3 2 5 3 5 6 1 4 3 5 2 4 9	
1-43-536	Level FATMAX 900 mm	-	1	3 2 5 3 5 6 1 4 3 5 3 6 2	
1-43-548	Level FATMAX 1200 mm	-	1	3 2 5 3 5 6 1 4 3 5 4 8 5	
1-43-572	Level FATMAX 1800 mm	-	1	3 2 5 3 5 6 1 4 3 5 7 2 0	

MAGNETIC LEVEL FATMAX® II


STANLEY. FATMAX

- · Aluminum Level
- · 2 work surfaces
- · Strong magnets
- · Large horizontal center vial and 2 vertical vials
- $\cdot \ \textbf{Shock-absorbing end pieces}$
- · Accuracy: +/- 0.5mm/m

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
1-43-525	Level FATMAX 600 mm Magnetic	-	1	3 2 5 3 5 6 1 4 3 5 2 5 6	
1-43-549	Level FATMAX 1200 mm Magnetic	-	1	3 2 5 3 5 6 1 4 3 5 4 9 2	

LEVEL CLASSIC PRO FATMAX®

STANLEY. FATMAX.



BOX BEAM LEVEL

The box section provides the ultimate in terms of overall strength and performance. They are fi tted with solid block acrylic vials that have been machined to exacting tolerances to ensure that the movement of the bubble is smooth and comes to rest quickly. A small magnifying area in the centre makes reading the position of the vial easier.



CODE	DESCRIPTION		\boxtimes		PRICE
FMHT42552-1	FATMAX Level classic PRO 400 mm	-	10	3253561425523	
FMHT42554-1	FATMAX Level classic PRO 600 mm	-	10	3 2 5 3 5 6 1 4 2 5 5 4 7	
FMHT42447-1	FATMAX Level classic PRO 1000 mm	-	10	3 2 5 3 5 6 1 4 2 4 4 7 2	
FMHT42559-1	FATMAX Level classic PRO 1200 mm	-	10	3 2 5 3 5 6 1 4 2 5 5 9 2	
FMHT42561-1	FATMAX Level classic PRO 1800 mm	-	6	3 2 5 3 5 6 1 4 2 5 6 1 5	

STANLEY® LEVEL CLASSIC

 \cdot Extra large center vial for good readability and accuracy to 0.5 mm/m

3253566979267

PRICE

- · Large, clearly visible side vials
- · Shock-absorbing end pieces

Level Classic - 600/1200/2000

STHT6-97926

CODE	DESCRIPTION		\boxtimes	
STHT1-43102	Level Classic 400 mm	-	2	3 2 5 3 5 6 1 4 3 1 0 2 9
STHT1-43103	Level Classic 600 mm	-	2	3 2 5 3 5 6 1 4 3 1 0 3 6
STHT1-43104	Level Classic 800 mm	-	2	3 2 5 3 5 6 1 4 3 1 0 4 3
STHT1-43105	Level Classic 1000 mmc	-	2	3 2 5 3 5 6 1 4 3 1 0 5 0
STHT1-43106	Level Classic 1200 mm	-	2	3 2 5 3 5 6 1 4 3 1 0 6 7
STHT1-43107	Level Classic 1500 mm	-	2	3 2 5 3 5 6 1 4 3 1 0 7 4
STHT1-43108	Level Classic 1800 mm	-	2	3 2 5 3 5 6 1 4 3 1 0 8 1
STHT1-43109	Level Classic 2000 mm	-	2	3 2 5 3 5 6 1 4 3 1 0 9 8



STANLEY® LEVEL CLASSIC MAGNETIC

- · Extra large center vial for good readability and accuracy to 0.5 mm/m
- · Large, clearly visible side vials
- · Shock-absorbing end pieces



CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
STHT1-43110	Level Classic Magnetic 400 mm	-	2	3 2 5 3 5 6 1 4 3 1 1 0 4	
STHT1-43111	Level Classic Magnetic 600 mm	-	2	3 2 5 3 5 6 1 4 3 1 1 1 1	
STHT1-43112	Level Classic Magnetic 800 mm	-	2	3 2 5 3 5 6 1 4 3 1 1 2 8	
STHT1-43114	Level Classic Magnetic 1200 mm	-	2	3 2 5 3 5 6 1 4 3 1 1 4 2	
STHT1-43115	Level Classic Magnetic 1500 mm	-	2	3 2 5 3 5 6 1 4 3 1 1 5 9	
STHT1-43116	Level Classic Magnetic 1800 mm	-	2	3 2 5 3 5 6 1 4 3 1 1 6 6	
STHT1-43117	Level Classic Magnetic 2000 mm	-	2	3 2 5 3 5 6 1 4 3 1 1 7 3	

BRICKLAYER'S LEVEL



- · Aluminum version
- · 2 vials: 1 vertical and 1 horizontal
- · ABS handles

CODE	DESCRIPTION		\boxtimes		PRICE
0-42-323	Bricklayer's Level 2000 mm - 2L	Х	5	3 2 5 3 5 6 0 4 2 3 2 3 0	

FATMAX® PRO I-BEAM LEVEL STANLEY FATMAX



- · Durable vials with accuracy +/- 0.5 mm/m
- \cdot Cut-out for round tube measurements
- $\cdot \ \textbf{Shock-absorbing end pieces}$
- · Light, extra strong aluminum I-profile

CODE	DESCRIPTION	<u>_</u>	\boxtimes		PRICE
XTHT1-42131	FATMAX Levelx I-beam Pro 600mm	-	2	3 2 5 3 5 6 1 4 2 1 3 1 0	
XTHT1-42134	FATMAX Pro I-beam Level 1200 mm	-	2	3 2 5 3 5 6 1 4 2 1 3 4 1	
XTHT1-42138	FATMAX Pro I-beam Level 1800 mm	-	2	3 2 5 3 5 6 1 4 2 1 3 8 9	

FATMAX® PRO I-BEAM LEVEL MAGNETIC

STANLEY.

- · Durable vials with accuracy +/- 0.5 mm/m
- \cdot Cut-out for round tube measurements
- · Shock-absorbing end pieces
- · Light, extra strong aluminum I-profile



CODE	DESCRIPTION	٥	\boxtimes		PRICE
XTHT1-42132	FATMAX Pro I-beam Level magnetic 600 mm	-	2	3 2 5 3 5 6 1 4 2 1 3 2 7	
XTHT1-42135	FATMAX Pro I-beam Level magnetic 1200 mm	-	2	3 2 5 3 5 6 1 4 2 1 3 5 8	
XTHT1-42140	FATMAX Pro I-beam Level magnetic 1800 mm	-	2	3 2 5 3 5 6 1 4 2 1 4 0 2	
XTHT1-42139	FATMAX Pro I-beam Level magnetic 2000 mm	-	2	3 2 5 3 5 6 1 4 2 1 3 9 6	

FATMAX® I-BEAM LEVEL



- · Aluminium profile
- · 3 vials, extra large center vial for good readability
- · Accuracy 0.5mm/m
- Measurements (cm) at the top except 180cm
- · Shock-absorbing end pieces



CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
1-43-553	FATMAX I-beam Level 600 mm	-	2	3 2 5 3 5 6 1 4 3 5 5 3 9	
1-43-555	FATMAX I-beam Level 1200 mm	-	2	3 2 5 3 5 6 1 4 3 5 5 5 3	
1-43-557	FATMAX I-beam Level 1800 mm	-	2	3 2 5 3 5 6 1 4 3 5 5 7 7	

FATMAX® I-BEAM LEVEL MAGNETIC



- · Aluminium profile
- 3 vials, extra large center vial for good readability
- · Accuracy 0.5mm/m
- · Measurements (cm) at the top except 200cm
- · Shock-absorbing end pieces



CODE	DESCRIPTION		\boxtimes		PRICE
1-43-554	FATMAX I-beam Level Magnetic 600 mm	-	2	3 2 5 3 5 6 1 4 3 5 5 4 6	
1-43-556	FATMAX I-beam Level Magnetic 1200 mm	-	2	3 2 5 3 5 6 1 4 3 5 5 6 0	
1-43-558	FATMAX I-beam Level Magnetic 2000 mm	-	2	3 2 5 3 5 6 1 4 3 5 5 8 4	

STANLEY®LEVEL I-BEAM

STANLEY

- $\cdot \ I \ profile$
- · Durable heavy-duty aluminum support bar
- \cdot 3 tubular vials: 1× vertical, 1× horizontal, 1× 180° adjustable (double tick marks from 0° to 90° and in 10 increments)
- Thanks to shock-absorbing end pieces, accuracy is preserved even if the Level falls
- · Accuracy: 1.5mm/m



^{*}Not in the Nordic assortment - special order required

STANLEY® I-BEAM LEVEL



- · V-groove in work surface, for round tube applications
- · Aluminum construction with yellow powder coating: surface protection
- \cdot 3 vials (Ø12 mm diameter): 180°, 90° and 45° (except 30cm version: 2 vials: 180° and 90°)
- · Dragonflies protected with plastic
- · Continuous work surface with window at the top
- · Accuracy: 2.0mm/m
- · Plastic end pieces

CODE	DESCRIPTION		\boxtimes		PRICE
0-42-072	Level I-beam 300 mm - 2L	-	10	3 2 5 3 5 6 2 4 2 0 7 2 5	
0-42-073	Level I-beam 450 mm - 3L	-	10	3 2 5 3 5 6 1 4 2 0 7 3 3	
0-42-074	Level I-beam 600 mm - 3L	-	10	3 2 5 3 5 6 1 4 2 0 7 4 0	
0-42-076	Level I-beam 1200 mm - 3L	-	10	3 2 5 3 5 6 1 4 2 0 7 6 4	

FATMAX® PRO BOX TORPEDO LEVEL

STANLEY. FATMAX



- Box torpedo Level with two fixed vials and a 360° rotating vial for flexible measuring
- Oversized center vial for easier reading and increased accuracy
- · Magnetic base for easier working on steel structures and scaffolding
- · No-Mar rubber end caps for greater shock resistance
- · Extruded aluminum housing for increased strength and reduced weight
- · Accuracy: 0.5mm/m

CODE	DESCRIPTION	<u>_</u>	\boxtimes		PRICE
XTHT0-42495	FATMAX Pro Box Torpedo Level	Х	6	3 2 5 3 5 6 0 4 2 4 9 5 4	

FATMAX® PRO TORPEDO LEVEL

STANLEY FATMAX



- · Aluminum construction
- \cdot 3 vials, of which 1 extra large middle vial and 1 180 $^{\circ}$ rotatable vial
- · Sole with built-in magnet and groove

CODE	DESCRIPTION	<u>_</u>	\boxtimes		PRICE
0-43-609	FATMAX Pro Torpedo Level 250mm - 3L	Х	6	3 2 5 3 5 6 0 4 3 6 0 9 4	

FATMAX® TORPEDO LEVEL

STANLEY FATMAX



- · Cast aluminum frame for maximum durability
- · Solid dragonflies
- · Accuracy: 0.5mm/m
- · Extra large middle dragonfly
- · Strong magnets
- · Groove for use on round surfaces

CODE	DESCRIPTION	Ō	\boxtimes		PRICE
0-43-603	FATMAX™ Torpedo Level	Х	6	3 2 5 3 5 6 0 4 3 6 0 3 2	

STANLEY® LEVEL TORPEDO



- · Sturdy, shock-resistant aluminum frame
- · Shockproof center vial
- · Accuracy: 2.0mm/m
- With magnetic base: hands-free leveling on metal constructions or when laying pipes

CODE	DESCRIPTION		\boxtimes		PRICE
0-43-511	Level Torpedo 250 mm Alu Magnetic - 3L	Х	6	3 2 5 3 5 6 0 4 3 5 1 1 0	

STANLEY® LEVEL TORPEDO PLASTIC



- · Light ABS housing for strength
- · 3 vials: 1× vertical, 1× horizontal, 1× 45°

CODE	DESCRIPTION		\boxtimes		PRICE
0-42-294	Level Torpedo 200 mm - 3L	Х	6	3 2 5 3 5 6 0 4 2 2 9 4 3	

STANLEY® ALUMINIUM MAGNETIC TORPEDO LEVEL



- \cdot 3 vials: horizontal, plumb and 45°
- · Magnetic base ideal for steel construction
- · Strong & lightweight aluminium body ideal for small installations

CODE	DESCRIPTION	<u>_</u>	\boxtimes		PRICE
0-42-465	Aluminium Magnetic Torpedo Level - 23 cm	Х	6	3253560424657	

WATER LEVEL



- · Hose Level
- · 2 transparent vials with graduations
- · For long distance Levels (hose not included)
- · mm division

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
0-42-430	Hose Level	Х	6	3 2 5 3 5 6 0 4 2 4 3 0 5	

LINE LEVEL



- · Light aluminum version with hooks for use on a line
- · Ideal for leveling on large surfaces
- · Ideal for landscaping

CODE	DESCRIPTION		\boxtimes		PRICE
0-42-287	Line Level 80 mm	Х	6	3 2 5 3 5 6 0 4 2 2 8 7 5	

POCKET LEVEL



- Clearly legible vialsCompactMagneticBelt clip

CODE	DESCRIPTION		\boxtimes		PRICE
0-42-130	Pocket Level	-	6	3 2 5 3 5 6 0 4 2 1 3 0 4	

POST LEVEL MAGNETIC



- · Foldable corner Level
- · Magnetic
- · Suitable for angles from 0-180°
- · On board storage of line level

CODE	DESCRIPTION		\boxtimes		PRICE
0-47-720	Post Level magnetic	-	4	3 2 5 3 5 6 0 4 7 7 2 0 2	






THE STANLEY®LASER RANGE

Accurate measuement is essential for trouble free construction sites, speeding up the job and minimising waste and reworked tasks. Our aim has been to create a range of complimentary products - all built to our exacting standards - to enable professional users work quickly and accurately. That's why the STANLEY® Laser Tools range offers all the benets of durable and well engineered products with user friendly features and features designed for the professional user.

LASER DISTANCE MEASURES

	MODEL	TLM40 STHT77666-0	TLM50 STHT1-77409	SLM65 STHT77065-0	SLM100 STHT77100-0
	Distance	0			
	2 Area	-	-		0
	3 Volume	-	-		0
S	4 Height	-	-	-	-
E.	5 Combined height	-	-	-	-
MAIN FEATURES	6 Tracking	0	0	0	0
AN	Height tracking	-	-	-	-
Σ	3 Distance with obstacle	-	-	-	-
	Triangular area measurement	-	-	-	0
	Partial height	-	-	-	-
	① Stake out function	-	-	-	-
	Working range (min / max)	0.17 - 12m	0.17 - 15m	0.17 - 20m	0.17 - 30m
	Accuracy	±6mm @ 10m	±3mm @ 10m	±3mm @ 10m	±3mm @ 10m
	Inclination sensor	-	-	-	-
	Water/dust protection	-	IP40	IP40	IP40
	Screen	1 waarde	2 waarden	4 waarden	4 waarden
	Screen lighting	-	-	-	-
S	Sound signal	-	-	-	-
SPECIFICATIONS	Calculation function +/-	-	-	-	-
FICA	Memory	-	1	2	3
PECI	Timer	-	-	-	-
S	Fold-out pin	-	-	-	-
	Digital zoom (×4)	-	-	-	-
	Automatic shutdown (laser/device)	≤ 90 sec	≤ 120 sec	≤ 120 sec	≤ 120 sec
	Measurements per set of batteries	-	> 3000	> 3000	> 3000
	Batteries (included)	internal battery	2× AAA	2× AAA	2× AAA
	Suitable for tripod (1/4")	-	-	-	-
	Storage pouch included	-	-	-	-



LASER DISTANCE MEASURES

	MODEL	FLM165 FMHT77165-0	TLM165s STHT1-77139	**************************************	**************************************
	O Distance	D	D	0	0
	2 Area	0	D	0	
	③ Volume	D	D	D	
S	⊘ Height	-	D		
뿔	3 Combined height	-	D	D	
MAIN FEATURES	6 Tracking				
Ā	• Height tracking	-	D	D	
2	3 Distance with obstacle	-			
	Triangular area measurement	-			
	Shared height	-	0		
	① Stake out function	-		0	
	Working range (min / max)	0.17 - 50m	0.15 - 50m	0.15 - 60m	0.15 - 100m
	Accuracy	±1.5mm @ 10m	± 1.5mm @ 10m	± 1.5mm @ 10m	± 1mm @ 10m
	Inclination sensor	-	0	0	
	Water/dust protection	IP40	IP54	IP54	IP54
	Screen	4 values	Touchscreen, 3 values	Touchscreen, 3 values	Touchscreen, 3 values
	Screen lighting	-	-	-	
S	Sound signal	-	-	-	
	Calculation function +/-		0	0	
FICA	Memory	-	10	10	20
SPECIFICATIONS	Timer	-	0-60 sec	0-60 sec	0-60 sec
S	Fold-out pin	-	D	0	
	Digital zoom (×4)	-	-	-	-
	Automatic shutdown (laser/device)	≤ 90 sec	≤ 30-60-300 sec	≤ 30-60-300 sec	≤ 30-60-90 sec
	Measurements per set of batteries	> 3000	> 5000	> 5000	> 5000
	Batteries (included)	internal battery	3× AAA	3× AAA	3× AAA
	Suitable for tripod (1/4")	-	0	0	
	Storage pouch included	-	0	0	0
		, of			



DISTANCE MEASURING

LASER DISTANCE MEASURER TLM330 - 100 M





0.0000 m

- · Smartconnect app via Bluetooth®
- · Range: 0.15 100m
- · Accuracy: 1.5mm @ 10m
- · Measurements: distance area volume Pythagoras
- · Continuous measurement function
- · Calculation function
- · Fore, aft, tripod and angle measurement
- · Memory function: 20 values
- · Touch screen: backlit, 3 value display
- · IP54 dust and water resistant
- · With tilt sensor
- · Auto off (30 60 300 sec.)
- · Standard tripod thread 1/4"
- · Functions: Distance, Area, Volume, Height, Combined Height, Continuous Distance Measurement, Continuous Height Measurement, Obstacle Distance, Triangle, Shared Height, Interval
- · Ideal for architects
- · Measurements per set of batteries: 5000
- · Supplied with batteries 3× AAA and storage bag

CODE	DESCRIPTION	ð	\boxtimes		PRICE
STHT1-77140	Laser distance Measurer TLM330 - 100 m	Х	2	3 2 5 3 5 6 1 7 7 1 4 0 8	203.40
Waterprof sca		So So	und sign	Fold-out pin Interio	

LASER DISTANCE MEASURER TLM165 si - 60M



- · Range: 0.15 60m
- · Accuracy: 1.5mm @ 10m
- · Measurements: distance area volume Pythagoras
- · Continuous measurement function
- · Calculation function
- · Fore, aft, tripod and angle measurement
- · Memory function: 10 values
- · Touch screen: backlit, 3 value display
- · IP54 dust and water resistant
- · With tilt sensor
- · Auto off (30 60 300 sec.)
- · Standard tripod thread 1/4"
- · Functions: Distance, Area, Volume, Height, Combined Height, Continuous Distance Measurement, Continuous Height Measurement, Obstacle
- Distance, Triangle, Shared Height, Interval
- · Ideal for architects
- · Measurements per set of batteries: 5000
- · Supplied with batteries 3× AAA and storage bag

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
STHT1-77142	Laser distance Measurer TLM165si - 60 m	Х	2	3 2 5 3 5 6 1 7 7 1 4 2 2	135.25













LASER DISTANCE MEASURER TLM165 s - 50M





- · Smartconnect app via Bluetooth®
- · Range: 0.15 50m
- · Accuracy: 1.5mm @ 10m
- · Measurements: distance area volume Pythagoras
- · Continuous measurement function
- · Calculation function
- · Fore, aft, tripod and angle measurement
- · Memory function: 10 values
- · Touch screen: backlit, 3 value display
- · IP54 dust and water resistant
- · With tilt sensor
- · Auto off (30 60 300 sec.)
- · Standard tripod thread 1/4"
- · Functions: Distance, Area, Volume, Elevation, Combined Height, Continuous Distance Measurement, Continuous Height Measurement, Obstacle
- Distance, Triangle, Shared Height, Interval
- · Ideal for architects
- · Measurements per set of batteries: 5000
- · Supplied with batteries 3× AAA and storage bag

CODE	DESCRIPTION		\boxtimes		PRICE
STHT1-77139	Laser distance Measurer TLM165s - 50 m	Х	2	3 2 5 3 5 6 1 7 7 1 3 9 2	125.00
IDEA /					













LASER DISTANCE MEASURER FLM165 - 50 M




- · Measuring range of 50m with accuracy of +/- 1.5mm
- · Delivers accurate distance, area, volume, Pythagorean and continuous measurements
- · Calculation function (+/-)
- · Metric and imperial units of measurement
- · Internal rechargeable lithium-ion battery provides impressive runtime up to 1000 readings per charge
- · Internal Lithium-Ion battery can be fully charged in 2.5 hours
- · Automatic power saving mode to save battery
- · Easy to use, two-button operation
- · Black LCD screen with clear white characters for excellent visibility, even in high ambient light
- · Robust rubber-protected housing for better grip and long product life
- · IP40 rating against dust and water ingress

CODE	DESCRIPTION	<u></u>	\boxtimes		PRIC
FMHT77165-0	Laser distance Measurer FLM165 - 50 m	х	6	3 2 5 3 5 6 0 7 7 1 6 5 2	99.75







SLM100 LASER DISTANCE MEASURER - 30M



- 30 m measuring range suitable for a wide variety of professional measuring applications
- Black LCD screen with white characters for excellent visibility, even in high ambient light
- · Two-button operation for ease of use
- On/Measure button for taking measurements and a button to change function
- Two-point measurement system measurements can be taken from the front or back of the device for added flexibility and accuracy in various measurement applications
- Energy saving mode device automatically turns off when inactive after 120 seconds (laser), 180 seconds (display)
- Large screen size displays three rows of measurements on screen at any given time
- · Drop test from 1 m height shockproof

CODE	DESCRIPTION	٥	\boxtimes		PRICE
STHT77100-0	Laser distance Measurer SLM100 - 30 m	Х	6	3 2 5 3 5 6 0 7 7 1 0 0 3	68.25







SLM65 LASER DISTANCE MEASURER - 20 M



- · 20 m measuring range suitable for a wide variety of professional measuring applications
- · Black LCD screen with white characters for excellent visibility, even in high ambient light
- · Two-button operation for ease of use
- On/Measure button for taking measurements and a button to change function.
- Two-point measurement system measurements can be taken from the front or back of the device for added flexibility and accuracy in various measurement applications
- Energy saving mode device automatically turns off when inactive after 120 seconds (laser), 180 seconds (display)
- · Large screen size displays two rows of measurements on screen at any given time
- · Drop test from 1 m height shockproof

CODE	DESCRIPTION	<u>_</u>	\times		PRICE
STHT77065-0	Laser distance Measurer SLM65 - 20 m	Х	6	3 2 5 3 5 6 0 7 7 0 6 5 5	57.75





LASER DISTANCE MEASURER TLM50 - 15 M



STANLEY

- · Range: 0.17 15m
- · Accuracy: 3mm @ 10m
- · Measurements: distance
- · Continuous measurement function
- · Back measurement
- · Black screen with white letters better readability
- \cdot IP54 dust and water resistant
- · 1 value display on screen
- · Auto off (90 sec)
- · Functions: Distance, Continuous distance measurement
- · Measurements per set of batteries: 3000
- · Supplied with batteries 2× AAA

CODE	DESCRIPTION		\boxtimes		PRICE
STHT1-77409	Laser distance Measurer TLM50 - 15 m	Х	8	3 2 5 3 5 6 1 7 7 4 0 9 6	46.95





POCKET LASER DISTANCE MEASURER TLM40 – 12 M



- · Accuracy: +/-6mm @ 10m
- · Measurements: distance
- · Continuous measurement function
- · Black screen with white letters better readability
- · soft grip
- · Operation with 1 button
- · Internal lithium ion battery
- · Auto off (90 sec)
- $\cdot \ \textbf{Functions: Distance, Continuous distance measurement}$
- · Supplied with USB charging cable

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
STHT77666-0	Pocket Laser distance Measurer TLM40 – 12 m	Х	6	3 2 5 3 5 6 0 7 7 6 6 6 4	34.10





THE RIGHT LASER FOR EVERY JOB

THE MAIN TYPES OF STANLEY LASER LEVELS











evel

atina

Spot line/cross

Cross + spot line

Spot line

ARE LASERS POSSIBLY DANGEROUS?

In terms of their potential hazards, lasers are classified from 1 to 4. STANLEY lasers are classified as 1 to 2, meaning they pose little or no hazard.

Class 1 - Does not pose a risk of biological damage.

Class 2 - The laser could injure a person if they stare into the beam for a long time.

WHAT IS A LASER?

LASER stands for "Light Amplification by Stimulated Emission of Radiation". A diode is used to create a concentrated laser beam in one wavelength. The shorter the wavelength, the brighter and more visible the laser beam. STANLEY lasers have a standard wavelength of 635 nanometers, suitable for use over distances of up to 300m.

IP-CLASS

If you work in dusty and humid environments, the IP rating of the laser is also important. Some STANLEY lasers have an IP54 rating (dust resistant and splash proof) or IP66 rating (dust resistant and completely waterproof).







Straight lines



Plumb line - take a point from floor to ceiling



Horizontal/Vertical level and alignment

REPAIR UNDER WARRANTY AND CHECK SERVICE

All STANLEY laser products come with a one-year warranty. During this period, repairs under "normal" use are free of charge. For repairs under warranty, you must contact your dealer, who will send the product to STANLEY for repair. The product will then be repaired and returned to your dealer, who will in turn deliver it to you. Also follow the above procedure for out-of-warranty repairs. You will then first receive a quotation for the repair so that you can decide whether or not the repair should be carried out or not. We recommend that you have products serviced annually and calibrated every 6 months.

TAKE FOR SERVICE OR REPAIRS CONTACT


NORDICS: Aftersales.nordic@sbdinc.com


Sweden: +46 844680277 Norway: +47 37715559 Denmark: +45 89872256 Finland: +35 8942455223


LEVELING FEATURES

Listed below are the common leveling functions you can perform with the STANLEY® range.












ROTATING LASERS

CROSS LINE LASERS
























































SPOT LASERS

360° LASERS

STANLEY® FATMAX® 35/50 M X3G GREEN BEAM MULTI-LINE LASER LEVEL

STANLEY FATMAX





- · Range: 30 m and up to 50 m with detector (not included)
- · Accuracy: 3mm @ 10m
- \cdot Self-levelling up to $\pm 4^{\circ}$
- · Leveling Time: ≤ 3sec
- · Projects 6 cross lines simultaneously, or each 360° line separately
- · Reaches walls, floors and ceilings
- · Pulse mode for use with detector (not included)
- · IP54 dust and water resistant
- · Lockable pendulum for durable transport
- · Robust, shock-resistant housing
- · Standard thread for tripod 1/4" and 5/8"
- · Lithium Ion battery
- · Supplied in sturdy PRO-STACK case (can be combined with TSTAK) with charger, multifunctional bracket, laser glasses and target card















STANLEY® FATMAX® X3R RED BEAM MULTI-LINE 20/50 M LASER LEVEL

STANLEY FATMAX.



- · Range: 20 m and up to 50 m with detector (not included)
 - · Accuracy: 3mm @ 10m
 - Self-levelling up to $\pm 4^{\circ}$
 - · Leveling Time: ≤ 3sec
 - · Projects 6 cross lines simultaneously or each 360° line separately
 - Reaches walls, floors and ceilings
 - · Pulse mode for use with detector (not included)
 - · IP54 dust and water resistant
 - · Lockable pendulum for durable transport
 - · Robust, shock-resistant housing
 - · Standard thread for tripod 1/4" and 5/8"
 - · Lithium Ion battery
 - · Supplied in sturdy PRO-STACK case (can be combined with TSTAK) with charger, multifunctional bracket, laser glasses and target card



CODE	DESCRIPTION		\boxtimes		PRI
FMHT1-77357	FATMAX X3R Multi-Line Laser 3× 360° with red beam	-	2	3 2 5 3 5 6 1 7 7 3 5 7 0	











STANLEY® FATMAX® 360° V2 GREEN BEAM LASER LEVEL







- \cdot Working range: 30 m and up to 50 m with detector (not included)
- · Accuracy: 3 mm @ 10 m line, 6 mm @ 10 m point
- \cdot Self-levelling up to $\pm 4^{\circ}$
- · Leveling Time: ≤ 5sec
- · Projects one 360° horizontal line + 2 vertical lines with an angle of 120° + 1 plumb bob
- · High visibility, ideal for metal stud alignment for drywall
- Magnetic base to attach to metal studs
- · Pulse mode for use with detector (not included)
- · IP54 dust and water resistant
- · Durable design with rubber housing
- · 1.5 m drop test
- · Lockable pendulum for durable transport
- · Standard thread for tripod 1/4" and 5/8"
- Green; 7,2V, 2Ah Li-Ion battery, Red: 4xAA Alkaline
- · Supplied in sturdy PRO-STACK case (can be combined with TSTAK) with charger, multifunctional bracket, laser glasses and target card

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
FMHT77617-1	STANLEY® FATMAX® 360° V2 Green Beam Laser Level	-	2	3 253561 776175	
CODE	DESCRIPTION	<u>_</u>	\boxtimes		PRICE
FMHT1-77416	STANLEY® FATMAX® 360° Red Beam Laser Level	-	2	3253561774164	













LINE LASER SLL360° GREEN - 25 M



- · Range: 25 m
- · Accuracy: 4mm @ 10m
- \cdot Self-levelling up to $\pm 4^{\circ}$
- · Leveling Time: ≤ 5sec
- · Projects a self-levelling 360° line and 1 vertical line
- · Convenient placement with the 360° clamp
- · Lockable pendulum for durable transport
- · User-friendly push button
- · Large base for extra stability
- · IP50 dust and water resistant
- · Standard tripod thread 1/4"
- · Robust housing with rubber protection
- · Supplied with storage bag, 4× AA batteries and 360° clamp

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
STHT77594-1	Line laser SLL360° green	Х	2	3 2 5 3 5 6 1 7 7 5 9 4 9	
CODE	DESCRIPTION	<u></u>	\square		PRICE
		<u> </u>			- 111101
STHT77641-1	Line laser SLL360° green - kit with tripod		3253561776410		











LINE LASER SLL360° RED - 20 M



- · Range: 20 m
- · Accuracy: 4mm @ 10m
- \cdot Self-levelling up to $\pm 4^{\circ}$
- · Leveling Time: ≤ 5sec
- · Projects a self-levelling 360° line and 1 vertical line
- · Convenient placement with the 360° clamp
- · Lockable pendulum for durable transport
- · User-friendly push button
- · Large base for extra stability
- · IP50 dust and water resistant
- · Standard tripod thread 1/4"
- · Robust housing with rubber protection
- · Supplied with storage bag, 4× AA batteries and 360° clamp

CODE	DESCRIPTION	رقا	\boxtimes		PRICE
STHT77504-1	Line laser SLL360° red	Χ	2	3 2 5 3 5 6 1 7 7 5 0 4 8	
CODE	DESCRIPTION		\boxtimes		PRICE
STHT77640-1	Line laser SLL360° red - kit with tripod			3253561776403	
				·	










CROSS LASERS

FATMAX® SCGI-P5 5 POINT + CROSS LINE LASER GREEN LI-ION


STANLEY FATMAX





- · Range line: 30 m and up to 50 m with detector (not included)
- · Range point: 45 m
- · Accuracy: 3 mm @ 10 m line, 6 mm @ 10 m point
- \cdot Self-levelling up to $\pm 4^{\circ}$
- · Leveling Time: ≤ 5sec
- · Pulse mode for use with detector (not included)
- · Projects 1 horizontal and 1 vertical line + 5 individual points
- Projects self-leveling lines up to 150° thanks to continuous windows
- Magnetic base to attach to metal studs
- · IP54 dust and water resistant
- · Lockable pendulum for durable transport
- · Standard thread for tripod 1/4" and 5/8"
- · Supplied in sturdy PRO-STACK case (combinable with TSTAK) with charger, multifunctional bracket, laser glasses and target card




















FATMAX® SCR-P5 5-POINT + CROSS LINE LASER RED





- · Range line: 20 m and up to 50 m with detector (not included)
- · Range point: 30 m
- · Accuracy: 3 mm @ 10 m line, 6 mm @ 10 m point
- \cdot Self-levelling up to ± 4°
- · Leveling Time: ≤ 3sec
- · Pulse mode for use with detector (not included)
- · Projects 1 horizontal and 1 vertical line + 5 individual points
- · Projects self-leveling lines up to 150° thanks to continuous windows
- · Magnetic base to attach to metal studs
- · IP54 dust and water resistant
- · Lockable pendulum for durable transport
- · Standard thread for tripod 1/4" and 5/8"
- · Supplied in sturdy PRO-STACK case (combinable with TSTAK) with 4× AA batteries, multifunctional bracket, laser glasses and target card



















FATMAX® FCL-GI CROSS LINE LASER GREEN LI-ION

STANLEY FATMAX.





- · Range line: 30 m and up to 50 m with detector (not included)
- · Accuracy: 3mm @ 10m line
- · Self-levelling up to $\pm 4^{\circ}$
- · Leveling Time: ≤ 5sec
- · Pulse mode for use with detector (not included)
- · Projects 1 horizontal and 1 vertical line
- · Projects self-leveling lines up to 150° thanks to continuous windows
- · Magnetic base to attach to metal studs and fine tune
- · IP54 dust and water resistant
- · Lockable pendulum for durable transport
- \cdot Standard thread for tripod 1/4" and 5/8"
- · Supplied in sturdy PRO-STACK case (combinable with TSTAK) with charger, multifunctional bracket and target card



CODE	DESCRIPTION		\boxtimes		PRICE
FMHT77595-1	FATMAX FCL-Gi Cross Line Laser Green Li-ion	-	2	3 2 5 3 5 6 1 7 7 5 9 5 6	











FATMAX® FCL-G CROSS LINE LASER GREEN ALKALINE

STANLEY FATMAX





- · Range line: 30 m and up to 50 m with detector (not included)
- · Accuracy: 3mm @ 10m line
- \cdot Self-levelling up to $\pm 4^{\circ}$
- · Leveling Time: ≤ 5sec
- · Pulse mode for use with detector (not included)
- · Projects 1 horizontal and 1 vertical line
- · Projects self-leveling lines up to 150° thanks to continuous windows
- · Magnetic base to attach to metal studs
- · IP54 dust and water resistant
- · Lockable pendulum for durable transport
- · Standard thread for tripod 1/4" and 5/8"
- · Supplied with storage bag and 4× AA batteries



CODE	DESCRIPTION	<u></u>	\boxtimes		PRIC
FMHT77586-1	FATMAX FCL-G Cross Line Laser Green Alkaline	-	2	3 2 5 3 5 6 1 7 7 5 8 6 4	











FATMAX® FCL-R CROSS LINE LASER RED ALKALINE







- · Range line: 20 m and up to 50 m with detector (not included)
- · Accuracy: 3mm @ 10m line
- · Self-levelling up to $\pm 4^{\circ}$
- · Leveling Time: ≤ 5sec
- · Pulse mode for use with detector (not included)
- · Projects 1 horizontal and 1 vertical line
- · Projects self-leveling lines up to 150° thanks to continuous windows
- Magnetic base to attach to metal studs
- · IP54 dust and water resistant
- · Lockable pendulum for durable transport
- \cdot Standard thread for tripod 1/4" and 5/8"
- · Supplied with storage bag and 4× AA batteries



CODE	DESCRIPTION	<u>_</u>	\boxtimes		PRICE
FMHT77585-1	FATMAX FCL-R Cross Line Laser Red Alkaline	-	1	3 2 5 3 5 6 1 7 7 5 8 5 7	











FATMAX® SCR-P2 2-POINT + CROSS LINE LASER RED OR GREEN









- · Range line: 20 m and up to 50 m with detector (not included)
- \cdot Range point: 30 m red, 45 m green
- · Accuracy: +/-2mm @10m line, 6 mm @ 10 m point
- Self-levelling up to \pm 4°
- · Leveling Time: \leq 3sec
- · Pulse mode for use with detector (not included)
- · Projects 1 horizontal and 1 vertical line + 2 individual points
- · Projects self-leveling lines up to 150° thanks to continuous windows
- · Magnetic base to attach to metal studs and fine tune
- · IP54 dust and water resistant
- · Lockable pendulum for durable transport
- · Standard thread for tripod 1/4" and 5/8"
- Supplied in sturdy PRO-STACK case (combinable with TSTAK) with 4× AA batteries (for FMHT1-77414), multifunctional bracket, laser glasses and target card
- · FMHT77597-1 integrated battery (supplied)



CODE	DESCRIPTION	٥	\boxtimes		PRICE
FMHT1-77414	FATMAX SCR-P2 2-point + cross line laser red	-	2	3 2 5 3 5 6 1 7 7 4 1 4 0	
CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
FMHT77597-1	FATMAX SCG-P2 2-point + cross line laser green	-	2	3253561775970	













CROSS LINE LASER CROSS90™ GREEN - 16 M





- · Accuracy: 5mm @ 10m
- \cdot Self-levelling up to $\pm 4^{\circ}$
- · Leveling Time: ≤ 5sec
- · Self-levelling cross line laser with additional 90° laser line
- · Manual mode to stake out angle lines
- · Lockable pendulum for durable transport
- · Convenient placement with the 360° clamp
- · Robust housing with rubber protection
- · IP50 dust and water resistant
- · Standard tripod thread 1/4"
- · Supplied with 2× AA batteries, storage bag, 360° clamp













CROSS LINE LASER CROSS90™ RED - 12 M



- · Range: 12 m
- · Accuracy: 5mm @ 10m
- \cdot Self-levelling up to $\pm 4^{\circ}$
- · Leveling Time: ≤ 5sec
- · Self-levelling cross line laser with additional 90° laser line
- · Manual mode to stake out angle lines
- $\cdot \ \textbf{Lockable pendulum for durable transport}$
- · Convenient placement with the 360° clamp
- $\cdot \ \textbf{Robust housing with rubber protection}$
- · IP50 dust and water resistant · Standard tripod thread 1/4"
- · Standard tripod thread 1/
- · Supplied with 2× AA batteries, storage bag, 360° clamp

CODE	DESCRIPTION		\boxtimes		PRICE
STHT77502-1	Cross line laser Cross90 red	Х	2	3 2 5 3 5 6 1 7 7 5 0 2 4	











CROSS LINE LASER CUBIX™ GREEN - 16 M





- · Range: 16 m
- · Accuracy: 6mm @ 10m
- \cdot Self-levelling up to $\pm 4^{\circ}$
- · Leveling Time: ≤ 5sec
- · Self-levelling cross line laser
- · Manual mode to stake out angle lines
- · Easy operation
- · Lockable pendulum for durable transport
- · Convenient placement with the 360° clamp
- · Robust housing with rubber protection
- · IP50 dust and water resistant
- · Standard tripod thread 1/4"
- · Supplied with 2× AA batteries, storage bag, 360° clamp

ST
_
_
CO
_
ST
_

CODE	DESCRIPTION	٥	\boxtimes		PRICE
STHT77499-1	Cross line laser Cubix green	Х	2	3 2 5 3 5 6 1 7 7 4 9 9 7	
CODE	DESCRIPTION		\times		PRICE
STHT77649-1	Cross line laser Cubix green - kit with stand and bag			3253561776496	









CROSS LINE LASER CUBIX™ RED - 12 M



- · Range: 12 m
 - · Accuracy: 6mm @ 10m
 - · Self-levelling up to $\pm 4^{\circ}$
 - · Leveling Time: ≤ 5sec
 - · Self-levelling cross line laser
 - \cdot Manual mode to stake out angle lines
 - · Easy operation
 - · Lockable pendulum for durable transport
 - · Convenient placement with the 360° clamp
 - Robust housing with rubber protection
 - · IP50 dust and water resistant
 - · Standard tripod thread 1/4"
 - · Supplied with 2× AA batteries, storage bag, 360° clamp



CODE	DESCRIPTION	٥	\boxtimes		PRICE
STHT77498-1	Cross line laser Cubix red	Х	2	3 2 5 3 5 6 1 7 7 4 9 8 0	
			_		
CODE	DESCRIPTION	I스I	\times		PRICE
CODE					







POINT LASER

FATMAX® SPR5 5-POINT LASER RED OR GREEN

STANLEY FATMAX









- · Range: 30 m red, 45 m green
- · Accuracy: +/-2mm @10m
- \cdot Self-levelling up to $\pm 4^{\circ}$
- · Leveling Time: ≤ 3sec
- · Projects 5 laser points
- · Ideal for plotting levels
- · Magnetic sole allows the laser to be placed on metal frames
- · IP54 dust and water resistant
- · Lockable pendulum for durable transport
- · Standard thread for tripod 1/4" and 5/8"
- · Supplied in storage bag with 4 rechargeable batteries, battery charger, bracket, target card
- · FMHT77596-1- integrated battery (supplied)

CODE	DESCRIPTION		\boxtimes		PRICE
FMHT1-77413	FATMAX SPR5 5-point laser red	-	2	3 2 5 3 5 6 1 7 7 4 1 3 3	
CODE	DESCRIPTION	<u></u>	\square	mm .	PRICE
CODE	DESCRIPTION	<u> 밀</u>			PRICE
FMHT77596-1	FATMAX SPG5 5-point laser green	-	2	3253561775963	







SPL3 3-POINT LASER RED - 30 M





- · Range: 30 m
- · Accuracy: 3mm @ 10m
- · Self-levelling up to $\pm 4^{\circ}$
- · Leveling Time: ≤ 5sec
- · Self-Leveling Projects laser points up, down and horizontally
- · Downbeam improves point visibility on drywall frames
- · IP50 dust and water resistant
- · Lockable pendulum for durable transport
- · Standard tripod thread 1/4"
- Convenient placement with the 360° clamp
- · Supplied with 2× AA batteries and 360° clamp

CODE	DESCRIPTION	<u>~</u>	\boxtimes		PRICE
STHT77503-1	SPL3 3-point laser red	-	2	3 2 5 3 5 6 1 7 7 5 0 3 1	







ROTARY LASERS

FATMAX® RL750LG ROTARY LASER LI-ION - GREEN

STANLEY FATMAX





- · Laser class: Green, Class 2
- · Operating range: 60 m 600 m with receiver
- \cdot Accuracy: ± 1.5 mm @ 30 m (H) ± 3 mm @ 30 m (V)
- · Accuracy Point: ± 3 mm @ 30 m (up)
- RPM: 0-150-300-600 ± 8.7mm @ 30m (down)
- · Self-leveling range: 5° ± 1° (any direction)
- · Leveling Time (seconds): ≤ 30s
- · Double slope: 10°
- · Scan mode
- · IP66 dust and water resistant

DESCRIPTION

Li-ion - Green

- · Tilt function
- \cdot Lithium Ion battery, 3.7V, 5.0Ah 40 hours
- · Thread: 5/8"

CODE

FMHT77448-1

 Supplied in sturdy PRO-STACK case (combinable with TSTAK) with charger, multifunctional bracket, laser glasses and target card, remote control, receiver

	2	
À		





FATMAX RL750LG Rotary Laser







PRICE

FATMAX® RL700L ROTARY LASER LI-ION - RED

STANLEY FATMAX





- · Lines: Rotary, point up and down
- · Laser class: Red. Class 2
- · Operating range: 60m 600m with receiver
- · Accuracy: ± 1.5 mm @ 30 m (H) ± 3 mm @ 30 m (V)
- · Accuracy Point: ± 3 mm @ 30 m (up) ± 8.7 mm @ 30 m (down)
- · RPM: 0-150-300-600
- · Self-leveling range: 5° ± 1° (any direction)
- · Leveling Time (seconds): \leq 30s
- · Double slope: 10°
- · Scan mode
- · IP66 dust and water resistant

DESCRIPTION

- · Tilt function
- · Lithium Ion battery, 3.7V, 5.0Ah 40 hours
- · Thread: 5/8"
- Supplied in sturdy PRO-STACK case (combinable with TSTAK) with charger, multifunctional bracket, laser glasses and target card, remote control,

receiver

CODE











PRICE

FATMAX® RL600L ROTARY LASER LI-ION - RED

STANLEY FATMAX



- · Lines: Rotary, point up
- · Laser class: Red, Class 2
- · Operating range: 60m 600m with receiver
- · Accuracy: ± 2.2 mm @ 30 m (H) ± 3 mm @ 30 m (V)
- Accuracy Point: ± 4.4 mm @ 30 m
- · RPM: 0-150-300-600
- · Self-leveling range: 5° ± 1° (any direction)
- · Leveling Time (seconds): \leq 30s
- · IP66 dust and water resistant
- · Tilt function
- · Lithium Ion battery, 3.7V, 5.0Ah 40 hours
- Thread: 5/8
- Supplied in sturdy PRO-STACK case (combinable with TSTAK) with charger, laser glasses and target card, remote control, receiver



CODE	DESCRIPTION	<u>_</u>	\boxtimes		PRI
FMHT77449-1	FATMAX RL600L Rotary Laser Li-ion - Red	-	1	3 2 5 3 5 6 1 7 7 4 4 9 2	











FATMAX® RL600 ROTARY LASER ALKALINE - RED

STANLEY FATMAX



- · Lines: Rotary, point up
- · Laser class: Red, Class 2
- · Operating range: 60m 600m with receiver
- · Accuracy: ± 2.2 mm @ 30 m (H) ± 3 mm @ 30 m (V)
- · Accuracy Point: ± 4.4 mm @ 30 m
- · RPM: 0-150-300-600
- · Self-leveling range: 5° ± 1° (any direction)
- · Leveling Time (seconds): ≤ 30s
- · IP54 dust and water resistant
- · Tilt function
- · Thread: 5/8"
- \cdot Supplied in sturdy PRO-STACK case (can be combined with TSTAK) with 2× D-cell (1.5V, 1.2Ah) batteries, laser glasses and target card, receiver

CODE	DESCRIPTION		\boxtimes		PRICE
FMHT77446-1	FATMAX RL600 Rotary Laser Alkaline - Red	-	1	3 2 5 3 5 6 1 7 7 4 4 6 1	









ROTARY LASER

STANLEY FATMAX



- · Range: 30 m (240 m with receiver)
- \cdot Accuracy: +/- 6 mm @ 30 m H and +/- 9 mm @ 30 m V
- · IP54 dust and water resistant
- Tilt function
- Lockable pendulum for durable transport and can be used both horizontally and vertically
- · Thread: 5/8"
- \cdot Supplied with 2× D batteries, laser goggles, laser target, detector and storage bag

CODE	DESCRIPTION		\boxtimes		PRICE
STHT77616-0	Rotary Laser	Х	2	3 2 5 3 5 6 0 7 7 6 1 6 9	



THE MEASURE OF A PRO™

LASER ACCESSORIES

MAGNETIC TARGET - RED



- \cdot Reflective plate with magnetic base
- · Amplified laser beam for better visibility

CODE	DESCRIPTION		\boxtimes		PRICE
1-77-170	Magnetic Target - Red*	-	2	3 2 5 3 5 6 1 7 7 1 7 0 5	

^{*}Not in the Nordic assortment - special order required

MAGNETIC TARGET - GREEN



- · Reflective plate with magnetic base
- · Amplified laser beam for better visibility

CODE D	DESCRIPTION	<u>~</u>	\times		PRICE
STHT1-77368 N	Magnetic Target - Green*	-	8	3 2 5 3 5 6 1 7 7 3 6 8 6	

^{*}Not in the Nordic assortment - special order required

LASER GOGGLES - RED



· Enhances the visibility of laser line or laser point

CODE	DESCRIPTION	<u>_</u>	\boxtimes		PRICE
1-77-171	Laser Glasses - Red	-	1	3 2 5 3 5 6 1 7 7 1 7 1 2	

LASER GOGGLES - GREEN



 $\boldsymbol{\cdot}$ Enhances the visibility of laser line or laser point

CODE	DESCRIPTION		\boxtimes		PRICE
STHT1-77367	Laser goggles - Green*	-	4	3 2 5 3 5 6 1 7 7 3 6 7 9	

^{*}Not in the Nordic assortment - special order required

ALUMINUM RULER



- · Ruler directly readable with centered zero point
- · Possible to immediately read height differences both positive and negative
- · Extendable from 137 to 250 cm

CODE	DESCRIPTION		\boxtimes		PRICE
06-TLM	Measuring rod 2.5 m	-	1	5 9 0 2 0 1 3 9 2 7 2 8 0	

120

ALUMINUM TELESCOPIC RULER



- \cdot 5 m and 5 parts: very durable
- \cdot in cm on the front, in mm on the back

CODE	DESCRIPTION	<u></u>	\boxtimes		PRIC
1-77-161	Measuring rod Alu 5 m	-	2	3 253561 771613	76.15

INCLINE ADAPTER



- · Gradation of angles range from 0° to 90°
- · Can be mounted on tripods 1-77-163 and 1-77-164 (threaded 5/8")

CODE	DESCRIPTION	<u>_</u>	\boxtimes		PRICE
1-77-168	Adapter For Inclination Angle*	-	1	3 2 5 3 5 6 1 7 7 1 6 8 2	
*NI-4 : 41	N			1	

Not in the Nordic assortment - special order required

WALL BRACKET



- · Wall mount for Rotary lasers
- · Vertical applications possible thanks to side screw thread

CODE	DESCRIPTION	٥	\boxtimes		PRICE
1-77-172	Wall bracket for RL300 and RL100*	-	1	3 2 5 3 5 6 1 7 7 1 7 2 9	

^{*}Not in the Nordic assortment - special order required

MINI TRIPOD



- · 360° orientable
- · Foldable supports with optimum stability thanks to non-slip feet

CODE	DESCRIPTION	<u>_</u>	\boxtimes		PRICE
1-77-192	Mini Tripod*	-	1	3 2 5 3 5 6 1 7 7 1 9 2 7	

*Not in the Nordic assortment - special order required

ADAPTER 1/4" - 5/8"



CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
1-77-128	Adapter 1/4" - 5/8"*	-	1	3 2 5 3 5 6 1 7 7 1 2 8 6	

^{*}Not in the Nordic assortment - special order required

PHOTO TRIPOD ALU



- · Photo 3-foot with column for Laser distance Measurers and lasers
- · 1/4" threa
- · Adjustable height 44 to 119 cm, folded 47 cm

CODE	DESCRIPTION		\boxtimes		PRICE
1-77-201	Photo Tripod	-	1	3 2 5 3 5 6 1 7 7 2 0 1 6	25.10

STAND 1/4"



- · Aluminum tripod with column 1/4"
- Range: 97.15 cm 247 cm and thread 1/4"

CODE	DESCRIPTION		\boxtimes		PRICE
STHT77643-1	Tripod 1/4"	-	1	3 2 5 3 5 6 1 7 7 6 4 3 4	

TRIPOD TP1



- $\cdot \ \, \textbf{Aluminum tripod standard TP1}$
- · Reach: 74.6 cm 153 cm and thread 5/8"

CODE	DESCRIPTION		\boxtimes		PRICE
STHT77625-1	Tripod TP1	-	1	3 2 5 3 5 6 1 7 7 6 2 5 0	

TRIPOD TPM1



- \cdot Reach up to 1.80 m and 5/8" thread
- · Aluminum profile

CODE	DESCRIPTION		\boxtimes		PRICE
1-77-131	Tripod TPM1	-	4	3 2 5 3 5 6 1 7 7 1 3 1 6	

ALUMINUM TRIPOD STANDARD TP1



- · Aluminum profile
- · Foot lock with Quick Clamps system
- · Reach 0.97 m to 1.62 m and thread 5/8"

CODE	DESCRIPTION	<u>_</u>	\boxtimes		PRICE
1-77-163	TP1 Tripod Alu 97-162 cm	-	2	3 2 5 3 5 6 1 7 7 1 6 3 7	

ALUMINUM TRIPOD WITH COLUMN TPE1



- · Aluminum profile, double column
- Foot lock with Quick Clamps system
- · Reach 1.02 m to 2.92 m and thread 5/8"

CODE	DESCRIPTION	ð	\boxtimes		PRICE
1-77-164	TPE1 Alu Tripod Extendable 119-292 cm*	-	1	3 2 5 3 5 6 1 7 7 1 6 4 4	

*Not in the Nordic assortment - special order required

LASER COLUMN WITH TRIPOD



· Reach 3.60 m

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
1-77-022	Laser column with tripod	-	1	3 2 5 3 5 6 1 7 7 0 2 2 7	

TELESCOPIC TRIPOD POLE



- · Aluminum construction
- · 4 piece tripod
- · Suitable for all line lasers with 1/4" connection
- · Reach 3.30 m

CODE	DESCRIPTION	ð	\boxtimes		PRICE
1-77-184	POLE Telescopic Alu Tripod	-	1	3 2 5 3 5 6 1 7 7 1 8 4 2	

TELESCOPIC TRIPOD WITH MAGNETIC BASE



- · For height applications
- \cdot Easy adjustment up to 3 m $\,$
- · Adjustable support
- · Aluminum construction

CODE	DESCRIPTION	٥	\boxtimes		PRI
1-77-221*	Telescopic Tripod 3 m with Magnetic Base	-	1	3 2 5 3 5 6 1 7 7 2 2 1 4	

*Not in the Nordic assortment - special order required

FATMAX® LASER CLAMP 5/8" AND 1/4"

STANLEY FATMAX



- · Clamping mechanism allows the laser clamp to be placed on horizontal structures
- \cdot The finely adjustable pivoting base allows fine adjustment of the laser and use of the plumb bob through the recess in the laser clamp
- Multifunctional laser clamp with a height adjustment of 20 cm, ideal for installing suspended ceilings
- · 1/4" and 5/8" thread

CODE	DESCRIPTION		\boxtimes		PRICE
FMHT1-77435	FATMAX Laser Clamp 5/8" and 1/4"	-	2	3 2 5 3 5 6 1 7 7 4 3 5 5	

RECHARGEABLE AA BATTERIES



· 4 pieces

1.77.135* Rechargeable AA hatteries - 1	CODE	DESCRIPTION				PRIC
3 2 5 3 5 6 1 7 7 1 3 5 4	1-77-135*	Rechargeable AA batteries	-	1	3 2 5 3 5 6 1 7 7 1 3 5 4	

*Not in the Nordic assortment - special order required

FATMAX® RLD400 ROTARY LASER LINE DETECTOR

STANLEY FATMAX



- · Receiver for Rotary lasers
- · Range up to 600 m

CODE	DESCRIPTION	<u>_</u>	\boxtimes		PRICE
FMHT1-74266	FATMAX RLD400-G line detector for Rotary laser (green)	-	2	3 2 5 3 5 6 1 7 4 2 6 6 8	
1-77-133	FATMAX RLD400 Rotary Laser Line Detector (Red)	-	1	3 2 5 3 5 6 1 7 7 1 3 3 0	

STANLEY® FATMAX® DIGITAL ROTARY LINE DETECTOR

STANLEY FATMAX



- · Range/diameter: 300m/600m
- · Accuracy: up to +/- 1 mm @ 40 m, 4 settings depending on the application
- · Digital display window can be read from the front and back, with a large detection area +/- 50 mm to accurately detect the laser line
- · Sound signal via 2 loudspeakers on the side and bottom, for correct levelling
- · Memory function for receiving and holding heights at the touch of a button
- · 2 strong magnets on side and top to attach to metal frames
- · Rubber housing
- · Dustproof and completely waterproof, IP66
- Supplied with 2× AA batteries

CODE	DESCRIPTION	<u>_</u>	\boxtimes		PRICE
FMHT77652-0	FATMAX Digital MM Receiver for Rotary Laser (Red)*	Х	3	3 2 5 3 5 6 0 7 7 6 5 2 7	
FMHT77653-0	FATMAX Digital MM Receiver for Rotary Laser (Green)*	Х	3	3 2 5 3 5 6 0 7 7 6 5 3 4	

^{*}Not in the Nordic assortment - special order required

FATMAX® LD200 DIGITAL ROTARY LINE DETECTOR FOR CROSS LINE LASERS

STANLEY FATMAX



- · Receiver for cross line lasers
- · Range up to 50 m

CODE	DESCRIPTION	Õ	\boxtimes		PRICE
FMHT1-74267	FATMAX LD200-G line detector for cross line lasers (green)	-	2	3 2 5 3 5 6 1 7 4 2 6 7 5	
1-77-132	FATMAX LD200 line detector for cross line lasers (red)	-	1	3 2 5 3 5 6 1 7 7 1 3 2 3	

STUD SENSORS

MOISTURE METER



- · Measure moisture of building material from 0.2% to 2.0%
- \cdot Measure wood moisture from 6% to 44%
- · Dual measuring scale, LCD display with bar graph
- · Built-in battery for checking and verification measurement
- Automatic shut-off saves battery energy
- · Battery operated for on-the-go power
- · Shockproof housing
- · Replaceable threaded probes
- · Convenient pocket-sized device
- · Complete with protective cover, including 3× CR-2-32 button batteries

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
0-77-030	moisture meter	Х	2	3 2 5 3 5 6 0 7 7 0 3 0 3	











INTELLILASER PRO



- · Multi-Line Laser with wall studs and alternating current detector
- · 6 m working range
- · Automatic calibration
- · Detects wood and metal stud edges up to 38mm depth and AC cables up to 51mm depth
- 180° rotatable laser head for vertical and horizontal levelling
- · Audible alarm to indicate stud edge
- · LCD backlight to see the center of the stud
- · Supplied without batteries



- CODE DESCRIPTION PRICE X 2 3 2 5 3 5 6 0 7 7 5 0 0 1 0-77-260* Intellilaser Pro *Not in the Nordic assortment - special order required












FATMAX® STUD SENSOR S300

STANLEY. FATMAX.



- · Detects wood and metal studs up to 38mm
- LCD display with center detector Audible/visual warning for connected AC wires
- · Detects live AC wires up to 51mm
- · Automatic calibration
- · Soft-grip design
- · Marking slot to mark the center
- \cdot Features a scan mode for accurate detection of ferrous metal to 75mm depth and 38mm for copper
- · Extended model with LCD backlight for easy readability even in low light.
- · LCD display with center detector
- Supplied without batteries





STUD SENSOR S200



- $\boldsymbol{\cdot}$ Compact and easy to use
- \cdot Detects wood/metal studs up to 19mm
- · LCD display with center detector
- · Audible/visual warning for connected AC wires
- · Marker channel to mark the edge of the structure
- · Automatic calibration
- · Soft grip
- · Supplied without batteries



CODE	DESCRIPTION		<u>_</u>	\boxtimes		PRICE
STHT0-77406	Stud Sensor S200		-	2	3 2 5 3 5 6 0 7 7 4 0 6	
	Detects wood and metal wall studs	51mm Detects AC power cables	De	tects the cer	Interior (Dutdoor applications

S160 STUD SENSOR



- · Detects wood studs up to 25mm and metal studs up to 38mm
- · Detects live electrical cables (230V) up to 50 mm
- · Automatic calibration
- \cdot Detection and marking point for the center point of wood/metal wall studs
- · Angular tolerance fewer errors when used at an angle
- · Audible and visual (LED) indication when detecting live electrical lines
- · Ultra-compact design for easy storage
- · Easy operation with 1 button
- · Supplied with 2× AAA batteries



CODE	DESCRIPTION		\boxtimes		PRICE
STHT77588-0	S160 Stud Sensor	Х	4	3 2 5 3 5 6 0 7 7 5 8 8 9	

S110 STUD SENSOR



- · Detects wood/metal studs up to 19mm
- Detects live electrical lines (230V) up to 50 mm
- · Automatic calibration
- Detection and marking point for the center point of wood/metal wall studs
- · Angular tolerance fewer errors when used at an angle
- \cdot Audible and visual (LED) indication when detecting live electrical lines
- · Ultra-compact design for easy storage
- · Easy operation with 1 button
- · Supplied with 2× AAA batteries



CODE	DESCRIPTION		\boxtimes		PRICE
STHT77587-0	S110 Stud Sensor	Х	4	3 2 5 3 5 6 0 7 7 5 8 7 2	

INSPECTION CAMERA



- Inspection Camera with 1m flexible tube for extended reach through most holes and behind most surfaces
- 8mm wide camera head for minimal surface damage and access to most cavities and crevices
- · Brightness / Contrast control Eight different levels of brightness provide maximum visibility in dark environments
- · Color LCD Monitor size 2.31", 64×48 pixels
- Water and dust resistance: IP67. Camera wall can withstand extreme conditions in the workplace
- · LED light on the sensor for extra visibility
- Rotary Image Positions rotate the display to get the best possible angle when viewing inaccessible surfaces
- · Supplied with 4× AA batteries

CODE	DESCRIPTION	Õ	\boxtimes		PRICE
STHT0-77363	Inspection camera	Х	2	3 2 5 3 5 6 0 7 7 3 6 3 2	



FATMAX® IR THERMOMETER

STANLEY FATMAX



- Thermal leak detection from a reference temperature (green screen), scanning an area will show a red screen for higher temperature detection and blue screen for lower temperature
- · Optics 20:1, allows users to measure a 32 cm circle from 2.5 m away
- \cdot Accuracy of 2% or +/- 2 degrees for extremely accurate measurements
- · Contrast backlit display ensures visibility in all lighting conditions
- Temperature range from -50° to 1350°C wide range allows users to effectively complete desired tasks
- · Unit of measurement: Fahrenheit / Celsius
- · Emission of 0.95 and response time of 1 second
- · IP 20 for protection against dust
- · Rubber non-slip housing
- · Supplied in a sturdy case, including 9V battery

CODE	DESCRIPTION	₾	\boxtimes		PRIC
FMHT0-77422	FATMAX IR Thermometer	Х	2	3 2 5 3 5 6 0 7 7 4 2 2 6	





THERMOMETER



- · Infrared thermometer
- Thermal leak detection from a reference temperature (green screen), scanning an area will show a red screen for higher temperature detection and blue screen for lower temperature
- Optics 8:1, allows users to measure a 32 cm circle from 2.5 m away
- \cdot Accuracy of 2% or +/- 2 degrees for extremely accurate measurements
- · Contrast backlit display ensures visibility in all lighting conditions
- Temperature range from -38° to 520°C wide range allows users to effectively complete desired tasks
- IP 20 for protection against dust
- · Supplied with wristband and 9V battery

CODE	DESCRIPTION	8	\boxtimes		PRICE
STHT0-77365	Thermometer	Х	2	3 2 5 3 5 6 0 7 7 3 6 5 6	

WALL PLUG TESTER



- · Quickly check the wall plug status
- · Quick diagnostic / time saving by not dismounting the wall plug
- · Easy to use and compact
- LED Indicate Condition of the wring (Correct, Missing Earth, Live-Earth Reverse, Live-Neutral Reverse, Missing Neutral)

CODE	DESCRIPTION		\boxtimes		PRICE
FMHT82569-6	Wall Plug Tester	Х	20	3253566825694	_

MULTI-METERS

FATMAX® MULTI-METER

STANLEY FATMAX



- · Voltage AC / DC :600V
- · Continuity: <30Ω
- · Current: C/DC: 10A
- · Resistance: 40M0
- · Diode check 3.0V/0.8mA
- · Multi-meter with 7 functions
- · cat III

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
FMHT0-77419	FATMAX Multi-meter*	Х	2	3 2 5 3 5 6 0 7 7 4 1 9 6	

^{*}Not in the Nordic assortment - special order required

FATMAX® DIGITAL MULTI-METER SMART





- · Dual display ability to keep 2 values on screen at the same time
- · Illuminated screen
- \cdot "Hold" function allows to hold a value for a few seconds
- · Smart function automatically detects the correct measurement
- · Max min measurement
- · Strong housing
- · NCV (Non contact voltage)
- · Supplied with 2× AAA batteries

CODE	DESCRIPTION	<u>_</u>	\boxtimes		PRICE
FMHT82563-0	FATMAX Digital Multi-meter SMART	Х	2	3 2 5 3 5 6 0 8 2 5 6 3 8	
	SIVIANT			3 2 5 3 5 6 0 8 2 5 6 3 8	

FATMAX® DIGITAL MULTI-METER SMART CLAMP





- · Clamp meter Multi-meter measures current up to 600A
- · Dual display ability to keep 2 values on screen at the same time
- \cdot "Hold" function allows to hold a value for a few seconds
- · Smart function automatically detects the correct measurement
- $\cdot \ \, \text{Max min measurement}$
- · Strong housing
- · NCV (Non contact voltage)
- · Supplied with 3× AAA batteries

CODE	DESCRIPTION		\boxtimes		PRICE
FMHT82564-0	FATMAX Digital Multi-meter SMART CLAMP	Х	2	3 2 5 3 5 6 0 8 2 5 6 4 5	

FATMAX® DIGITAL MULTI-METER



- Single display
- · "Hold" function allows to hold a value for a few seconds
- · AC/DC A & V measurements
- · Strong housing
- · Continuity <30Ω
- · Supplied with 2× AAA batteries

CODE	DESCRIPTION		\boxtimes		PRICE
FMHT82565-0	FATMAX Digital Multi-meter	Х	2	3 2 5 3 5 6 0 8 2 5 6 5 2	

MULTI-METER



- · Multi-meter with 7 functions and 2 measuring units
- · Battery Tester Tests AAA, AA, C, D, 1.5 volt, button cell and 9 volt batteries
- · Current DC: 200µ / 2000µ / 20m / 200m / 10A
- · Diode Check: 2.8V / 1mA
- \cdot Resistance: 200/2000 / 20k / 200k / 2000k Ω
- · Temperature: 0~1000⊠
- · AC voltage: 200 / 300V
- DC voltage: 200m / 2000m / 20/200 / 300V
- · Continuity: <30Ω
- \cdot Cat III safety established suitable for Category 3 standards
- · Rugged molded housing, shock resistant and comfortable ergonomic design
- · LCD display, large digits for easy reading
- · Fold-out foot at the back of the device for hands-free use of the device

CODE	DESCRIPTION	<u>_</u>	\boxtimes		PRICE
STHT0-77364	Multi-meter	Χ	2	3 2 5 3 5 6 0 7 7 3 6 4 9	

FATMAX® VOLT TESTER



- \cdot LED display measured value can be read immediately on the display
- · Polarity indication
- · Earth leakage protection
- · IP54

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
FMHT82566-0	FAMAX Volt tester	Х	5	3 2 5 3 5 6 0 8 2 5 6 6 9	

STANLEY® FATMAX® NON CONTACT METAL AND VOLTAGE DETECTOR





- · "Non contact" AC Voltage detector
- · Allows to measure voltage without contact
- · Metal detection < 20 mm
- · AC Voltage Range: 20V~1000V
- · Operates on 1× 12V A23 battery (not included)

CODE	DESCRIPTION	<u>_</u>	\boxtimes		PRICE
FMHT82567-0	STANLEY® FATMAX® Non Contact Metal and Voltage Detector	Х	5	3 2 5 3 5 6 0 8 2 5 6 7 6	

THE MEASURE OF A PRO™



HAMMERS

Designed for the professional, STANLEY® hammers feature specific heads and weights for building and demo along with secure grips, and fatigue-reducing handles.

We've carried out extensive research when developing our latest range of ANTIVIBE™ hammers. New vibration dampening technology ensures ultimate protection against hand and arm stress and yet delivers more striking power than traditional designs. The unique ANTIVIBE™ collars absorb potentially harmful shockwaves transferring additional power into every strike. Giving you the ultimate power and control.



ANTIVIBE™ **HAMMERS**



THE IDEAL COMBINATION OF POWER AND COMFORT

Head and core are made from 1 single piece.

Thermal treatment of the impact area prevents wear.

Exceptional durability head with enlarged hitting area

Exclusive tuning fork shock absorber system for very good protection against shocks.

Ergonomic handle in flexible polyurethane coating for optimal grip and perfect balance.

Comparative analysis of the dampening effect

Antivibe handle 500 Tubular handle 200 Wooden handle Basis 100

ANTIVIBE SYSTEM

This system has been specially developed to reduce vibrations and thus also reduces user fatigue.


COMPO-CAST HAMMERS

NO RECOIL

Small steel balls in the head of the hammer ensure that the hammer does not bounce back after the strike.

SHOCKPROOF

The head and metal handle are completely covered with a thick layer of urethane to protect tools and surfaces from hammer impact




NO SPARKS

No part of the metal is left unprotected, which allows the hammers to be used in places where even the smallest spark could cause an explosion.

DURABILITY

The handle is soldered to the head for longer life. Solid steel shaft for reinforcement.



With each hit, the metal balls moves to absorb vibrations, avoid recoil, and improve control.



CLAW HAMMERS

FATMAX® PRO ULTRA-LIGHT CURVED CLAW HAMMER

STANLEY FATMAX



- Patented MIG (Metal Inert Gas) welding technology makes the hammer 40% lighter
- · 100% steel for strength and durability
- · New light weight (390 gr) design
- · Exclusive dual tempered head rims & claw reduces steel chipping
- · Magnetic nail starter for hands free use
- · This hammer combines the weight of titanium with the strength of steel

CODE	DESCRIPTION		\boxtimes		PRICE
XTHT1-51148	FATMAX Pro Ultra-light Claw Hammer	-	4	3 2 5 3 5 6 1 5 1 1 4 8 6	

FATMAX® PRO ULTRA-LIGHT CURVED CLAW HAMMER - STRAIGHT CLAW

STANLEY FATMAX



- Patented MIG (Metal Inert Gas) welding technology makes the hammer 40% lighter
- · 100% steel for strength and durability
- · New light weight (390 gr) design
- · Exclusive dual tempered head rims & claw reduces steel chipping
- · Magnetic nail starter for hands free use
- · This hammer combines the weight of titanium with the strength of steel

CODE	DESCRIPTION	<u>_</u>	\boxtimes		PRICE
XTHT1-51123	FATMAX Pro Ultra-light Claw Hammer*	-	4	3 2 5 3 5 6 1 5 1 1 2 3 3	

^{*}Not in the Nordic assortment - special order required

FATMAX® CURVED CLAW HAMMER NEXT GENERATION





- · Patented Over-Sized Strike Face 25% larger "Sweet Spot"
- · Patented AntiVibe™ hammer
- · Renewed design and softer hammer
- · Accurately balanced head
- AntiVibe™ Proprietary Tuning Fork Designed to reduce vibration and arm fortigue

CODE	DESCRIPTION	<u>_</u>	\boxtimes		PRICE
FMHT1-51275	FATMAX Curved Claw Hammer AntiVibe Next Gen 450gr	Х	4	3 2 5 3 5 6 1 5 1 2 7 5 9	
FMHT1-51277	FATMAX Curved Claw Hammer AntiVibe Next Gen 570gr	Χ	4	3 2 5 3 5 6 1 5 1 2 7 7 3	

FATMAX® CLAW HAMMER NEXT GEN - STRAIGHT CLAW

STANLEY FATMAX.



- · Patented Over-Sized Strike Face 25% larger "Sweet Spot"
- · Patented AntiVibe™ hammer
- · Renewed design and softer hammer
- · Accurately balanced head
- · AntiVibe™ Proprietary Tuning Fork Designed to reduce vibration and arm

CODE	DESCRIPTION	Ó	\boxtimes		PRICE
FMHT1-51276	FATMAX Claw Hammer AntiVibe Next Gen 450gr - Straight Claw	Х	4	3 2 5 3 5 6 1 5 1 2 7 6 6	
FMHT1-51278	FATMAX Claw Hammer AntiVibe Next Gen 570gr - Straight Claw	Х	4	3 2 5 3 5 6 1 5 1 2 7 8 0	

CURVED CLAW HAMMER FIBERGLASS



- · Bi-material non-slip hammer
- · Longer Hammer for improved performance
- · Overstrike protection for added durability
- · Fiberglass handle for strength & durability
- Epoxy bonded head provides tough connection to ensure no seperation

CODE	TMAI USE DESCRIPTION	ര	\boxtimes		PRICE
	DESCRIPTION	므			
STHT0-51309	Claw hammer Fiberglass 450gr	-	4	3 2 5 3 5 6 0 5 1 3 0 9 2	
STHT0-51310	Claw hammer Fiberglass 560gr	-	4	3 2 5 3 5 6 0 5 1 3 1 0 8	

CLAW HAMMER STEELMASTER™



- · Tempered head edge –for durability and safety
- · Ergonomically shaped Hammer (DynagGrip® Pro) for comfortable grip and
- · Connection of head and Hammer withstands a 5 ton impact
- · Tubular oval shaft combines strength with a lightweight feel

CODE	DESCRIPTION		\boxtimes		PRICE
1-51-031	Claw hammer Steelmaster 450gr	-	4	5 0 0 0 3 6 6 5 1 0 3 1 6	
1-51-033	Claw hammer Steelmaster 570gr	-	4	5 0 0 0 3 6 6 5 1 0 3 3 0	

CLAW HAMMER BLUE STRIKE





- · Tempered and forged head for strength and durability
- Tubular oval shaft combines strength with a lightweight feel

CODE	DESCRIPTION	٥	\boxtimes		PRICE
1-51-488	Claw hammer Blue Strike 450gr	-	6	3 2 5 3 5 6 1 5 1 4 8 8 3	
1-51-489	Claw hammer Blue Strike 570gr	-	6	3253561514890	

BLACKSMITH HAMMERS

BLACKSMITH HAMMER FIBERGLASS





- · Overstrike protection for added durabilityFiberglass handle for strength &
- · Epoxy bonded head provides tough connection to ensure no seperation

CODE	DESCRIPTION		\times		PRICE
STHT0-54158	Blacksmith Hammer Fiberglass 160gr	-	4	3 2 5 3 5 6 0 5 4 1 5 8 3	
STHT0-54159	Blacksmith Hammer Fiberglass 315gr	-	4	3 2 5 3 5 6 0 5 4 1 5 9 0	
STHT0-54160	Blacksmith Hammer Fiberglass 500gr	-	4	3 2 5 3 5 6 0 5 4 1 6 0 6	

BLACKSMITH HAMMER WOOD



- · Ash wood hammer (high quality) for durability and balance
- · Tempered steel head for strength, durability and safety
- \cdot Flat head with chamfered corners gives strength and prevents damage
- · Unbreakable hammer thanks to super strong connection of head and Hammer - for more safety
- DIN 6475

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
1-54-638	Blacksmith Hammer Wood 100gr*	-	4	3 2 5 3 5 6 1 5 4 6 3 8 9	
1-54-641	Blacksmith Hammer Wood 315gr*	-	4	3 2 5 3 5 6 1 5 4 6 4 1 9	
1-54-642	Blacksmith Hammer Wood 400gr*	-	4	3 2 5 3 5 6 1 5 4 6 4 2 6	
1-54-643	Blacksmith Hammer Wood 500gr*	-	4	3 2 5 3 5 6 1 5 4 6 4 3 3	

^{*}Not in the Nordic assortment - special order required

LOCKSMITH HAMMERS


LOCKSMITH HAMMER FIBERGLASS



- · Bi-material hammer
- · Longer hammer for improved performance
- Overstrike protection for added durability
- Fiberglass handle for strength and durability
- Epoxy bonded head provides tough connection to ensure no seperation during normal use

CODE	DESCRIPTION	٥	\boxtimes		PRICE
STHT0-51906	Locksmith hammer Fiberglass 200gr	-	4	3 2 5 3 5 6 0 5 1 9 0 6 3	
STHT0-51907	Locksmith hammer Fiberglass 300gr	-	4	3 2 5 3 5 6 0 5 1 9 0 7 0	
STHT0-51908	Locksmith hammer Fiberglass 500gr	-	4	3 2 5 3 5 6 0 5 1 9 0 8 7	
STHT0-51909	Locksmith hammer Fiberglass 800gr	-	4	3 2 5 3 5 6 0 5 1 9 0 9 4	
STHT0-51910	Locksmith hammer Fiberglass 1000gr	-	4	3 2 5 3 5 6 0 5 1 9 1 0 0	

LOCKSMITH HAMMER FIBERGLASS



 $\cdot \ \text{Longer hammer for improved performance} \\$

· Bi-material non-slip hammer

- $\cdot \ \textbf{Overstrike protection for added durability} \\$
- Fiberglass handle for strength & durability
- Epoxy bonded head provides tough connection to ensure no seperation during normal use

CODE	DESCRIPTION	٥	\boxtimes		PRICE
STHT0-54129	Locksmith hammer Fiberglass 200gr	-	4	3 2 5 3 5 6 0 5 4 1 2 9 3	
STHT0-54131	Locksmith hammer Fiberglass 300gr	-	4	3 2 5 3 5 6 0 5 4 1 3 1 6	
STHT0-54154	Locksmith hammer Fiberglass 500gr	-	4	3 2 5 3 5 6 0 5 4 1 5 4 5	
STHT0-54155	Locksmith hammer Fiberglass 800gr	-	2	3 2 5 3 5 6 0 5 4 1 5 5 2	
STHT0-54156	Locksmith hammer Fiberglass 1000gr	-	2	3 2 5 3 5 6 0 5 4 1 5 6 9	
STHT0-54157	Locksmith hammer Fiberglass 1250gr	-	2	3 2 5 3 5 6 0 5 4 1 5 7 6	

LOCKSMITH HAMMER WOOD



- \cdot Ash wood hammer (high quality) for durability and balance
- · Tempered steel head for strength, durability and safety
- · Flat head with chamfered corners provides strength and prevents damage
- Unbreakable hammer thanks to super strong connection of head and hammer - for more safety

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
1-51-171	Locksmith Hammer Wood 100gr*	-	4	3 2 5 3 5 6 1 5 1 1 7 1 4	
1-51-172	Locksmith Hammer Wood 200gr	-	4	3 2 5 3 5 6 1 5 1 1 7 2 1	
1-51-173	Locksmith Hammer Wood 300gr	-	4	3 2 5 3 5 6 1 5 1 1 7 3 8	
1-51-174	Locksmith Hammer Wood 400gr*	-	4	3 2 5 3 5 6 1 5 1 1 7 4 5	
1-51-175	Locksmith Hammer Wood 500gr*	-	4	3 2 5 3 5 6 1 5 1 1 7 5 2	
1-51-178	Locksmith Hammer Wood 800gr*	-	2	3 2 5 3 5 6 1 1 5 1 1 7 8 3	

^{*}Not in the Nordic assortment - special order required

CLUB HAMMERS

CLUB HAMMER FIBERGLASS



- · Bi-material non-slip club
- · Longer club for improved performance
- · Overstrike protection for added durability
- Fiberglass handle for strength & durability
- · Epoxy bonded head provides tough connection to ensure no seperation

<u>auring no</u>	rmai use				
CODE	DESCRIPTION	Õ	\boxtimes		PRICE
STHT0-54126	Club hammer Fiberglass 1000gr	-	2	3 2 5 3 5 6 0 5 4 1 2 6 2	
STHT0-54127	Club hammer Fiberglass 1250gr	-	2	3 253560 541279	
STHT0-54128	Club hammer Fiberglass 1500gr	-	2	3 2 5 3 5 6 0 5 4 1 2 8 6	

CLUB HAMMER WOODEN



- · Ash wood club (high quality) for durability and balance
- · Tempered steel head for strength, durability and safety
- · Flat head with chamfered corners gives strength and prevents damage
- Unbreakable club thanks to super strong connection of head and club for more safety

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
1-54-051	Club 1000gr	-	2	3 2 5 3 5 6 1 5 4 0 5 1 6	
1-54-052	Club 1250gr	-	2	3 2 5 3 5 6 1 5 4 0 5 2 3	
1-54-053	Club 1500gr	-	2	3 2 5 3 5 6 1 5 4 0 5 3 0	

CONSTRUCTION HAMMERS

RHINE TUBULAR STEELMASTER HAMMER



- · Tempered steel head for strength and durability
- Ergonomically shaped hammer (Dynagrip® Pro) for comfortable grip and more safety
- · 5 ton force fit head to handle assembly for improved safety
- · Sharp chisel for cutting bricks and slate

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
1-51-039	Rhine tubular steelmaster hammer 500gr	-	6	3 2 5 3 5 6 1 5 1 0 3 9 7	

COFFREUR HAMMER 750GR



- · Bi-material non-slip hammer
- · Longer club for improved performance
- · Overstrike protection for added durability
- · Fiberglass handle for strength & durability
- \cdot Epoxy bonded head provides tough connection to ensure no seperation

during normal use

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
STHT0-54123	Coffreur hammer 750gr	-	2	3 2 5 3 5 6 0 5 4 1 2 3 1	

LATH HAMMER FIBERGLASS 600GR



- · Bi-material grip non-slip lath hammer
- · Longer hammer for improved performance
- · Overstrike protection for added durability
- · Fiberglass handle for strength & durability
- $\boldsymbol{\cdot}$ Epoxy bonded head provides tough connection to ensure no seperation

during normal use

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
STHT0-51311	Lath hammer Fiberglass 600gr	-	6	3 2 5 3 5 6 0 5 1 3 1 1 5	

LATH HAMMER ANTIVIBE 600GR



- · Flexible ergonomic handle
- · Head and handle forged in one part
- · Heat treatment anti-glare of the zone of striking
- · Flat squared head
- · Patented AntiVibe™ hammer

CODE	DESCRIPTION			PRICE
1-51-937	Lath hammer Antivibe 600gr	- 6	3253561519376	

LATH HAMMER STEEL



- · Tempered and forged head with flat surface for better results
- · Connection of head and hammer withstands a 5 ton impact
- · Chrome plated tubular handle and moulded anatomical handle
- · Magnetic nail starter for hands free use
- · Protruding claw, to pierce slate before driving the nail through
- · Ergonomically shaped hammer (Dynagrip® Pro) for comfortable grip and
- · DIN 7239

CODE	DESCRIPTION		\boxtimes		PRICE
1-51-037	Lath hammer 600gr	-	2	3 2 5 3 5 6 1 5 1 0 3 7 3	

FATMAX® DEMOLITION HAMMER 620GR





- · Demolition hammer of 620g that is suitable for removing floor panels, plates and plasterboard, for example
- Large striking surface for everyday nail applications
- · Claw designed for 2x4 lumber
- · Made in one piece
- Longer hammer for optimum demolition performance
 Ergonomic grip for comfort and vibration dampening

CODE	DESCRIPTION	٥	\boxtimes		PRICE
FMHT51367-2	FATMAX Demolition hammer 620gr*	-	4	3 2 5 3 5 6 2 5 1 3 6 7 0	

^{*}Not in the Nordic assortment - special order required





SPECIALITY HAMMERS

FATMAX® SLEDGEHAMMER ANTI-VIBRATION

STANLEY FATMAX



- · Fiberglass core absorbs vibrations and impact shock
- · Polypropylene layer for impact protection
- FatMax AntiVibe shock absorbing layer that helps reduce vibrations in the handle
- · Forged hammer head permanently bonded to the handle for durability with bullet nose design provides 2x more concentrated striking force

CODE	DESCRIPTION	Ò	\boxtimes		PRIC
FMHT1-56010	FATMAX Sledgehammer Anti- vibration 2.7kg	Х	2	3 2 5 3 5 6 1 5 6 0 1 0 1	
FMHT1-56011	FATMAX Sledgehammer Anti- vibration 3.6kg	Х	2	3 2 5 3 5 6 1 5 6 0 1 1 8	
FMHT1-56019	FATMAX Sledgehammer Anti- vibration 4.5kg	Х	2	3 2 5 3 5 6 1 5 6 0 1 9 4	

FATMAX® SLEDGEHAMMER ANTI-VIBRATION

STANLEY FATMAX



- · Fiberglass core absorbs vibrations and impact shock
- Polypropylene layer for impact protection
- · FatMax AntiVibe shock absorbing layer that helps reduce vibrations in the
- · Forged hammer head permanently bonded to the handle for durability with bullet nose design provides 2x more concentrated striking force

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
FMHT1-56008	FATMAX Sledgehammer Anti- vibration 1814gr - with pointed nose	Х	2	3 2 5 3 5 6 1 5 6 0 0 8 8	
FMHT1-56009	FATMAX Sledgehammer Anti- vibration 1814gr * Nordic assortment - special c	X	2	3 253561 560095	

ANTIVIBE™ CLUB HAMMER



- · Club hammer for use in confined spaces with little room for full arc swing
- Applications include striking chisels, punches, and star-drills and many industrial applications

CODE	DESCRIPTION	Ö	\boxtimes		PRICE
1-56-001	AntiVibe Club Hammer 1360gr	-	4	3 2 5 3 5 6 1 5 6 0 0 1 9	

CROSS PEEN HAMMER



 Quality hammer with ash shaft - keeps hammer in perfect balance for optimum performance

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
1-54-077	Cross Peen hammer 100gr*	-	96	5 0 0 0 3 6 6 5 4 0 7 7 1	
V			-		

*Not in the Nordic assortment - special order required

GRAPHITE BALL PEIN HAMMER



- · 24 torque stabilizing bars
- Patented Anti-Vibe™ technology reduces vibration
- · Bright colour accents, easy to find on work site
- · Graphite core shaft for maximum strength
- · One-piece forged construction for strength and durability
- · Rim temper reduces likelihood of chipping when striking metal objects
- · Shock dampening core
- · Rim tempered poll and ball pein prevents chipping
- · Rim temper reduces likelihood of chipping when striking metal objects
- Top of the hammer head is machined flat to allow it to stand upright on the shop floor or work bench

CODE	DESCRIPTION		\boxtimes		PRICE
1-54-716	Graphite Ball Pein hammer 450g	-	-	3253561547164	

RUBBER/COMPO-CAST® HAMMERS

PLASTIC MALLET



- · One-piece synthetic mallet with impact sockets
- · For general use

CODE	DESCRIPTION		\boxtimes		PRICE
1-57-053	Plastic mallet 320gr*	-	2	3 2 5 3 5 6 1 5 7 0 5 3 7	

^{*}Not in the Nordic assortment - special order required

RUBBER MALLET



- · Rubber head
- · Wooden mallet
- · For mechanical work

CODE	DESCRIPTION	Õ	\boxtimes		PRICE
1-51-104*	Rubber Hammer 450gr	-	2	3 2 5 3 5 6 1 5 1 1 0 4 2	

^{*}Not in the Nordic assortment - special order required

HAMMER/SLEDGE COMPO-CAST® STANDARD



- · Head filled with steel balls that move on impact absorbing recoil
- · Not electrically conductive
- · Spark-free



CODE	DESCRIPTION		\boxtimes		PRICE
1-57-530	Hammer/sledge Compo-Cast 280gr	-	1	3 2 5 3 5 6 1 5 7 5 3 0 3	
1-57-531	Hammer/sledge Compo-Cast 500gr	-	1	3 2 5 3 5 6 1 5 7 5 3 1 0	
1-57-532	Hammer/sledge Compo-Cast 600gr	-	1	3 2 5 3 5 6 1 5 7 5 3 2 7	
1-57-533	Hammer/sledge Compo-Cast 1200gr	-	1	3 2 5 3 5 6 1 5 7 5 3 3 4	
1-57-534	Hammer/sledge Compo-Cast 1500gr	-	1	3 2 5 3 5 6 1 5 7 5 3 4 1	
1-57-550	Hammer/sledge Compo-Cast 2250gr	-	1	3253561575501	
1-57-552	Hammer/sledge Compo-Cast 4700gr	-	1	3253561575525	
1-57-554	Hammer/sledge Compo-Cast 5200gr	-	1	3253561575549	



DEMOLITION TOOLS

Stanley's demolition lineup is turning more than a few heads. Why? Because we make demolition tools that are more than just tough and strong. Our Wonder Bars® have been engineered to make pulling and prying easier. Stanley demolition bars are engineered with the professional in mind. They are forged from high-carbon steel with a trilobe design that can withstand up to 175kg-force meter of bending momentum.

PRACTICAL INFO

THE BEST DEMOLITION TOOLS

FUBARS

A unique tool from STANLEY for multiple purposes, available in multiple sizes. They can be used for prying, splitting, bending, hitting and nail pulling. The FATMAX FuBar should become an important part of any contractor's toolbox.

WONDER BARS

Extremely useful for prying, nail pulling and bending material and available in many sizes.

PRECISION BARS

Shorter bars for close up applications, including some with extra-wide lifting surfaces to spread the load. This allows you to gently lift and remove existing castings with minimal damage.

CROWBARS

FATMAX® PRO FUBAR™

STANLEY FATMAX



- · One-piece steel bar for added durability
- \cdot 4-in-1 tool for prying, splitting, board bending, and striking jobs
- · Tempered face prevents chipping
- · Double serrated jaws to grip wood and floor coverings
- · Nail puller to pull out nails effortlessly

CODE	DESCRIPTION		\boxtimes		PRICE
1-55-099	FATMAX Pro Fubar*	-	1	3 2 5 3 5 6 1 5 5 0 9 9 7	

^{*}Not in the Nordic assortment - special order required

FATMAX® FUBAR II

STANLEY FATMAX



- \cdot One-piece steel bar for added durability
- · Hammer: 620 g
- · Tempered face prevents chipping
- · crowbar
- · Nail puller
- · Double serrated jaws to grip wood and floor coverings
- · Ergonomic handle for excellent comfort and control

CODE	DESCRIPTION		\boxtimes		PRICE
1-55-119	FATMAX Fubar II*	-	1	3 2 5 3 5 6 1 5 5 1 1 9 2	

^{*}Not in the Nordic assortment - special order required

FATMAX® WONDER BAR

STANLEY.



- · Light weight
- $\cdot \ \textbf{Precision ground edge}$
- · Wider pry bar for more leverage

CODE	DESCRIPTION		\boxtimes		PRICE
1-55-516	FATMAX Wonder Bar 380mm	-	16	3 2 5 3 5 6 1 5 5 5 1 6 9	

WONDER BAR®



- $\cdot \ \text{Forged steel version for extra hardness}$
- · Flattened corners for better operation
- · Ideal for pulling nails, lifting or prying
- · Flattened nail slot at the ends of the demolition bit

CODE	DESCRIPTION		\boxtimes		PRICE
1-55-515	Wonder Bar 300mm	-	4	3 2 5 3 5 6 1 5 5 5 1 5 2	

SUPER WONDER BAR®



- · Polished and grooved claws
- · Groove for nail pulling and hanging
- · Forged high carbon steel extra hardened for extra strength
- · Curved shaft for use when lifting planks
- · Yellow color for easier identification and loss prevention
- Polished claws at the right angle for nail removal in hard to reach places

CODE	DESCRIPTION	٥	\boxtimes		PRICE
1-55-525	Super Wonder Bar 400mm	-	4	3 2 5 3 5 6 1 5 5 5 2 5 1	

WONDER BAR® X21



- · Polished and grooved claws
- · Groove for nail pulling and hanging
- Forged high carbon steel extra hardened for extra strength
- · Yellow color for easier identification and loss prevention
- · Polished claws at the right angle for nail removal in hard to reach places

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
1-55-526	Wonder Bar 530mm	-	4	3 2 5 3 5 6 1 5 5 5 2 6 8	

FATMAX® FINE PRY BAR NARROW CLAW





- · Polished and ground claw for precision work
- · Bi-material non-slip handle
- Yellow finish for better visibility
- · Flat face

CODE	DESCRIPTION	٥	\boxtimes		PRICE
FMHT1-55008	FATMAX Fine pry bar Narrow Claw 250 mm	Х	2	3 2 5 3 5 6 1 5 5 0 0 8 9	
FMHT1-55010	FATMAX Fine pry bar Narrow Claw 300 mm	Х	2	3 2 5 3 5 6 1 5 5 0 1 0 2	

FATMAX® FINE PRY BAR WIDE CLAW





- \cdot Polished and ground claw for precision work
- · Bi-material non-slip handle
- · Yellow finish for better visibility
- · Flat face

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
FMHT1-55009	FATMAX Fine pry bar Wide Claw 250 mm	Х	2	3 2 5 3 5 6 1 5 5 0 0 9 6	

PRY BAR FINE NARROW CLAW



- · Polished and grooved claws for easier nail pulling
- \cdot Polished and grooved spatula for removing profiles

CODE	DESCRIPTION	<u>_</u>	\boxtimes		PRICE
0-55-114	Pry bar Fine Narrow Claw 250 mm	Х	2	3 2 5 3 5 6 0 5 5 1 1 4 8	

PRY BAR FINE BROAD CLAW



- · Polished and grooved claws for easier nail pulling
- · Polished and grooved spatula for removing profiles

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
0-55-116	Pry bar Fine Wide Claw 200 mm	Х	2	3 2 5 3 5 6 0 5 5 1 1 6 2	
0-55-117	Pry bar Fine Wide Claw 250 mm	Х	2	3 2 5 3 5 6 0 5 5 1 1 7 9	

THE MEASURE OF A PRO™



CLAMPS AND VICES

Clamps and vises come in all shapes and sizes and are meant for a variety of tasks, but they have same things in common. A good clamp or vise is easy to tighten and adjust; it holds securely; and it won't mar the surface it's clamped to. Stanley trigger clamps have three-times the travel of competitive clamps and can be adjusted with one hand. Our vises have roll-forged threads for prec ise adjustment and durability. Our F clamps have removable jaw pads to protect surfaces. Stanley offers a variety of clamps and vises so customers can match the size and shape to the job at hand.

FATMAX® TRIGGER CLAMPS Hold longer and tighter

PRACTICAL INFO

THE BEST CLAMPS FOR YOUR NEEDS

When making your choice, always keep in mind what you intend to do with the clamp and choose the size and performance accordingly – too heavy and too powerful and you may damage a fine work, too light and you can damage the clamp.

FATMAX® TRIGGER CLAMP

These provide the easiest and fastest adjustment and are ideal for clamping material on the workbench and for holding parts together during gluing. By reversing the jaws, they can be used to spread surfaces apart in a safe and controlled manner.



C-CLAMPS

Forged from heavy duty malleable iron for added strength. They are used in the same situations as the 'F' clamps, but can handle a higher terminal load. 100 mm and 150 mm are the most convenient sizes.



CORNER CLAMPS

Suitable for clamping one corner at a time.

They have the advantage that they can be clamped on the workbench, so that both hands are free to make final adjustments.



SPRING CLIPS

Ideal for many small light tasks such as cloths, etc.





BAND CLAMP

A 4.5 m long nylon strap can be used to clamp any shape. Two clamps in combination with rigid rods make this clamp very powerful and offer a very large capacity. No additional tools are required to tension the clamp.

CLAMPS AND VICES

TYPE FMHT0-83231 FMHT0-83232 FMHT0-83233 FMHT0-83234 FMHT0-83235 FMHT0-83211 FMHT0-83213 FATMAX® TRIGGER CLAMPS FMHT0-83236 FMHT0-83237 FMHT0-83238 FMHT0-83239 FMHT0-83240 FMHT0-83241 FMHT0-83242 FMHT0-83244 FMHT0-83245 FATMAX® CLUTCH LOCK F CLAMP FMHT0-83246 FMHT0-83247

CLAMPS AND VICES

ТҮРЕ	IMAGE	PRODUCT CODE	Weight (g)	Length (mm)	Throat Depth (mm)	Clamping Capacity (mm)	Spreading capacity (mm)	Clamping force (kg)
		0-83-033	670	75	57			680
MAXSTEEL "C" CLAMPS	/	0-83-034	980	100	75			680
		0-83-035	1820	150	89			680
		0-83-036	2534	200	100			1000
SPRING CLAMPS		STHT0-83199				50		
		STHT0-83200				100		
METAL SPRING CLAMPS	METAL SPRING CLAMPS	9-83-079	77			25		
		9-83-080	198			50		
BAILEY BAND CLAMP		0-83-100	465			450		
BAILEY CORNER CLAMP	-	0-83-121	275		15	75		
BAILEY CORNER CLAMP	1	0-83-122	1010		30	57		
MULTI-ANGLE BASE VISE 360°		1-83-069	1600		40	70		25
MAXSTEEL VISE		1-83-065	6000		85	100		1100
	1700	1-83-066	13000		85	100		1400
MAXSTEEL VISE HEAVY DUTY APPLICATIONS	÷ 1	1-83-067	18000		95	125		1800
		1-83-068	27000		105	150		2200


CLAMPS AND VICES

			MATI	ERIAL					APPLIC	ATIONS			
TYPE	IMAGE	Wood	Steel	Soft materials	Synthetic material	Support for fixing, screwing, gluing	Ear function (ribbed steel equipment)	Mounting on work tables	To make furniture	Adhesive applications	Adhesive applications	90° clamping applications	Framework
FATMAX® TRIGGER CLAMPS	7	**	**	**	**	•	•		•	•	•		
FATMAX® CLUTCH LOCK F CLAMP		**	**	**	**	•	•		•	•			
MAXSTEEL "C" CLAMP		**	**	**	**	•	•		•	•			
SPRING CLAMP	15	*	**	*	*	•	•		•	•	•		
SPRING CLAMP	1	*	***	*	*					•	•		
BAILEY BAND CLAMP		***		***					•	•			•
BAILEY CORNER CLAMP	1	***		*						•		•	•
BAILEY CORNER CLAMP	-	***		***						•		•	•
MULTI-ANGLE BASE VISE 360°		*	***			•							
BANKSCHROEF		*	***		*	•							

CLAMPS AND VICES

FATMAX® TRIGGER CLAMP

STANLEY FATMAX.









CODE	DESCRIPTION		\boxtimes		PRICE
FMHT0-83231	FATMAX S Trigger clamp - 120mm	-	6	3 2 5 3 5 6 0 8 3 2 3 1 5	
FMHT0-83232	FATMAX M Trigger clamp - 150mm	-	4	3 2 5 3 5 6 0 8 3 2 3 2 2	
FMHT0-83233	FATMAX M Trigger clamp - 300mm	-	4	3 2 5 3 5 6 0 8 3 2 3 3 9	
FMHT0-83234	FATMAX L Trigger clamp - 150mm	-	4	3 2 5 3 5 6 0 8 3 2 3 4 6	
FMHT0-83235	FATMAX L Trigger clamp - 300 mm	-	4	3 2 5 3 5 6 0 8 3 2 3 5 3	
FMHT0-83211	FATMAX L Trigger clamp - 450 mm	-	4	3 2 5 3 5 6 0 8 3 2 1 1 7	
FMHT0-83236	FATMAX L Trigger clamp - 600 mm	-	4	3 2 5 3 5 6 0 8 3 2 3 6 0	
FMHT0-83237	FATMAX L Trigger clamp - 900 mm	-	2	3 2 5 3 5 6 0 8 3 2 3 7 7	
FMHT0-83238	FATMAX XL Trigger clamp - 150mm	-	4	3 2 5 3 5 6 0 8 3 2 3 8 4	
FMHT0-83239	FATMAX XL Trigger clamp - 300mm	-	4	3 2 5 3 5 6 0 8 3 2 3 9 1	
FMHT0-83213	FATMAX XL Trigger clamp - 450mm	-	4	3 2 5 3 5 6 0 8 3 2 1 3 1	
FMHT0-83240	FATMAX XL Trigger clamp - 600mm	-	4	3 2 5 3 5 6 0 8 3 2 4 0 7	
FMHT0-83241	FATMAX XL Trigger clamp - 900mm	-	2	3 2 5 3 5 6 0 8 3 2 4 1 4	
FMHT0-83242	FATMAX XL Trigger clamp - 1250mm	-	2	3 2 5 3 5 6 0 8 3 2 4 2 1	
FMHT0-83243	FATMAX Trigger Clamp 4-pack			3253560832438	

FATMAX® CLUTCH LOCK F CLAMP

STANLEY FATMAX



- · Cast iron housing for strength and durability
- · Strong locking to prevent sudden movement
- · Cold-rolled steel limits bending under tension
- · Soft handle for comfort at high force
- · Soft protective caps prevent damage to the work material

CODE	DESCRIPTION	٥	\boxtimes		PRICE
FMHT0-83244	FATMAX Clutch Lock F Clamp 200 mm	-	4	3 2 5 3 5 6 0 8 3 2 4 4 5	
FMHT0-83245	FATMAX Clutch Lock F Clamp 400 mm	-	2	3 2 5 3 5 6 0 8 3 2 4 5 2	
FMHT0-83246	FATMAX Clutch Lock F Clamp 600 mm	-	2	3 2 5 3 5 6 0 8 3 2 4 6 9	
FMHT0-83247	FATMAX Clutch Lock F Clamp 800 mm	-	2	3 2 5 3 5 6 0 8 3 2 4 7 6	

MAXSTEEL® "C" CLAMP



- · Striking anti-rust finish
- · Rigid design
- Iron and steel construction for heavy duty applications
- · Threaded for smooth use and durability
- · Extra large T-shaped handle for extra turning power
- · Clamping force:
- · 0-83-033/034/035: 680kg

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
0-83-033	75mm/3" C-Clamp	Х	12	3 2 5 3 5 6 0 8 3 0 3 3 5	
0-83-034	100mm/4" C-Clamp*	Х	12	3 2 5 3 5 6 0 8 3 0 3 4 2	
0-83-035	150mm/6" C-Clamp*	Х	8	3 2 5 3 5 6 0 8 3 0 3 5 9	

*Not in the Nordic assortment - special order required

SPRING CLIP



- · Large & deep jaws for maximum clamping capacity
- · Smooth unlocking
- · Pivoting guards hold both straight and rounded objects
- · Precise clamping without ratchet teeth
- · Clamp springs open automatically when unlocked
- · Soft handle for comfort at high force

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
STHT0-83199	Spring clamp - 50 mm	-	6	3 2 5 3 5 6 0 8 3 1 9 9 8	
STHT0-83200	Spring clamp - 100 mm	-	6	3 2 5 3 5 6 0 8 3 2 0 0 1	

METAL SPRING CLIPS



- · Protective caps formed by injection
- · Stamped metal construction for added strength
- · Ergonomically designed handles for safety and stability
- · Cold formed springs for durability

CODE	DESCRIPTION		\boxtimes		PRICE
9-83-079	25mm/1" Metal Spring Clip	Х	50	3 2 5 3 5 6 0 8 3 0 7 9 3	
9-83-080	50mm/2" Metal Spring Clip	Х	30	3 2 5 3 5 6 0 8 3 0 8 0 9	

SPRING CLAMP SET - 16 PCS



- · Bag of 16 spring clamps, ideal for light holding and clamping
- · Cold rolled steel springs for durability
- · Reinforced nylon construction
- · Various sizes for common holding tasks
- · Rotating clamping jaws, toothed jaw pads

CODE	DESCRIPTION	<u>_</u>			PRICE
STHT0-83094	Spring clamp set - 16 pcs	Х	6	3253560830946	

BAILEY® BAND CLAMP



- · 4.5m belt length for large and irregular objects
- · Bi-material, trilobular handle for increased comfort and turning power
- $\cdot \ \textbf{Metal and reinforced nylon construction for strength and durability}$

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
0-83-100	4.5/15" Band clamp	Х	4	3 2 5 3 5 6 0 8 3 1 0 0 4	

BAILEY® CORNER CLAMP FOR LIGHT DUTY APPLICATIONS



- · Individually adjustable clamping arms to clamp material of the same or different thickness at right angles
- · Mounting holes to secure the clamp to the work surface
- · Durable cast aluminum construction

CODE	DESCRIPTION		\boxtimes		PRICE
0-83-121	Corner clamp	Х	4	3 2 5 3 5 6 0 8 3 1 2 1 9	

BAILEY® CORNER CLAMP FOR HEAVY DUTY APPLICATIONS



- Pronounced design to clamp material of the same or different thickness at right angles
- · Patented rotatable head for use as a parallel screw clamp
- · Comfort and maximum turning power thanks to bi-material trilobular handle
- · Mounting holes to secure the clamp to the work surface
- · Die-cast zinc construction for durability during heavy duty applications

CODE	DESCRIPTION	Ó	\boxtimes		PRICE
0-83-122	Heavy Duty Corner Clamp	Х	2	3 2 5 3 5 6 0 8 3 1 2 2 6	

MULTI-ANGLE VISE 360°



- · Lockable knee joint: rotates 360°
- · Convenient thanks to multiple positions
- · Cast aluminum construction light but strong
- · Clamp capacity: 80mm
- · Removable protective covers
- · Base can be fixed on workbench for extra stability

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
1-83-069	Multi Angle Vise 360	-	2	3 2 5 3 5 6 1 8 3 0 6 9 3	

QUICK-RELEASE VICE



- · Vice with quick-release system
- One-hand lever to easily open and close jaws for quick repositioning
- · Steel construction for greater durability and long life
- $\boldsymbol{\cdot}$ Rubber guards can be removed to use steel jaws if required
- \cdot Secure the thread to a workbench for a firm grip and easy repositioning
- · Clamping capacity: 160 kg

CODE	DESCRIPTION	٥	\boxtimes		PRICE
0-83-179	Quick-release screw	Х	2	3 2 5 3 5 6 0 8 3 1 7 9 0	

MAXSTEEL® VISE



- · Durable cast iron construction for strength
- · Threaded for smooth use and durability
- · Base can be fixed on a workbench for stability
- · Base pivots for versatile use
- · Chrome handles and screw against corrosion
- · Clamping force: 1100 kg

ODE	DESCRIPTION		\boxtimes		PRICE
-83-065	100mm/4" Vise	-	1	3 2 5 3 5 6 1 8 3 0 6 5 5	

MAXSTEEL® HEAVY DUTY VISE



- · Durable cast iron construction for strength
- · Threaded for smooth use and durability
- · Base can be fixed on a workbench for stability
- · Base pivots for versatile use
- · Chrome handles and screw against corrosion
- · Clamping force:
- 1-83-066: 1400 kg
- 1-83-067: 1800 kg
- 1-83-068: 2200 kg

CODE	DESCRIPTION		\boxtimes		PRICE
1-83-066	100mm/4" Heavy Duty Vise	-	1	3 2 5 3 5 6 1 8 3 0 6 6 2	
1-83-067	125mm/5" Heavy Duty Vise	-	1	3 2 5 3 5 6 1 8 3 0 6 7 9	
1-83-068	150mm/6" Heavy Duty Vise*	-	1	3 2 5 3 5 6 1 8 3 0 6 8 6	

^{*}Not in the Nordic assortment - special order required

SUCCION PADS



- · Adherence against selected surface and tightening of the handles
- · Carrying power : 60kg (30kg per head)
- · diameter each rubber : 120mm
- · Double headed suction cup for transport
- · Double rubber suction pad
- · Locking by 2 swinging levers
- · Single suction pad has a maximum load of 20kg, safe working load of 10kg
- · Double suction pad has a maximum load of 40kg, safe working load of 25kg
- · 1 head suction pad (2-14-053) diameter : 120mm

CODE	DESCRIPTION		\boxtimes		PRICE
2-14-053	Succion pad - single	-	1	3253562140531	
2-14-054	Succion pads - 2 heads	-	1	3253562140548	

THE MEASURE OF A PRO™



SAWS


STANLEY saws are designed for manual precision, accuracy, and sharpness, our handsaws can cut through endless tasks. Whether you're working with molding, trim, or cutting with or across the woodgrain, we have the tool for you.

PRACTICAL INFO

THE BEST SAWS TO MEET YOUR NEEDS

Choosing a hand saw is about selecting the right size and type of saw teeth for a specific job. Tooth size is measured in the number of full teeth per inch (tpi). Fewer and larger teeth give a fast cut, while more and smaller teeth ensure a finer finish.

The table below is a quick guide to which sawtooth size is best suited for different requirements. The number of teeth and the suggested applications can be found in the properties for all saws on the following pages.






	SAW APPLICATION	SAW TEETH REQUIRED
CONSTRUCTION WORK	Construction carpentry, joists, stud framing, chipboard	LARGE TEETH 7 teeth per inch
FINISH WORK	Architraves and mouldings panelling, fl ooring, PVC	SMALL TEETH 11 teeth per inch
SPECIALIST WORK	Flooring, PVC pipes and mouldings, plasterboard and drywall panels, cellular concrete	SPECIALLY DESIGNED SAWS With different numbers and types of teeth to suit specific tasks

SAWS FOR WOOD

FATMAX® JETCUT HAND SAW STANLEY



CODE	DESCRIPTION	<u></u>	\boxtimes		PRIC
2-20-528	FATMAX JetCut Hand saw 380 mm - 7T/inch	-	6	3 2 5 3 5 6 2 2 0 5 2 8 5	
2-20-529*	FATMAX JetCut Hand saw 500 mm - 7T/inch	-	6	3 2 5 3 5 6 2 2 0 5 2 9 2	
2-20-530	FATMAX JetCut Hand saw 550 mm - 7T/inch	-	6	3 2 5 3 5 6 2 2 0 5 3 0 8	
2-20-533*	FATMAX JetCut Hand Saw 450mm - 11T/inch	-	6	3 2 5 3 5 6 2 2 0 5 3 3 9	

JETCUT HAND SAW SP



- Bi-Material handle for reduces vibrations and increased comfort improved comfort and control
- With APPLIFLON coating for lower resistance during cutting and against corrosion
- · Toothing with 3 cutting edges for faster and smoother cuts
- · Blade thickness: 0.85mm less wobbling, better control
- \cdot Deeper cut teeth for faster cutting
- · Special teeth for 20-50% faster and smoother cutting
- · Induction hardened teeth the blade stays sharp longer
- · Handle with marking angles for 45° and 90°

· Availabl	· Available in 7 teeth per inch for coarse cuts							
CODE	DESCRIPTION	<u>_</u>	\boxtimes		PRICE			
2-20-151*	JetCut Hand Saw SP 500mm - 7T/inch	-	6	3 2 5 3 5 6 2 2 0 1 5 1 5				

^{*}Not in the Nordic assortment - special order required. Minimum order quantity applied.

JETCUT HAND SAW LAMINATOR

- · Universal "Hardpoint" teeth and handle with marking angles for 45° and 90°
- · Suitable for laminate



ODE	DESCRIPTION	٥	\boxtimes		PRICE
-20-180	JetCut Laminator 450mm - 11T/inch	-	6	3 2 5 3 5 6 2 2 0 1 8 0 5	

JETCUT HAND SAW

- · Bi-Material handle for reduces vibrations and increased comfort improved comfort and control
- \cdot Toothing with 3 cutting edges for faster and smoother cuts
- · Blade thickness: 0.85mm less wobbling, better control
- · Deeper cut teeth for faster cutting
- · Induction hardened teeth the blade stays sharp longer
- · Handle with marking angles for 45° and 90°
- · Available in 7 teeth per inch for coarse cuts for soft wood, plastic coated chipboard and PVC
- · Available in 11 teeth per inch for fine cuts for both hard and soft wood, as

well as a wide selection of plastic coated chiphoard



CODE	DESCRIPTION	Ó	\boxtimes		PRICE
2-15-281*	JetCut Hand saw SP 380 mm - 7T/inch*	-	6	3 2 5 3 5 6 2 1 5 2 8 1 7	
2-15-283*	JetCut Hand Saw SP 450mm - 7T/inch*	-	6	3 2 5 3 5 6 2 1 5 2 8 3 1	
2-15-288*	JetCut Hand Saw SP 500mm - 7T/inch*	-	6	3 2 5 3 5 6 2 1 1 5 2 8 8 6	
2-15-289	JetCut Hand saw SP 550 mm - 7T/inch	-	6	3 2 5 3 5 6 2 1 1 5 2 8 9 3	
2-15-594	JetCut Hand saw HP Fine 380 mm - 11T/inch	-	6	3 2 5 3 5 6 2 1 5 5 9 4 8	
2-15-595*	JetCut Hand saw HP Fine 450 mm - 11T/inch*	-	6	3 2 5 3 5 6 2 1 1 5 5 9 5 5	
2-15-599	JetCut Hand saw HP Fine 500 mm - 11T/inch	-	6	3 2 5 3 5 6 2 1 5 5 9 9 3	
2-15-244	JetCut Hand saw HP Fine 550 mm - 11T/inch	-	6	3 2 5 3 5 6 2 1 5 2 4 4 2	

TRADECUT HAND SAW

- · Bi-Material handle for reduces vibrations and increased comfort improved comfort and control
- · Ergonomic design, optimal position of the fingers for extra control and comfort
- · Toothing with 3 cutting edges for faster and smoother cuts
- · Blade thickness: 0.85mm less wobbling, better control
- · Induction hardened teeth the blade stays sharp longer
- · Ultrasonically welded saw blade and handle for extra durability
- \cdot Handle with marking angles for 45° and 90°
- · Available in 8 teeth per inch for coarse cuts
- · Available in 11 teeth per inch for fine cutting

CODE	DESCRIPTION		\boxtimes		PRICE
STHT20348-1	Tradecut Hand saw Universal 380 mm - 8T/inch	-	10	3 2 5 3 5 6 1 2 0 3 4 8 0	
STHT20354-1	Tradecut Hand saw Universal 450 mm - 8T/inch*	-	10	3 2 5 3 5 6 1 2 0 3 5 4 1	
STHT20350-1	Tradecut Hand saw Universal 500 mm - 8T/inch*	-	10	3 2 5 3 5 6 1 2 0 3 5 0 3	
STHT1-20352	Tradecut Hand saw Universal 550 mm - 8T/inch	-	10	3 2 5 3 5 6 1 2 0 3 5 2 7	
STHT20349-1	Tradecut Hand saw Fine 380 mm - 11T/inch	-	10	3 2 5 3 5 6 1 2 0 3 4 9 7	
STHT20355-1	Tradecut Hand saw Fine 450 mm - 11T/inch*	-	10	3 2 5 3 5 6 1 2 0 3 5 5 8	
STHT20351-1	Tradecut Hand saw Fine 500 mm - 11T/inch*	-	10	3 2 5 3 5 6 1 2 0 3 5 1 0	
STHT1-20353	Tradecut Hand saw Fine 550 mm - 11T/inch	-	10	3 2 5 3 5 6 1 2 0 3 5 3 4	

SHARPCUT HAND SAW

GROUND TEETH



- · Eronomic bi-material handle improved comfort and control
- · Ergonomic design, optimal position of the fingers for extra control and comfort
- · Toothing with 2 cutting surfaces
- · Blade thickness: 0.85mm- less wobbling, better control
- · Induction hardened teeth the blade stays sharp longer
- · Ultrasonically welded saw blade and handle for extra durability
- · Handle with marking angles for 45° and 90°
- · Available in 7 teeth per inch for coarse cuts
- · Available in 11 teeth per inch for fine cutting

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
STHT20366-1	SharpCut Hand saw 380 mm - 7T/inch	-	10	3 2 5 3 5 6 1 2 0 3 6 6 4	
STHT20369-1	SharpCut Hand saw 380 mm - 11T/inch	-	10	3253561203695	
STHT20367-1*	SharpCut Hand Saw 500mm - 7T/inch*	-	10	3 2 5 3 5 6 1 2 0 3 6 7 1	
STHT20368-1	SharpCut Hand saw 550 mm - 7T/inch	-	10	3 2 5 3 5 6 1 2 0 3 6 8 8	
STHT20371-1*	SharpCut Hand Saw 500mm - 11T/inch*	-	10	3 2 5 3 5 6 1 2 0 3 7 1 8	
STHT20372-1	SharpCut Hand Saw 550mm - 11T/inch	-	10	3 2 5 3 5 6 1 2 0 3 7 2 5	
STHT20368-9	SharpCut Hand Saw 550mm - 7T/inch - Display x24	-	24	3253569203680	
STHT20372-9	SharpCut Hand Saw 550mm - 11T/inch - Display x24	-	24	3253569203727	

173

^{*}Not in the Nordic assortment - special order required. Minimum order quantity applied.

FATMAX® TENON SAW

STANLEY FATMAX



- Bi-Material handle for reduces vibrations and increased comfort bolted to the blade
- · Reinforced back for better control when cutting
- \cdot Toothing with 3 cutting edges for faster and smoother cuts
- · Handle with marking angles for 45° and 90°
- · Available in 11 teeth per inch

Ava	ilah	le	in	13	teeth	ner	inc	ŀ
Av a	пан	ПG		13	LGGIII	ncı	1116	

CODE	DESCRIPTION	Ö	\boxtimes		PRICE
2-17-199	FATMAX Tenon Saw 300mm - 11T/inch	Х	4	3 2 5 3 5 6 2 1 7 1 9 9 3	
2-17-201	FATMAX Tenon Saw 350mm - 11T/inch	х	4	3 2 5 3 5 6 2 1 7 2 0 1 3	
2-17-202	FATMAX Tenon Saw 350mm - 13T/inch	Х	4	3 2 5 3 5 6 2 1 7 2 0 2 0	

FATMAX® FLOORBOARD SAW

STANLEY FATMAX



- · Bi-Material handle for reduces vibrations and increased comfort bolted to the blade
- · Extra teeth on the round nose for cutting blind slots and holes

· Handles with marking angles 45° and 90°

CODE	DESCRIPTION		\boxtimes		PRICE
2-17-204	FATMAX Floorboard Saw 350 mm - 14T/inch	Х	4	3 2 5 3 5 6 2 1 7 2 0 4 4	

STANLEY® FATMAX® REVERSIBLE FLUSH CUT SAW





- · Quick reversible towel saw
- · Ergonomic handle
- · Reinforced back
- \cdot Extra wide saw blade for fine wood cutting

CODE	DESCRIPTION	٥	\boxtimes		PRICE
0-15-252	FATMAX Reversible Flush Cut Saw	-	8	3 2 5 3 5 6 0 1 5 2 5 2 9	

MITER BOXES

MITER BOX METAL ADJUSTABLE



- · Precision miter box
- \cdot Specially hardened and tempered replacement blade with extra fine teeth
- Tightening screw on blade facilitates blade changes and ensures a clean and precise cut
- Miter box and saw guides
- · Miter adjustable at 30, 45, 60, and 90°
- · Adjustable length gauge for repeated cuts
- · Handle with comfortable elastomer strip
- · Workpiece can be fastened quickly by adjustable clamp nails
- · Including saw blade (1-20-809) 560 mm

CODE	DESCRIPTION	<u>_</u>	\boxtimes		PRICE
1-20-800	Miter Box Metal Adjustable L560 mm/W143 mm/H95 mm	-	1	3 2 5 3 5 6 1 2 0 8 0 0 3	
1-20-809	Spare Blade Miter Saw 1-20-800	-	1	3 2 5 3 5 6 1 2 0 8 0 9 6	

PLASTIC MITER BOX WITH MITER SAW



- · Plastic miter box miter saw with fine teeth included
- · Built-in saw stop to prevent damage to the miter box
- · Adjustable to angles of 90°, 45° and 22.5°
- · Object can be fixed thanks to 2 supplied pins

CODE	DESCRIPTION		\boxtimes		PRICE
1-20-600	Plastic Miter Box with Miter Saw L300 mm/W130 mm/H80 mm	Х	6	3 2 5 3 5 6 1 2 0 6 0 0 9	


PLASTIC MITER BOX WITHOUT MITER SAW



- Plastic miter box
- \cdot Built-in saw stop to prevent damage to the miter box
- · Adjustable to angles of 90°, 45° and 22.5°
- \cdot Object can be fixed thanks to 2 supplied pins

CODE	DESCRIPTION		\boxtimes		PRICE
1-20-112	Miter box Plastic L300 mm/W130 mm/H80 mm	-	6	3 2 5 3 5 6 1 2 0 1 1 2 7	

MITER BOX PLASTIC ABS WITH MITER SAW



- · Light anti-choc ABS miter box with miter saw
- · Holes in the bottom to attach miter box to workbench
- · Adjustable to angles of 90°, 45° and 22.5°
- · Object can be fixed thanks to 2 supplied pins

CODE	DESCRIPTION	٥	\boxtimes		PRICE
1-19-800	Plastic Miter Box with Miter Saw L350 mm/W143 mm/H95 mm	-	8	3 253561 198007	

MITER BOX PLASTIC ABS WITHOUT MITER SAW



- · Light anti-shock ABS miter box
- \cdot Holes in the bottom to attach miter box to workbench
- \cdot Adjustable to angles of 90°, 45° and 22.5°
- · Object can be fixed thanks to 2 supplied pins

CODE	DESCRIPTION	Ō	\boxtimes		PRICE
1-19-212	Miter box Plastic L300 mm/W143 mm/H95 mm	-	8	3 2 5 3 5 6 1 1 9 2 1 2 8	

MITER BOX WOOD



- \cdot Traditional miter box made of dried beech wood, capacity: 120 mm
- \cdot Glued and screwed for strength
- Adjustable to angles of 45° and 90°
- · Equipped with suspension eye to fix the miter box to the work table

CODE	DESCRIPTION	Ó	\boxtimes		PRICE
1-19-194*	Miter Box Wood L350 mm/W122 mm/H60 mm	-	2	3 2 5 3 5 6 1 1 9 1 9 4 7	

Not in the Nordic assortment - special order required. Minimum order quantity applied.

MITER BOX WOOD STANDARD



- · Traditional miter box made of dried beech wood
- · Glued and screwed for strength
- · Adjustable to angles of 45° and 90°
- · Equipped with suspension eye to fix the miter box to the work table

CODE	DESCRIPTION	<u>_</u>	\boxtimes		PRICE
1-19-190*	Miter Box Wood L250 mm/W65 mm/H40 mm	-	2	3 2 5 3 5 6 1 1 9 1 9 0 9	
1-19-191	Miter Box Wood L300 mm/W65 mm/H48 mm	-	2	3 2 5 3 5 6 1 1 9 1 9 1 6	
1-19-192*	Miter Box Wood L350 mm/W82 mm/H48 mm	-	2	3 2 5 3 5 6 1 1 9 1 9 2 3	

*Not in the Nordic assortment - special order required. Minimum order quantity applied.

SPECIFIC SAWS

FATMAX® HAND SAW FOR PVC

STANLEY FATMAX



- Bi-Material handle for reduces vibrations and increased comfort bolted to the blade
- · Toothing with 3 cutting edges for faster and smoother cuts

CODE	DESCRIPTION		\boxtimes		PRIC
2-17-206	FATMAX PVC Hand saw 300 mm - 11T/inch	Х	4	3 2 5 3 5 6 2 1 7 2 0 6 8	

FATMAX® COMPASS SAW

STANLEY FATMAX



- · Bi-Material handle for reduces vibrations and increased comfort bolted to the blade
- · Fine-toothed 9 teeth per inch

Toothing with 2 outting adges, for factor and amouther outs

CO		DESCRIPTION			moother cuts	PRICE
2-1	7-205	FATMAX Compass saw 300 mm	Х	4	3 2 5 3 5 6 2 1 7 2 0 5 1	

STANLEY® FATMAX® MULTI-SAW WITH RECIPROCAL AND HACK BLADES

STANLEY FATMAX



- · Saw with a hacksaw blade and hacksaw blade
- $\cdot \ Ergonomic \ handle$
- · Handy for working in limited space

CODE	DESCRIPTION		\boxtimes		PRICE
0-20-220	FATMAX Multi saw	Х	6	3 2 5 3 5 6 0 2 0 2 2 0 0	

FATMAX® JAB SAW

STANLEY



- · Sharpened point and thicker blade for easier cutting through drywall
- · Toothing with 3 cutting edges for faster and smoother cuts
- · Hardened and tempered blade ergonomic handle
- · Handle made of anti-shock plastic and soft elastomer for a better, comfortable grip and control
- · Long, smooth pad, facilitates blade pushing and turning through drywall
- · 2-20-556: Supplied with pouch

CODE	DESCRIPTION	<u></u>			PRICE
0-20-556	Jab saw FATMAX 355 mm - 7T/inch	Х	6	3 2 5 3 5 6 0 2 0 5 5 6 0	
2-20-556	Jab saw FATMAX 355 mm - 7T / inch + Holder	Х	6	3 2 5 3 5 6 2 2 0 5 5 6 8	
7-20-556	Jab saw FATMAX 355 mm - 7T / inch + Holder - Display x10	Х	10	3253567205563	

FATMAX® FOLDABLE JAB SAW

STANLEY.



- · 8T/inch suitable for drywall
- · Toothing with 3 cutting edges for faster and smoother cuts
- Locking mechanism in 3 positions (90°, 135° and 180°) for maximum flexibility - suitable for work in corners and against ceilings
- · Ergonomic handle
- · Folds compactly for safety
- · Sharp point for piercing drywall

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
FMHT0-20559	FATMAX Foldable Saber Saw	Х	6	3 2 5 3 5 6 0 2 0 5 5 6 0	

JAB SAW



- · Suitable for cut-outs for sockets in drywall
- · Sharpened point and thicker blade for easier cutting through drywall
- · Long, smooth pad, facilitates blade pushing and turning through drywall

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
0-15-206*	Jab Saw 150mm - 6T/inch*	Х	6	3 2 5 3 5 6 0 1 5 2 0 6 2	

*Not in the Nordic assortment - special order required. Minimum order quantity applied

FATMAX® JAPANESE SAW

STANLEY FATMAX.



- \cdot Toothing with 3 cutting edges for faster and smoother cuts
- \cdot Bi-Material handle for reduces vibrations and increased comfort
- · Flexible saw blade for difficult work : resharpenable

CODE	DESCRIPTION	٥	\boxtimes		PRICE
0-20-331	FATMAX Japanese Saw	Х	6	3 253560 203313	
3-20-331	FATMAX Japanese Saw Blades (1 piece)	Х	4	3 2 5 3 5 6 3 2 0 3 3 1 0	

FATMAX® JAPANESE SAW FINE

STANLEY.



- · Saw blade for fine work at the workplace (17 teeth/inch)
- Toothing with 3 cutting edges for faster and smoother cuts
- \cdot Bi-Material handle for reduces vibrations and increased comfort
- \cdot Flexible saw blade for difficult work : resharpenable
- · Saw blade size: 250 mm

CODE	DESCRIPTION	٥	\boxtimes		PRICE
0-20-500*	Japanese Saw Fine 600 mm*	Х	4	3 253560 205003	

*Not in the Nordic assortment - special order required. Minimum order quantity applied.

FATMAX® JAPANESE SAW FINE AND COARSE

STANLEY FATMAX



- · Saw blade for fine (17 teeth/inch) & coarse (8 teeth/inch) work
- · Toothing with 3 cutting edges for faster and smoother cuts
- · Bi-Material handle for reduces vibrations and increased comfort
- · Flexible saw blade for difficult work: resharpenable
- · Saw blade size: 250 mm

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
0-20-501	Japanese Saw Fine/Coarse 600 mm	Х	4	3 2 5 3 5 6 0 2 0 5 0 1 0	

CELLULAR CONCRETE SAW



- Hand saw with coarse teeth (1.2 teeth per 25 mm), ideal for building blocks and soft stone
- · Anti-choc ABS handle attached to saw with 2 screws
- · Handle with marking angles for 45° and 90°
- · Induction hardened teeth the blade stays sharp longer

CODE	DESCRIPTION	<u>_</u>	\boxtimes		PRICE
1-15-441	Cellular Concrete Saw 650mm - 1.2T/inch	-	4	3 2 5 3 5 6 1 1 5 4 4 1 6	

FATMAX® HAND SAW PLASTERBOARD 550 MM

STANLEY FATMAX

GROUND TEETH



- Redesigned handle, combination of 3 materials for maximum ease of use, ergonomics and durability
- With APPLIFON coating for lower resistance during cutting and against rust formation
- · Induction hardened teeth the blade stays sharp longer
- · Toothing with 3 cutting edges for faster and smoother cuts
- · 7 teeth per inch
- · Handle with marking angles for 45° and 90°

CODE	DESCRIPTION		\boxtimes		PRICE
2-20-534	FATMAX Hand saw Plasterboard 550 mm - 7T/inch	-	6	3 2 5 3 5 6 2 2 0 5 3 4 6	

JETCUT PLASTERBOARD SAW APPLIFLON



- · Handle made of anti-shock plastic and soft elastomer for a better, comfortable grip and control
- · Induction hardened teeth the blade stays sharp longer
- · Toothing with 3 cutting edges for faster and smoother cuts
- · Combination saw with conventional teeth at the front for ease of starting cuts and long flexible teeth at the back for a quick and clean finish
- · Handle with marking angles for 45° and 90°
- \cdot With APPLIFON coating for lower resistance during cutting and against rust formation
- · Ideal for cutting plasterboard

CODE	DESCRIPTION	٥	\boxtimes		PRICE
2-20-149	JetCut Plasterboard Saw APPLIFLON 550 mm - 7T/inch	-	6	3 2 5 3 5 6 2 2 0 1 4 9 2	

JETCUT DRYWALL SAW



- Handle made of anti-shock plastic and soft elastomer for a better, comfortable grip and control
- · "HardPoint" teeth, does not need to be sharpened
- · JetCut teeth with three cutting edges for faster and smoother cuts
- · Combination saw with conventional teeth at the front for ease of starting cuts and long flexible teeth at the back for a quick and clean finish
- · Handle with marking angles for 45° and 90°
- · Ideal for cutting plasterboard

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
2-20-037	JetCut Drywall Saw 550mm - 7T/inch	-	6	3 2 5 3 5 6 2 2 0 0 3 7 2	

JIGSAW



- · Round, chrome-plated steel frame stretched
- \cdot Hardened and tempered High carbon steel for sharpness retention saw blade
- · Blade is tightened by turning the handle
- Supplied with 3 spare blades

· Supplied	i willi ə spaie biaues				
CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
0-15-106	FATMAX Jigsaw 6 3/4"	Х	6	3 2 5 3 5 6 0 1 5 1 0 6 5	
0-15-061	Jigsaw blade	Х	10	3 2 5 3 5 6 0 1 5 0 6 1 7	



PRACTICAL INFO



SAW APPLICATION	REQUIRED SAW TEETH
For cutting soft or hard materials: semi-soft steel, cast iron, bronze.	8 TEETH PER CM
For cutting hard metals, steel and obtuse angles. Best suited for all uses.	10 TEETH PER CM
For cutting material with a thickness of less than 3 mm, fine tubes/pipes, profiles and sharp corners.	12 TEETH PER CM

SAWING METAL

HACKSAW FATMAX®

STANLEY FATMAX



- \cdot Front handle with thumb rest
- · Sturdy injection molded steel frame
- · Tensioning mechanism protects the regulating wheel
- · Spring-operated tension system
- · Non-slip handle with magazine for spare blades
- · Tension up to 150 kg
- · Maximum cutting capacity 127 mm

CODE	DESCRIPTION		\boxtimes		PRICE
1-20-531	FATMAX Hacksaw 300mm - 24T/inch	-	2	3 2 5 3 5 6 1 2 0 5 3 1 6	

FATMAX® 5 IN 1 HACKSAW STANLEY



- · Unique saw with 5 different saw blade settings
- Standard position of the hacksaw blade 90° with large cutting depth (120 mm) can also be placed at an angle of 45°
- · Hacksaw blade can be placed on the yellow handle as a compact hacksaw
- \cdot Saw blade can be mounted on the front of the yellow or black handle as a scrub saw
- · Load up to 100kg
- Magazine for spare blades in the handle: Supplied with hacksaw blade and wood saw blade

CODE	DESCRIPTION		\boxtimes		PRICE
0-20-108	FATMAX 5in1 Hacksaw	-	4	3 2 5 3 5 6 0 2 0 1 0 8 1	

HACKSAW TURBOCUT



- Fiberglass clad steel frame for maximum strength, rigidity and shock absorption
- · Ergonomically designed bi-material frame and comfortable handle
- \cdot Patented quick tension and release system to replace and tighten the blade
- Maximum cutting capacity 110 mm
- · Tension up to 80kg

CODE	DESCRIPTION		\boxtimes		PRICE
1-20-110	Hacksaw frame Bi-Material Turbocut 300 mm - 24T/inch	-	4	3 2 5 3 5 6 1 2 0 1 1 0 3	

HACKSAW



- · Sturdy steel frame
- Ribbed plastic handle for better grip
- \cdot Four blade positions for vertical and horizontal cutting
- · Traditional wing nut for clamping the saw blade
- · Maximum cutting capacity 95 mm
- · Tension up to 100kg

CODE	DESCRIPTION	٥	\boxtimes		PRICE
1-15-122	Hacksaw frame 300 mm - 24T/ inch	-	6	3 2 5 3 5 6 1 1 5 1 2 2 4	

HACKSAW - WOODEN HANDLE



- · Saw blade adjustable in 4 positions
- · Supplied with flexible LION saw blade
- · Maximum cutting capacity 95 mm
- · Total length 510 mm

CODE	DESCRIPTION	<u>_</u>	\boxtimes		PRICE
1-15-123	Hacksaw - wooden handle*	-	5	3 2 5 3 5 6 1 1 5 1 2 3 1	

*Not in the Nordic assortment - special order required. Minimum order quantity applied

FATMAX® MINI HACKSAW 300



- · Rigid steel frame with knurled blade mounting screw
- $\cdot \ \textbf{Straight injection molded handle}$
- · Blade length adjustable
- · Flexible blade can be used for recessed cuts
- · Suitable for all blade lengths and broken blades



CODE	DESCRIPTION	<u>_</u>	\boxtimes		PRICE
0-15-211	FATMAX Mini Hacksaw Frame 300 mm	Х	10	3 2 5 3 5 6 0 1 5 2 1 1 6	

MINI HACKSAW 250



- \cdot One piece injection molded frame with blade fixing screw
- · Blade length adjustable
- · Flexible blade can be used for recessed cuts
- \cdot Suitable for all blade lengths and broken blades

CODE	DESCRIPTION	Ô	\boxtimes		PRICE
0-20-807	Hacksaw frame Mini 300 mm	Х	6	3 253560 208073	

HACKSAW JUNIOR



- · Comfortable molded handle
- \cdot Nickel plated square section frame for high strength and impact resistance
- · Quick release lever to clamp and replace the blade

CODE	DESCRIPTION	<u>_</u>	\boxtimes		PRICE
0-15-218	Hacksaw frame Junior 150 mm	Х	10	3 2 5 3 5 6 0 1 5 2 1 8 5	
3-15-905	Hacksaw blade 150 mm - 5 pcs/card	Х	10	3 2 5 3 5 6 3 1 5 9 0 5 1	

MINI HACKSAW WITH PLASTIC PISTOL GRIP



- \cdot Easy tensioning of the saw blade with the tensioning screw
- · Supplied with 150mm saw blade

CODE	DESCRIPTION		\boxtimes		PRICI
I-15-317	Hacksaw frame Mini 150 mm	-	12	3 2 5 3 5 6 1 1 5 3 1 7 4	
3-15-905	Hacksaw blade 150 mm - 5 pcs/card	Х	10	3 2 5 3 5 6 3 1 5 9 0 5 1	


SPARE BLADES HACKSAWS

FATMAX® HACKSAW BLADES

STANLEY FATMAX.



- \cdot 3x sharper and 15x longer life than standard carbon steel saw blades
- · Available in 300mm (18, 24 and 32 TPI)



HACKSAW BLADE LASER CUT



- · Fully heat treated high speed steel (HSS)
- · Sturdy and strong performing blade

CODE	DESCRIPTION	Ö	\boxtimes		PRICE
1-15-558	Hacksaw blade 300 mm - 24T/ inch (box 100)*	-	1	3 2 5 3 5 6 1 1 5 5 5 8 1	
1-15-559	Hacksaw blade 300 mm - 32T/ inch (box 100)*	-	1	3 2 5 3 5 6 1 1 5 5 5 9 8	
2-15-558	Hacksaw blade 300mm - 24T/ inch (5pcs/card)*	Х	5	3 2 5 3 5 6 2 1 5 5 5 8 0	

*Not in the Nordic assortment - special order required. Minimum order quantity applied

HACKSAW BLADE RUBIS



- · Fully heat treated molybdenum steel (HSS)
- · Rigid, extra durable blade designed to cut all types of metal

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
0-15-900*	Hacksaw blade 300 mm - Mix (5 pieces/card)	Х	5	3 2 5 3 5 6 0 1 5 9 0 0 9	
0-15-906	Hacksaw blade 300mm - 24T/ inch (2pcs/card)	Х	5	3 2 5 3 5 6 0 1 5 9 0 6 1	
1-15-906	Hacksaw blade 300 mm - 24T/ inch (box 100)	-	1	3 2 5 3 5 6 1 1 1 5 9 0 6 0	
2-15-906*	Hacksaw blade 300mm - 24T/ inch (5pcs/card)	Χ	5	3 2 5 3 5 6 2 1 5 9 0 6 9	
1-15-907*	Hacksaw blade 300 mm - 32T/ inch (box 100)	-	1	3 2 5 3 5 6 1 1 5 9 0 7 7	

*Not in the Nordic assortment - special order required. Minimum order quantity applied.

HACKSAW BLADE LION



· Flexible general purpose tool steel hacksaw blade

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
0-15-801*	Hacksaw blade 300 mm - Mix (5 pcs/card)*	Х	5	3 2 5 3 5 6 0 1 1 5 8 0 1 9	
0-15-842	Hacksaw Blade 300mm - 24T/inch (2pcs/card)	Х	10	3 2 5 3 5 6 0 1 5 8 4 2 2	
1-15-842*	Hacksaw blade 300mm - 24T/inch (box 100)*	-	1	3 2 5 3 5 6 1 1 5 8 4 2 1	
2-15-842	Hacksaw Blade 300mm - 24T/inch (5pcs/card)	Х	5	3 2 5 3 5 6 2 1 5 8 4 2 0	

*Not in the Nordic assortment - special order required. Minimum order quantity applied.

SAW SETS

3 IN 1 SAW



- \cdot 3 saws in 1: a universal pull saw blade, a hacksaw blade and a scrub saw
- · Soft grip handle for enhanced control and comfort

CODE	DESCRIPTION	፟	\boxtimes		PRICE
0-20-092	3in1 Saw	Х	2	3 2 5 3 5 6 0 2 0 0 9 2 3	

TREE/PRUNING SAWS

RAKER TOOTH BOW SAW HP



- · Oval tubular steel frame, for strength
- Simple system for changing and tensioning saw blades
- · American teeth induction hardened the blade stays sharp longer
- \cdot Handle with anti-shock hand protection
- Blade with straight teeth, suitable for green and wet wood

CODE	DESCRIPTION	Õ	\boxtimes		PRICE
1-15-379	Raker Tooth Bow Saw HP 530 mm	-	6	3 2 5 3 5 6 1 1 5 3 7 9 2	
1-15-368	Raker Tooth Bow Saw HP 610 mm	-	6	3 2 5 3 5 6 1 1 5 3 6 8 6	
1-15-403	Raker Tooth Bow Saw HP 760 mm	-	6	3 2 5 3 5 6 1 1 5 4 0 3 4	

RAKER/HACKSAW



- $\boldsymbol{\cdot}$ Medium duty, tubular steel frame with oval section for strength
- · Steel hand protection
- · Simple system to replace and tighten the blade
- · Supplied with a raker blade for green wood and one hacksaw blade for hacksaws

CODE	DESCRIPTION	0	\boxtimes		PRICE
1-20-447	Tree/Hacksaw 300 mm	-	6	3 2 5 3 5 6 1 2 0 4 4 7 0	
1-20-437	Raker saw blade 300 mm	-	10	3 2 5 3 5 6 1 2 0 4 3 7 1	




SPARE BLADES TREE/PRUNING SAWS

RAKER SAW BLADE

- · Straight teeth for dried wood
- · Made of high quality Swedish steel
- · Induction hardened teeth the blade stays sharp longer

CODE	DESCRIPTION		\boxtimes		PRICE
1-15-382	Raker saw blade 530 mm	-	10	3 2 5 3 5 6 1 1 1 5 3 8 2 2	
1-15-385	Raker saw blade 610 mm	=	10	3 2 5 3 5 6 1 1 5 3 8 5 3	
1-15-388	Raker saw blade 750 mm	-	10	3 2 5 3 5 6 1 1 5 3 8 8 4	

RAKER TOOTH BOW SAW BLADE




 \cdot Made of high quality Swedish steel

Induction hardened teeth - the blade stays sharp longer

CODE	DESCRIPTION	2	\boxtimes		PRICE
1-15-439	Raker Tooth Bow Saw blade 530 mm	-	10	3 2 5 3 5 6 1 1 5 4 3 9 3	
1-15-446	Raker Tooth Bow Saw blade 610 mm	-	10	3 2 5 3 5 6 1 1 5 4 4 6 1	
1-15-448	Raker Tooth Bow Saw blade 750 mm	-	10	3 2 5 3 5 6 1 1 5 4 4 8 5	




THE MEASURE OF A PRO™



CHISELS AND PUNCHES


Dress, shape, drive and refine hard materials from masonry to metal with professional-grade STANLEY® cold chisels, punches, and files.



FATMAX® CHISELS

FATMAX.

STANLEY These FATMAX® chisels are made with hardened, tempered high-chrome carbon alloy steel blades for edge retention. They are 50% stronger than Stanley wood chisels. They are constructed with a steel thru-tang shaft and a steel striking cap for use with steel-headed hammers.



CHISELS SWEETHEART AND BAILEY

CHISEL SET SWEETHEART 8-PIECE









CHISELS BAILEY

CHISEL BAILEY®



- · Beech wood handle
- · Copper finish
- · Hardened and tempered blade with protective cap

CODE	DESCRIPTION	٥	\times		PRICE
2-16-382*	Wood chisel 6 mm*	Х	5	3 2 5 3 5 6 2 1 6 3 8 2 0	
2-16-383*	Wood chisel 8 mm*	Х	5	3 2 5 3 5 6 2 1 6 3 8 3 7	
2-16-384*	Wood chisel 10 mm*	Х	5	3 2 5 3 5 6 2 1 6 3 8 4 4	
2-16-385*	Wood chisel 12 mm*	Х	5	3 2 5 3 5 6 2 1 6 3 8 5 1	
2-16-386*	Wood chisel 14 mm*	Х	5	3 2 5 3 5 6 2 1 6 3 8 6 8	
2-16-387*	Wood chisel 15 mm*	Х	5	3 2 5 3 5 6 2 1 6 3 8 7 5	
2-16-388*	Wood chisel 16 mm*	Х	5	3 2 5 3 5 6 2 1 6 3 8 8 2	
2-16-389*	Wood chisel 18 mm*	Х	5	3 2 5 3 5 6 2 1 6 3 8 9 9	
2-16-390*	Wood chisel 20 mm*	Х	5	3 2 5 3 5 6 2 1 6 3 9 0 5	
2-16-391*	Wood chisel 22 mm*	Х	5	3 2 5 3 5 6 2 1 6 3 9 1 2	
2-16-392*	Wood chisel 25 mm*	Х	5	3 2 5 3 5 6 2 1 6 3 9 2 9	
2-16-393*	Wood chisel 28 mm*	Х	5	3 2 5 3 5 6 2 1 6 3 9 3 6	
2-16-394*	Wood chisel 30 mm*	Х	5	3 2 5 3 5 6 2 1 6 3 9 4 3	
2-16-395*	Wood chisel 35 mm*	Х	5	3 2 5 3 5 6 2 1 6 3 9 5 0	
2-16-396*	Wood chisel 40 mm*	Х	5	3 2 5 3 5 6 2 1 6 3 9 6 7	

*Not in the Nordic assortment - special order required. Minimum order quantity applied.

WOOD CHISEL SET BAILEY® 5-PIECE WOODEN BOX



- · Beech wood handle
- · Copper finish
- $\cdot \ \text{Supplied in a wooden box}$
- · 6, 10, 15, 20, 25mm

CODE	DESCRIPTION		\boxtimes		PRIC
2-16-217	Wood chisel set Bailey 5-piece Wooden Box	Х	2	3 2 5 3 5 6 2 1 6 2 1 7 5	

CHISEL SET BAILEY® 6-PIECE PLASTIC BOX



- · Beech wood handle
- · Copper finish
- · Hardened and tempered blade with protective cap
- · 6, 10, 12, 16, 20, 25mm
- · Contents: 16-382, 16-384, 16-385, 16-388, 16-392, 16-390
- · Also available separately

DESCRIPTION	0	\boxtimes		PRICE
Wood chisel set 6-piece (6, 10, 12, 16, 20, 25 mm)	-	1	3 2 5 3 5 6 1 1 6 4 1 6 3	
	Wood chisel set 6-piece (6, 10, 12, 16, 20, 25 mm)	Wood chisel set 6-piece (6, 10, 12, 16, 20, 25 mm)	Wood chisel set 6-piece (6, 10, 12, 16, 20, 25 mm) - 1	<u> </u>

CHISELS FATMAX®

FATMAX® CHISELS

STANLEY FATMAX.



- Blade extends into impact head, making the handle up to 50% stronger and less likely to break
- · Steel striking head can be used with a hammer
- · High quality steel blade maintains sharpness and quality of cutting surface and edges
- · Ergonomic handle for improved grip and maximum control
- · Full-length blade protection for extra safety

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
0-16-251	FATMAX Chisel 6 mm	Х	1	3 2 5 3 5 6 0 1 6 2 5 1 1	
0-16-252	FATMAX Chisel 8 mm	Х	1	3 2 5 3 5 6 0 1 6 2 5 2 8	
0-16-253	FATMAX Chisel 10 mm	Х	1	3 2 5 3 5 6 0 1 6 2 5 3 5	
0-16-254	FATMAX Chisel 12 mm	Χ	1	3 2 5 3 5 6 0 1 6 2 5 4 2	
0-16-255	FATMAX Chisel 14 mm	Χ	1	3 2 5 3 5 6 0 1 6 2 5 5 9	
0-16-256	FATMAX Chisel 15 mm	Χ	1	3 2 5 3 5 6 0 1 6 2 5 6 6	
0-16-257	FATMAX Chisel 16 mm	Χ	1	3 2 5 3 5 6 0 1 6 2 5 7 3	
0-16-258	FATMAX Chisel 18 mm	Χ	1	3 2 5 3 5 6 0 1 6 2 5 8 0	
0-16-259	FATMAX Chisel 20 mm	Х	1	3 2 5 3 5 6 0 1 6 2 5 9 7	
0-16-260	FATMAX Chisel 22 mm	Χ	1	3 2 5 3 5 6 0 1 6 2 6 0 3	
0-16-261	FATMAX Chisel 25 mm	Х	1	3 2 5 3 5 6 0 1 6 2 6 1 0	
0-16-262	FATMAX Chisel 30 mm	Χ	1	3 2 5 3 5 6 0 1 6 2 6 2 7	
0-16-263	FATMAX Chisel 32 mm	Х	1	3 2 5 3 5 6 0 1 6 2 6 3 4	
0-16-264	FATMAX Chisel 35 mm	Χ	1	3 2 5 3 5 6 0 1 6 2 6 4 1	
0-16-265	FATMAX Chisel 38 mm*	Х	1	3 2 5 3 5 6 0 1 6 2 6 5 8	
0-16-266	FATMAX Chisel 40 mm	Х	1	3 2 5 3 5 6 0 1 6 2 6 6 5	
0-16-267	FATMAX Chisel 50 mm Nordic assortment - special order	Χ	1	3 2 5 3 5 6 0 1 6 2 6 7 2	

FATMAX® MORTISE CHISEL SET



- · 2-16-268: 12, 18, 25mm
- · 2-16-270: 10, 15, 20mm
- · 2-16-271: 6, 10, 15, 20, 25mm

CODE	DESCRIPTION	٥	\boxtimes		PRICE
2-16-270	FATMAX chisel set 3-piece (10, 15, 20 mm)	Х	1	3 2 5 3 5 6 2 1 6 2 7 0 0	
2-16-268	FATMAX Mortise Chisel Set 3 Pieces (12, 18, 25 mm)*	Х	1	3 2 5 3 5 6 2 1 6 2 6 8 7	
2-16-271	FATMAX Mortise Chisel Set 5 Pieces (6, 10, 15, 20, 25 mm)	Х	1	3 2 5 3 5 6 2 1 1 6 2 7 1 7	

FATMAX® CHISEL WITH DOUBLE CUTTING EDGE

STANLEY FATMAX



- \cdot With cutting surface on the side of the chisel for additional applications
- · Steel core for more durability
- · Hardened and tempered carbon steel blade
- · Bi-material handle for extra comfort
- · Impact cap
- · Long blade for more control during work
- · Blade width 25 mm

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICI
FMHT0-16067	FATMAX Chisel with Double Cutting Edge	Х	16	3 2 5 3 5 6 0 1 6 0 6 7 8	

STANLEY® FATMAX® UTILITY WRECKING CHISEL

STANLEY FATMAX



- · Demolition chisel with double cutting edge
- · Suitable for multiple applications: demolishing, prying, splitting
- · Impact cap
- · Bi-material handle for extra comfort
- · Curved handle with extra finger protection
- · Supplied with bag

CODE	DESCRIPTION		\boxtimes		PRICE
FMHT16693-0	STANLEY® FATMAX® Utility Wrecking Chisel	Х	8	3 2 5 3 5 6 1 1 6 6 9 3 8	

STANLEY® FATMAX® 25 MM POCKET CHISEL

STANLEY FATMAX



- \cdot Each side of the handle folds around the blade thanks to an innovative mechanism
- \cdot The blade can be safely stored in the handle
- · Tempered carbon steel with sharp edge
- · Impact cap for added durability
- · Short blade for extra power and control

CODE	DESCRIPTION		\boxtimes		PRICE
FMHT0-16145	STANLEY® FATMAX® 25 mm Pocket Chisel	Х	16	3 2 5 3 5 6 0 1 6 1 4 5 3	

CHISELS DYNAGRIP™

CHISEL DYNAGRIP™



- \cdot Steel striking head can be used with a hammer
- · Longer ergonomic handle for an improved grip and maximum control
- · Steel blade for strength and durability
- · Pre-sharpened blade ready to use
- · Full-length blade protection for extra safety

CODE	DESCRIPTION	٥	\boxtimes		PRICE
0-16-870	Chisel Dynagrip 6 mm	Χ	1	3 2 5 3 5 6 0 1 6 8 7 0 4	
0-16-871	Chisel Dynagrip 8 mm	Х	1	3 2 5 3 5 6 0 1 6 8 7 1 1	
0-16-872	Chisel Dynagrip 10 mm	Х	6	3 2 5 3 5 6 0 1 6 8 7 2 8	
0-16-873	Chisel Dynagrip 12 mm	Х	1	3 2 5 3 5 6 0 1 6 8 7 3 5	
0-16-874	Chisel Dynagrip 14 mm	Х	1	3 2 5 3 5 6 0 1 6 8 7 4 2	
0-16-875	Chisel Dynagrip 15 mm*	Χ	1	3 2 5 3 5 6 0 1 6 8 7 5 9	
0-16-876	Chisel Dynagrip 16 mm	Х	1	3 2 5 3 5 6 0 1 6 8 7 6 6	
0-16-877	Chisel Dynagrip 18 mm	Χ	1	3 2 5 3 5 6 0 1 6 8 7 7 3	
0-16-878	Chisel Dynagrip 20 mm	Χ	1	3 2 5 3 5 6 0 1 6 8 7 8 0	
0-16-879	Chisel Dynagrip 22 mm	Х	1	3 2 5 3 5 6 0 1 6 8 7 9 7	
0-16-880	Chisel Dynagrip 25 mm	Χ	1	3 2 5 3 5 6 0 1 6 8 8 0 3	
0-16-881	Chisel Dynagrip 32 mm	Χ	1	3 2 5 3 5 6 0 1 6 8 8 1 0	
0-16-882	Chisel Dynagrip 38 mm	Χ	1	3 2 5 3 5 6 0 1 6 8 8 2 7	
0-16-889	Chisel Dynagrip 28 mm*	Χ	6	3 2 5 3 5 6 0 1 6 8 8 9 6	
0-16-890	Chisel Dynagrip 30 mm*	Χ	1	3 2 5 3 5 6 0 1 6 8 9 0 2	
0-16-891	Chisel Dynagrip 35 mm	Х	1	3 2 5 3 5 6 0 1 6 8 9 1 9	
0-16-892	Chisel Dynagrip 40 mm* Nordic assortment - special order	Х	6	3 2 5 3 5 6 0 1 6 8 9 2 6	

CHISEL SET DYNAGRIP™ 3-PIECE



- · 2-16-883: 12, 18, 25mm
- · 2-16-887: 10, 15, 20mm

CODE	DESCRIPTION	٥	\boxtimes		PRICE
2-16-883	Chisel set Dynagrip 3-piece (12, 18, 25 mm)	Х	6	3 2 5 3 5 6 2 1 6 8 8 3 2	
2-16-887	Chisel set Dynagrip 3-piece (10, 15, 20 mm)*	-	1	3 2 5 3 5 6 2 1 6 8 8 7 0	

CHISEL SET DYNAGRIP™ 5-PIECE



- · 2-16-885: 6, 12, 18, 25, 32mm
- · 2-16-888: 6, 10, 15, 20, 25mm

CODE	DESCRIPTION	<u>_</u>	\boxtimes		PRICE
2-16-885	Chisel set Dynagrip 5-piece (6, 12, 18, 25, 32 mm)	Х	6	3 2 5 3 5 6 2 1 6 8 8 5 6	
2-16-888	Chisel set Dynagrip 5-piece (6, 10, 15, 20, 25 mm)*	-	1	3 2 5 3 5 6 2 1 6 8 8 8 7	

CHISELS BASIC

WOOD CHISELS 5002



- \cdot Blade with anti-corrosion coating
- · Polypropylene handle, virtually unbreakable

CODE	DESCRIPTION	٥	\boxtimes		PRICE
0-16-535	Wood chisel 6 mm*	Х	6	3 2 5 3 5 6 0 1 6 5 3 5 2	
0-16-537	Wood chisel 8 mm*	Х	6	3 2 5 3 5 6 0 1 6 5 3 7 6	
0-16-539	Wood chisel 10 mm*	Х	6	3 2 5 3 5 6 0 1 6 5 3 9 0	
0-16-540	Wood chisel 12 mm	Х	6	3 2 5 3 5 6 0 1 6 5 4 0 6	
0-16-542	Wood chisel 14 mm*	Х	6	3 2 5 3 5 6 0 1 6 5 4 2 0	
0-16-547	Wood chisel 16 mm*	Х	6	3 2 5 3 5 6 0 1 6 5 4 7 5	
0-16-545	Wood chisel 18 mm	Х	6	3 2 5 3 5 6 0 1 6 5 4 5 1	
0-16-548	Wood chisel 20 mm*	Х	6	3 2 5 3 5 6 0 1 6 5 4 8 2	
0-16-549	Wood chisel 22 mm*	Х	6	3 2 5 3 5 6 0 1 6 5 4 9 9	
0-16-551	Wood chisel 25 mm	Х	6	3 2 5 3 5 6 0 1 6 5 5 1 2	
0-16-554	Wood chisel 32 mm*	Х	6	3 2 5 3 5 6 0 1 6 5 5 4 3	
	Wood chisel 38 mm*	X	6	3 2 5 3 5 6 0 1 6 5 5 8 1	

*Not in the Nordic assortment - special order required. Minimum order quantity applied.

MORTISE CHISEL SET BASIC 3-PIECE



- \cdot Blade with anti-corrosion coating
- · Polypropylene handle, virtually unbreakable · 12, 18, 25mm

CODE	DESCRIPTION	Õ	\boxtimes		PRICE
0-16-128	Mortise chisel set Basic 3-piece	Χ	12	3 2 5 3 5 6 0 1 6 1 2 8 6	

MORTISE CHISEL SET BASIC 4-PIECE



- $\cdot \ \textbf{Blade with anti-corrosion coating}$
- $\cdot \ \textbf{Polypropylene handle, virtually unbreakable}$
- · 6, 12, 18, 25mm

CODE	DESCRIPTION	<u>_</u>	\boxtimes		PRICE
0-16-129	Mortise chisel set Basic 4-piece	Х	12	3 2 5 3 5 6 0 1 6 1 2 9 3	

MORTISE CHISEL SET BASIC 6-PIECE



- · Blade with anti-corrosion coating
- · Polypropylene handle, virtually unbreakable
- · With oil and sharpening stone
- · 6, 12, 18, 25mm

CODE	DESCRIPTION		\boxtimes		PRICE
0-16-130	Mortise chisel set Basic 6-piece	-	6	3 2 5 3 5 6 0 1 6 1 3 0 9	





COLD CHISELS FATMAX®

FATMAX® POINTING CHISEL

STANLEY FATMAX.



- · With rubber handle
- · With hand protection

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
4-18-327	FATMAX joint chisel 75 mm	-	3	3 2 5 3 5 6 4 1 8 3 2 7 7	
4-18-328	FATMAX joint chisel 100 mm	-	3	3 2 5 3 5 6 4 1 1 8 3 2 8 4	

FATMAX® FLOOR CHISEL

STANLEY FATMAX



- · With rubber handle
- $\cdot \ \, \text{With hand protection}$

CODE	DESCRIPTION	<u>_</u>	\boxtimes		PRICE
4-18-331	FATMAX Floor chisel 75 mm	-	3	3 2 5 3 5 6 4 1 8 3 3 1 4	

FATMAX® CONCRETE POINT CHISEL

STANLEY FATMAX



- · With rubber handle
- · With hand protection

CODE	DESCRIPTION	٥	\boxtimes		PRIC
4-18-329	FATMAX Concrete point chisel 19 mm	-	3	3 2 5 3 5 6 4 1 8 3 2 9 1	

FATMAX® MASON'S CHISEL

STANLEY FATMAX



- $\cdot \ With \ rubber \ handle$
- · With hand protection

CODE	DESCRIPTION		\boxtimes		PRIC
4-18-333	FATMAX mason's chisel 45 mm	-	3	3 2 5 3 5 6 4 1 8 3 3 3 8	

FATMAX® TRENCH CHISEL

STANLEY FATMAX.



- · With rubber handle
- · With hand protection

CODE	DESCRIPTION	Ó	\boxtimes	PRIC
4-18-330	FATMAX Trench chisel 56 mm	-	3	

FATMAX® COLD CHISEL

STANLEY FATMAX



- · With rubber handle
- $\cdot \ \, \text{With hand protection}$
- · Suitable for steel

CODE	DESCRIPTION		\boxtimes		PRICE
4-18-332	FATMAX Cold Chisel 25 mm (Long)	-	3	3 2 5 3 5 6 4 1 8 3 3 2 1	

MASON'S CHISEL

- · Chrome vanadium steel formed in one piece for strength and durability
- · Hardened and tempered for extended life and safety
- · Powder coated finish for increased visibility

CODE	DESCRIPTION	<u>_</u>	\boxtimes		PRICE
4-18-294	Mason's chisel 45 mm*	-	3	3 2 5 3 5 6 4 1 8 2 9 4 2	

^{*}Not in the Nordic assortment - special order required. Minimum order quantity applied.

COLD CHISEL FLAT

- \cdot Chrome vanadium steel formed in one piece for strength and durability
- · Hardened and tempered for extended life and safety
- · Powder coated finish for increased visibility
- · Suitable for steel

CODE	DESCRIPTION	<u></u>	\boxtimes		PRIC
4-18-292	Cold chisel 32 mm (Flat)	-	3	3 2 5 3 5 6 4 1 8 2 9 2 8	

JOINT CHISEL

- \cdot Chrome vanadium steel formed in one piece for strength and durability
- · Hardened and tempered for extended life and safety
- · Powder coated finish for increased visibility

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
4-18-297	Joint chisel 100 mm*	-	3	3 2 5 3 5 6 4 1 8 2 9 7 3	

Not in the Nordic assortment - special order required. Minimum order quantity applied

Consultation of the second

COLD CHISEL

57AMEY 3:0" (10mm) 16:286


- · Chrome vanadium steel formed in one piece for strength and durability
- · Hardened and tempered for extended life and safety
- Powder coated finish for increased visibility
- · Suitable for steel

CODE	DESCRIPTION	Õ	\boxtimes		PRICE
4-18-286	Cold chisel 10 mm	-	3	3 2 5 3 5 6 4 1 8 2 8 6 7	
4-18-287	Cold chisel 12 mm*	-	3	3 2 5 3 5 6 4 1 8 2 8 7 4	
4-18-288	Cold chisel 16 mm	-	3	3 2 5 3 5 6 4 1 8 2 8 8 1	
4-18-289	Cold chisel 19 mm	-	3	3 2 5 3 5 6 4 1 8 2 8 9 8	
4-18-290	Cold chisel 22 mm	-	3	3 2 5 3 5 6 4 1 8 2 9 0 4	
4-18-291	Cold chisel 25 mm (Long)	-	3	3 2 5 3 5 6 4 1 8 2 9 1 1	

*Not in the Nordic assortment - special order required. Minimum order quantity applied.


COLD CHISEL SET 3 PCS

- $\boldsymbol{\cdot}$ Chrome vanadium steel formed in one piece for strength and durability
- · Hardened and tempered for extended life and safety
- · Powder coated finish for increased visibility
- · Suitable for steel



COLD CHISEL AND PUNCH SET 12-PIECE

- · Chrome vanadium steel formed in one piece for strength and durability
- \cdot Hardened and tempered for extended life and safety
- $\cdot \ \textbf{Powder coated finish for increased visibility}$
- $\cdot \, \textbf{Suitable for steel} \,$





PUNCHES & CENTER POINTS

FATMAX® 2IN1 PUNCH

STANLEY. FATMAX.


- \cdot Punch set 2 in 1: 1.6 mm and 0.8 mm
- $\cdot \ \textbf{Bi-material non-slip handle}$

CODE	DESCRIPTION		\boxtimes		PRICE
1-58-501	FATMAX 2in1 Punch	Χ	4	3 2 5 3 5 6 1 5 8 5 0 1 2	



DYNAGRIP® PUNCH

- · Hardened and tempered steel for durability
- Elastomer cover for a better grip
- · The nails are 25% longer to get into difficult places
- · Long flattened tip for easier nail alignment
- · 3 sizes in different colors to easily identify the punches





DYNAGRIP PUNCH SET 3-PIECE

- $\boldsymbol{\cdot}$ Induction hardened steel for safety and improved performance
- · Color coded for quick identification
- · Rubber cover for a better grip
- · Longer design for use in hard to reach places
- · Suitable for finishing nails

CODE	DESCRIPTION	(\boxtimes		PRICE
0-58-930	Dynagrip Punch set 3-piece	Х	6	3 2 5 3 5 6 0 5 8 9 3 0 1	

PUNCH

- · Hardened and tempered steel
- · Knurled handle for an easy grip
- · Square striking head with flattened corners

CODE	DESCRIPTION	ت _			PRI
0-58-111	Punch 0.8 mm	Х	6	3 2 5 3 5 6 0 5 8 1 1 1 4	
0-58-112	Punch 1.6 mm	Х	6	3 2 5 3 5 6 0 5 8 1 1 2 1	
0-58-113	Punch 2.4 mm	Х	6	3 2 5 3 5 6 0 5 8 1 1 3 8	
0-58-114	Punch 3.2 mm	Х	6	3 2 5 3 5 6 0 5 8 1 1 4 5	

CENTER POINT



- · Hardened and tempered steel center point
- · Knurled handle for an easy grip
- · Square striking head with flattened corners

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
0-58-120	Center point 3.2 mm	Х	6	3 2 5 3 5 6 0 5 8 1 2 0 6	

CENTER POINT 10 MM



- \cdot Hardened and tempered for extended service life
- · Powder coated finish for increased visibility
- · Molded in one piece for strength and durability

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
4-18-236	Center point 10 mm*	-	3	3 2 5 3 5 6 4 1 1 8 2 3 6 2	

^{*}Not in the Nordic assortment - special order required. Minimum order quantity applied.

PUNCH SET 6 PCS



- $\boldsymbol{\cdot}$ Chrome vanadium steel formed in one piece for strength and durability
- · Hardened and tempered for extended life and safety
- · Powder coated finish for increased visibility

CODE	DESCRIPTION		\boxtimes		PRICE
4-18-226	Punch Set 6 pcs	Х	3	3 2 5 3 5 6 4 1 1 8 2 2 6 3	

THE MEASURE OF A PRO™



PLANES

STANLEY has built a worldwide reputation for exceptional planing quality, which remains the reference of choice among professional users to this day.

BAILEY SMOOTHING BENCH PLANE

CHOOSING A PLANE

The Stanley range of planes covers all your likely needs and they all feature the finest hardened, tempered and precision ground chrome carbon alloy steel cutters. As a general guide the longer and wider the plane the truer the surface along the length of the timber will be.

BAILEY PLANE

General purpose bench plane for workshop, site or fine finishing

SMALL BENCH PLANES / BLOCK PLANES For final finishing and for use with one hand.


REBATE PLANES

REPLACEABLE BLADE PLANE

For stock removal, smoothing and rebating wood

REPLACEABLE BLADE BLOCK PLANE

Blade can be positioned for standard use or bull nose for working in corners



BAILEY® PLANERS

BENCH PLANE N°4



- · Suitable for general use
- · Cherry wood handles
- · Sturdy brass adjusters
- · 1 simple adjustment mechanism for lateral and depth control
- · Convenient and quick mechanism to adjust the mouth
- · Base and cleat molded in 1 piece to reduce vibration
- · Cast iron base
- · Smooth ground sole, accurate between .07 and .003 mm
- · Cutting angle 45°
- · A2 steel chisel 3 mm

CODE	DESCRIPTION	<u>_</u>	\boxtimes		PRICE
1-12-136	Bench plane n°4 - 245 × 50 mm	-	1	3 2 5 3 5 6 1 1 2 1 3 6 4	

STANLEY® "NO. 62" SWEETHEART™ LOW ANGLE JACK PLANE



- · Suitable for larger surfaces
- · Cherry wood handles
- · Sturdy brass adjusters
- · 1 simple adjustment mechanism for lateral and depth control
- · Convenient and quick mechanism to adjust the mouth
- · Base and cleat molded in 1 piece to reduce vibration
- · Cast iron base
- \cdot Smooth ground sole, accurate to .07-.003 mm
- · Cutting angle 12°
- · A2 steel chisel 4.7mm

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
1-12-137	STANLEY® "No. 62" Sweetheart™ Low Angle Jack Plane*	-	1	3 2 5 3 5 6 1 1 2 1 3 7 1	

*Not in the Nordic assortment - special order required. Minimum order quantity applied.. Minimum

STANLEY® BAILEY® PROFESSIONAL SMOOTHING PLANE



- · For general use
- · Painted, black steel version with smooth ground sole and sides
- · With adjustable frog and fine adjustment

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
1-12-003	STANLEY® BAILEY® Professional Smoothing Plane n°3 - 240 × 45 mm	Х	1	5 0 0 0 3 6 6 1 2 0 0 3 4	
1-12-004	STANLEY® BAILEY® Professional Smoothing Plane n°4 - 245 × 50 mm	Х	1	5 0 0 0 3 6 6 1 2 0 0 4 1	

JACK PLANE BAILEY® N°5



- · General usage
- \cdot Rapid removal of chips prior to construction work
- Smooth sole

CODE	DESCRIPTION	٥	\boxtimes		PRICE
1-12-005	Jack plane Bailey n°5 - 350 × 50 mm	Х	6	5 0 0 0 3 6 6 1 2 0 0 5 8	

FORE PLANE BAILEY® N°6



- · Precise Plane of protruding edges and to plane wide long planks
- · Smooth sole

DESCRIPTION	0	\boxtimes		PRICE
Driving plane Bailey n°6 - 450 × 60 mm*	-	1	3 2 5 3 5 6 1 1 2 0 0 6 0	
	× 60 mm*	× 60 mm*	× 60 mm*	

FORE PLANE BAILEY® N°7





 CODE
 DESCRIPTION
 □
 □
 □
 □
 PRICE

 1-12-007
 Driving plane Bailey n°7 - 560 × 60 mm
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1</t

 \cdot Precise Plane of protruding edges and to plane wide long planks

HANDYMAN PLANER

BENCH PLANE HANDYMAN



- · For general use
- · With smooth ground sole and sides
- · With adjustable frog

CODE	DESCRIPTION	ò	\boxtimes		PRICE
1-12-203	Bench Plane Handyman (H1203) - 240 × 45 mm	х	1	5 0 0 0 3 6 6 1 1 2 2 0 3 8	
0-12-312	Iron 45MM for 1-12-203 (H1203)				
1-12-204	Bench Plane Handyman (H1204) - 245 × 50 mm	Х	1	5 0 0 0 3 6 6 1 2 2 0 4 5	
12/1/205	Jack plane Handyman (H1205) - 356×50mm	Х	1	5 0 0 0 3 6 6 1 2 2 0 5 2	

IRON FOR HANDYMAN AND BAILEY®



- · Made of chrome-plated carbon steel for long-lasting sharpness
- · For correct adjustment when sharpening (25°)
- Suitable for 1-12-004, 1-12-005, 1-12-204 and 1-12-205

CODE	DESCRIPTION	<u>_</u>	\boxtimes		PRICE
0-12-313	Planer blade Single 50 mm	Х	6	3 2 5 3 5 6 0 1 2 3 1 3 0	

SB BENCH PLANERS

BENCH PLANE SB3 AND SB4



- · For light Plane work
- · Simple adjustment of the chisel by means of 2 adjusting screws

CODE	DESCRIPTION	٥	\boxtimes		PRICE
1-12-033	Bench plane SB3 210 × 45 mm	Х	1	5 0 0 0 3 6 6 1 2 0 3 3 1	
1-12-034	Bench plane SB4 245 × 50 mm	Х	1	3 2 5 3 5 6 1 1 2 0 3 4 3	

REPLACEMENT IRONS - OVERVIEW TABLE

Planer	Iron Dimnesions	Replacement iron	Planer	Iron Dimnesions	Replacement iron
0-12-105	8.10 mm x 50.75 mm	0-12-378	1-12-102	33.35 mm x 100 x 25 mm	0-12-202
1-12-003	44.52 mm x 187 mm	0-12-312	1-12-116	41.5 mm x 111 mm	0-12-330
1-12-004	51.1 mm x 190 mm	0-12-313	1-12-136	50.88 mm x 130.3 mm	0-12-141
1-12-005	51.1 mm x 190 mm	0-12-313	1-12-137	49.45 mm x 110.5 mm	12-142-1
1-12-006	60.35 mm x 190 mm	0-12-315	1-12-139	41.32 mm x 107.97 mm	0-12-143
1-12-007	60.35 mm x 190 mm	0-12-315	1-12-151	55mm (W)	0-12-350
1-12-020	41.5 mm x 112.35 mm	0-12-504	1-12-152	55mm (W)	0-12-350
1-12-033	44.8 x 83 x 2mm	0-12-133	1-12-203	44.52 mm x 187 mm	0-12-312
1-12-034	51.18 mm x 94 mm	0-12-134	1-12-204	51.1 mm x 190 mm	0-12-313
1-12-045	60.35 mm x 190 mm	0-12-315	1-12-205	51.1 mm X 190 mm	0-12-313
1-12-060	41.5 mm x 112 x 35 mm	0-12-504	1-12-220	41.5 mm X 112.35 mm	0-12-504
1-12-078	38.9 x 103.8 x 2mm	1-12-333	12-004	51.1 mm X 190 mm	0-12-313
1-12-090		1-12-328	12-005	51.1 mm X 190 mm	0-12-313
		0-12-376	12-060	35 mm X 112 mm	0-12-504
1-12-100	50.7 x 8 x 0.76mm	0-12-378 0-12-379	12-102	33.35 mm X 100 x 25 mm	0-12-202
		U-12-3/9	12-220	41.52 mm X 112 x 35 mm	0-12-504
			5-12-020	41.52 mm X 112.35 mm	0-12-504
			5-12-060	35 mm X 112 mm	0-12-504
			STHT12164-8	190X51X2 mm	TBC
			STHT12165-8	190X51X2 mm	TBC

REPLACEMENT BLADE PLANERS

REPLACEMENT BLADE PLANE RB10



- \cdot Plane with smooth sole and sides
- \cdot Can be used as a rabbet plane, Bench plane
- · Fully depth adjustable
- · Supplied with 6 spare blades, quickly replaceable and safely stored in the handle

CODE	DESCRIPTION		\times		PRICE
1-12-100	Combination slicer RB10 260 × 50 mm	Х	6	5 0 0 0 3 6 6 1 2 1 0 0 0	

REPLACEMENT BLADE PLANE RB5



- \cdot Light, cast model plane with machined sole
- · Can be used as a rabbet plane, Bench plane and nose plane
- · Spare blades can be safely stored in the handle
- · Supplied with 2 spare blades (0-12-378)

CODE	DESCRIPTION	6	\boxtimes		PRICE
0-12-105	Replacement blade plane RB5 150 × 50 mm	Х	2	3 2 5 3 5 6 0 1 2 1 0 5 1	

PLANER CUTTER





- \cdot 12-378 : straight for grooving or Plane edges (RB108)
- · For use on 1-12-100 (RB10) and 0-12-105 (RB5)

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
0-12-378	Planer cutter Straight 50 mm - 5 pcs/card	Х	10	3 2 5 3 5 6 0 1 2 3 7 8 9	

BLOCK PLANERS

BLOCK PLANE 60 1/2



- · Fully adjustable cutting depth, alignment and jaw opening
- · Cutting angle : 13.5°
- · For end grain and plastic

CODE	DESCRIPTION	٥	\boxtimes		PRIC
12-1-060	Block Plane 60 1/2 150 × 35mm	Χ	1	3 2 5 3 5 6 1 1 2 0 6 0 2	

PLANER CUTTER FOR 12-060 (NEW MODEL)

 $\cdot \ \textbf{Made of chrome-plated carbon steel for long-lasting sharpness}$

CODE	DESCRIPTION	6	\boxtimes		PRICE
0-12-504	Plane cutter 1-12-060 New 35 mm	Х	6	3 2 5 3 5 6 0 1 2 5 0 4 2	



BLOCK PLANE 9 1/2



- · Fully adjustable cutting depth, alignment and jaw opening
- · Cutting angle : 21°
- · For fine grain finishing and general Plane

CODE	DESCRIPTION		\boxtimes		PRICE
12/1/020	Block plane 9 1/2 160 × 40 mm	Х	1	3 2 5 3 5 6 1 1 2 0 2 0 6	

BLOCK PLANE 220



- \cdot Fully adjustable cutting depth and alignment
- · General Plane
- · Cutting angle: 21°

CODE	DESCRIPTION		\boxtimes		PRICE
1-12-220	Block plane 220 180 × 40 mm	Х	1	3 2 5 3 5 6 1 1 2 2 2 0 0	

PLANER CUTTER FOR 12-020 AND 12-220 (NEW MODEL)



- \cdot Made of chrome-plated carbon steel for long-lasting sharpness $\bar{\ }$
- \cdot For use on:
- 1-12-020 Bench Plane 9 1/2 160 × 40 mm
- 1-12-220 Bench Plane 220 180 × 40 mm

CODE	DESCRIPTION	<u>_</u>	\boxtimes		PRICE
0-12-508	Planer tool 1-12-020 / 1-12-220 New 40 mm	Х	6	3 2 5 3 5 6 0 1 2 5 0 8 0	

BLOCK PLANE 110



- \cdot Easy to set up
- $\cdot \ \textbf{Bench plane for general Plane work}$
- · Cutting angle: 21°

CODE	DESCRIPTION		\boxtimes		PRICE
1-12-116	Block plane 110 180 × 40 mm	Х	1	3 2 5 3 5 6 1 1 2 1 1 6 6	

BLOCK PLANE 102



- · Easy to set up
- · Bench plane for general Plane work
- · Cutting angle: 21°

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
1-12-102	Block plane 102 140 × 34 mm	-	1	3 2 5 3 5 6 1 1 2 1 0 2 9	

SPECIFIC PLANERS

REBATE PLANE



- \cdot Sharpened sole and sides
- · Integrated handle
- · Fully adjustable, with pre-cutter, complete with width and depth guide
- · Black lacquered version

ODE	DESCRIPTION	٥	\boxtimes		PRIC
12/1/078	Rebate plane 255 × 38 mm	-	1	3 2 5 3 5 6 1 1 2 0 7 8 7	

GHOST SHAVE



- · Easy to set up
- 12-151: flat sole for flat and convex surfaces
- · 12-152: round sole for concave surfaces

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
1-12-151	Spoke slicer Flat 55 mm	-	1	5 0 0 0 3 6 6 1 2 1 5 1 2	
1-12-152	Spoke slicer Round 55 mm	-	1	5 0 0 0 3 6 6 1 2 1 5 2 9	



SHARPENING SET 3 PIECES



- · Lacquered clamp, for clamping planer blades and plug-in chisels
- · Fold-out protractor with precise positions (25°,30° and 35°)
- · For sharpening and greasing all planers and chisels in widths from 3 to 60 mm
- $\cdot \ \text{For a precise sharp angle} \\$
- · With sharpening stone: one side for degreasing and one side for sharpening

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
0-16-050	Sharpening set 3 pieces	Х	4	3 2 5 3 5 6 0 1 6 0 5 0 0	

Other spare parts are available through our after-sales service 2helpU.com

FOR SERVICE OR REPAIRS PLEASE CONTACT:

Nordics: Aftersales.Nordics@SBDinc.com

THE MEASURE OF A PRO™



FILES AND SURFORM®

Owning quality finishing tools says a lot about how serious a woodworker you are. Stanley's line of finishing tools is made with quality materials. The parts are precision ground. And they have features that give woodworkers greater control and accuracy.

STANLEY is the inventor of SURFORM, a must-have hand tool. It is the ideal solution for processing, sanding, rasping, shaping, filing and smoothing all types of materials. In short, SURFORM is always ready for use.

FILES

	PROFILE						SLIDE	
FLAT	SQUARE	TRIANGLE	Half round	ROUND	CHAINSAW	SMOOTH	SEMI- SMOOTH	HYBRID
General applications	General and angles	sharp angles	Corners and arcs	Holes and arches	Chainsaw	Fine finish	General finish	Fast application

TRIANGULAR FILE



- · High carbon steel for sharpness retention
- · Bi-Material handle for reduces vibrations and increased comfort

CODE	DESCRIPTION	<u>_</u>	\boxtimes		PRICE
0-22-461	Triangular File Semi-smooth 150 mm	Х	3	3 2 5 3 5 6 0 2 2 4 6 1 5	
0-22-460	Triangular File Bastard 200 mm	Х	3	3 2 5 3 5 6 0 2 2 4 6 0 8	
0-22-462	Triangular File Semi-smooth 200 mm	Х	3	3 2 5 3 5 6 0 2 2 4 6 2 2	

HALF ROUND FILE



- · High carbon steel for sharpness retention
- · Bi-Material handle for reduces vibrations and increased comfort

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
0-22-494	Half Round File Bastard 150 mm*	Х	3	3 2 5 3 5 6 0 2 2 4 9 4 3	
0-22-455	Half round File Semi-smooth 150 mm*	Χ	3	3 2 5 3 5 6 0 2 2 4 5 5 4	
0-22-501	Half Round File Bastard 200 mm	Х	3	3 2 5 3 5 6 0 2 2 5 0 1 8	
0-22-456	Half round File Semi-smooth 200 mm	Х	3	3 2 5 3 5 6 0 2 2 4 5 6 1	

FLAT FILE



- · High carbon steel for sharpness retention
- · Bi-Material handle for reduces vibrations and increased comfort

CODE	DESCRIPTION	Ô	\boxtimes		PRICE
0-22-486	Flat File Bastard 150 mm*	Х	3	3 2 5 3 5 6 0 2 2 4 8 6 8	
0-22-450	Flat File Semi-smooth 150 mm	Х	3	3 2 5 3 5 6 0 2 2 4 5 0 9	
0-22-441	Flat File Bastard 200 mm	Х	3	3 2 5 3 5 6 0 2 2 4 4 1 7	
0-22-451	Flat File Semi-smooth 200 mm	Х	3	3 2 5 3 5 6 0 2 2 4 5 1 6	
0-22-499	Flat File Sweet 200 mm	Х	3	3 2 5 3 5 6 0 2 2 4 9 9 8	

*Not in the Nordic assortment - special order required. Minimum order quantity applied.

ROUND FILE



- · High carbon steel for sharpness retention
- \cdot Bi-Material handle for reduces vibrations and increased comfort

CODE	DESCRIPTION	٥	\boxtimes		PRICE
0-22-442	Round File Bastard 150 mm	Х	3	3 2 5 3 5 6 0 2 2 4 4 2 4	
0-22-496	Round File Semi-smooth 150 mm	Х	3	3 2 5 3 5 6 0 2 2 4 9 6 7	
0-22-443	Round File Bastard 200 mm	Х	3	3 2 5 3 5 6 0 2 2 4 4 3 1	
0-22-444	Round File Semi-smooth 200 mm	Х	3	3 2 5 3 5 6 0 2 2 4 4 4 8	

SQUARE FILE



- · High carbon steel for sharpness retention
- · Bi-Material handle for reduces vibrations and increased comfort

CODE	DESCRIPTION		\boxtimes		PRICE
0-22-458	Square File Semi-smooth 150 mm	Х	3	3 2 5 3 5 6 0 2 2 4 5 8 5	

CHAIN SAW FILE



- \cdot High carbon steel for sharpness retention
- · Bi-Material handle for reduces vibrations and increased comfort

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
0-22-491	Chainsaw File 200 × 4 mm*	Х	3	3 2 5 3 5 6 0 2 2 4 9 1 2	
0-22-492	Chainsaw File 200 × 4.8 mm*	Х	3	3 2 5 3 5 6 0 2 2 4 9 2 9	

TAPER SAW FILE



- · High carbon steel for sharpness retention
- · Bi-Material handle for reduces vibrations and increased comfort

CODE	DESCRIPTION	Ō	\boxtimes		PRICE
0-22-487	Taper saw File Semi-smooth 150 mm*	Х	3	3 2 5 3 5 6 0 2 2 4 8 7 5	
0-22-488	Taper saw File Sweet 150 mm*	Х	3	3 2 5 3 5 6 0 2 2 4 8 8 2	

SET NEEDLE FILES 6 PCS



- · High carbon steel for sharpness retention
- · Bi-Material handle for reduces vibrations and increased comfort

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
0-22-500	Set Needle Files 6 pcs	Х	10	3 2 5 3 5 6 0 2 2 5 0 0 1	

FILES SET 150 MM 3-PIECE



- · High carbon steel for sharpness retention
- · Bi-Material handle for reduces vibrations and increased comfort
- · Contents: triangular, flat and round file

0-22-445 Set Files Bastard 150 mm X 4 3 2 5 3 5 6 0 2 2 4 4 5 5	

Not in the Nordic assortment - special order required. Minimum order quantity applied

SET FILES SEMI-SMOOTH 200 MM 3-PIECE



- · High carbon steel for sharpness retention
- · Bi-Material handle for reduces vibrations and increased comfort
- · Contents: triangular, flat and Half round file

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
0-22-464	Set Files Semi-smooth 200 mm 3-piece	Х	4	3 2 5 3 5 6 0 2 2 4 6 4 6	

RASPS

HALF ROUND RASP



- \cdot High carbon steel for sharpness retention
- Bi-Material handle for reduces vibrations and increased comfort

CODE	DESCRIPTION		\boxtimes		PRICE
0-22-469	Half round Rasp Bastard 200 mm*	Х	3	3 2 5 3 5 6 0 2 2 4 6 9 1	
0-22-471	Half round Grater Semisweet 200 mm	Х	3	3 2 5 3 5 6 0 2 2 4 7 1 4	

*Not in the Nordic assortment - special order required. Minimum order quantity applied

FLAT RASP



- \cdot High carbon steel for sharpness retention
- · Bi-Material handle for reduces vibrations and increased comfort

CODE	DESCRIPTION		\boxtimes		PRICE
0-22-465	Flat Rasp Bastard 200 mm	Х	3	3 2 5 3 5 6 0 2 2 4 6 5 3	
0-22-467	Flat Grater Semi-sweet 200 mm	Х	3	3 2 5 3 5 6 0 2 2 4 6 7 7	

ROUND RASP



- · High carbon steel for sharpness retention
- · Bi-Material handle for reduces vibrations and increased comfort

CODE	DESCRIPTION	<u>_</u>	\boxtimes		PRICE
0-22-473	Round Rasp Bastard 200 mm*	Х	3	3 2 5 3 5 6 0 2 2 4 7 3 8	
0-22-475	Round Grater Semi-sweet 200 mm	Х	3	3 2 5 3 5 6 0 2 2 4 7 5 2	

*Not in the Nordic assortment - special order required. Minimum order quantity applied

RASP SET 200 MM 3-PIECE



- · High carbon steel for sharpness retention
- \cdot Bi-Material handle for reduces vibrations and increased comfort
- \cdot Contents: round, semi-circular and flat rasp

CODE	DESCRIPTION	<u>_</u>	\boxtimes		PRICE
0-22-477	Set Rasp Bastard 200 mm 3-piece	Х	4	3 2 5 3 5 6 0 2 2 4 7 7 6	

WHICH SPARE BLADE FITS IN WHICH SUFORM?

	5-21-293 Standard	5-21-393 Half round	5-21-299 Half round	5-21-508 Metal / PVC	5-21-291 Round	5-21-398 Half round	5-21-515 Half round
	Standard	Nan Toulio	Mantound	Wetal/14c		Nan ould	
Wood	•	•	•		•	•	•
Soft woods	•	•	•		•	•	•
Hard wood	•	•					
Fiberboard	•		•		•		•
Multiplex	•		•		•		•
Chipboard	•		•		•		•
Vinyl	•	•	•		•	•	•
Rubber	•		•		•		•
Plastic	•	•	•		•	•	•
Plaster/Gips	•		•		•		•
Limestone	•		•		•		•
Glasfiber	•		•	•	•		•
Brass		•		•		•	
Lead		•		•		•	•
Aluminium		•		•		•	
Copper		•		•		•	
Soft steel				•			
Synthetic material				•			•
Polyester sheets			•	•		•	•
Nylon	•		•		•		•
Linoleum	•		•		•		•
Ceramics		•			•		
Suitable for	5-21-295	5-21-296	5-21-103	5-21-122	5-21-297	5-21-399 5-21-102 5-21-104	5-21-115

SURFORM® METAL

SURFORM® METAL



- \cdot Can be used as a plane or file
- · Fitted with standard replaceable cutting blade

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
5-21-122	Surform Metal Plane 255 mm	Х	2	3 2 5 3 5 6 5 2 1 1 2 2 1	

SURFORM® METAL BODY PLANE



- \cdot Fitted with standard replaceable cutting blade
- With fixed plastic handle

CODE	DESCRIPTION		\boxtimes		PRICE
5-21-296	Surform Metal Plane 255 mm	Х	2	3 2 5 3 5 6 5 2 1 2 9 6 9	

SURFORM® METAL BODY FLAT FILE

- \cdot For pull and push operations depending on the direction of blade position
- · Fitted with standard replaceable cutting blade



CODE	DESCRIPTION		\boxtimes		PRICE
5-21-295	Surform Metal Body Flat File 255 mm	Х	2	3 2 5 3 5 6 5 2 1 2 9 5 2	

SURFORM® ROUND FILE



· For enlarging holes and shaping tightly curved surfaces

CODE	DESCRIPTION	Õ	\boxtimes		PRICE
5-21-297	Surform Round File 250 mm	Х	2	3 2 5 3 5 6 5 2 1 2 9 7 6	

SURFORM® METAL BODY BLOCK PLANE



 Tool for one-handed use, especially for smoothing sharp edges and narrow surfaces

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
5-21-399	Surform Metal Body Block Plane 140 mm	Х	2	3 2 5 3 5 6 5 2 1 3 9 9 7	



PLANE SURFORM® PLASTIC

SURFORM® PLASTIC MOULDED BODY PLANE



- · Lightweight, plastic version
- · Thumb screw for quick blade release no tools required

CODE	DESCRIPTION		\times		PRICE
5-21-103	Surform planer file Hobby 255 mm	Х	6	3 2 5 3 5 6 5 2 1 1 0 3 0	

SURFORM® PLASTIC MOULDED BODY FLAT FILE



- · Lightweight, plastic version
- · Slightly curved blade to remove more material, especially when pulling
- · Thumb screw for quick blade release no tools required

CODE	DESCRIPTION		\boxtimes		PRICE
5-21-102	Surform Moulded Body Flat File 140 mm	Х	6	3 2 5 3 5 6 5 2 1 1 0 2 3	

SURFORM® PLASTIC MOULDED BODY BLOCK PLANE



- · Light plastic version
- · Thumb screw for quick blade release no tools required

CODE	DESCRIPTION	<u>_</u>			PRICE
5-21-104	Surform Moulded Body Block Plane Hobby 140 mm	Х	6	3 2 5 3 5 6 5 2 1 1 0 4 7	

SURFORM® MOULDED BODY SHAVER TOOL



- · Light plastic version
- $\cdot \ \text{Operates by pulling} \\$

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
5-21-115	SurformMoulded Body Shaver Tool 65mm	Х	6	3 2 5 3 5 6 5 2 1 1 1 5 3	

SURFORM® SPARE BLADES

SPARE BLADE STANDARD



- \cdot General planing work, also for sharp edges
- · For all 250mm frames
- \cdot Suitable for types: 5-21-295, 21-296, 5-21-122 and 5-21-103

CODE	DESCRIPTION	<u></u>	\boxtimes		PRIC
5-21-293	Surform Spare blade Standard 255 × 42 mm	Х	12	3 2 5 3 5 6 5 2 1 2 9 3 8	

SPARE BLADE FINE CUT



- \cdot For fine finishing of hardwood, grain and soft metal
- · Suitable for types: 5-21-399, 21-102 and 5-21-104

CODE	DESCRIPTION	٥	\boxtimes		PRICE
5-21-398	Surform Spare Blade Fine cut Short 140 × 42 mm	Х	12	3 2 5 3 5 6 5 2 1 3 9 8 0	
5-21-393	Surform Spare blade Fine cut 255 × 42 mm	Х	12	3 2 5 3 5 6 5 2 1 3 9 3 5	

SPARE BLADE HALF ROUND



- \cdot For fast chip removal and modeling of curved surfaces
- · For all 250mm frames
- · Suitable for types: 5-21-295, 5-21-296, 5-21-122 and 5-21-103

CODE	DESCRIPTION	٥	\boxtimes		PRICE
5-21-299	Surform Spare Blade Half round 255 × 39 mm	Х	12	3 2 5 3 5 6 5 2 1 2 9 9 0	

SPARE BLADE METAL AND PLASTICS



- \cdot Suitable for soft metals and plastics
- · For all 250mm frames
- · Suitable for types: 5-21-295, 5-21-296, 5-21-122 and 5-21-103

CODE	DESCRIPTION	<u>_</u>	\boxtimes		PRICE
5-21-508	Surform Spare Blade 255 × 42 mm	Х	12	3 2 5 3 5 6 5 2 1 5 0 8 3	

SPARE BLADE ROUND



- \cdot Ideal for shaping and smoothing holes and curves
- · Suitable for type: 5-21-297

CODE	DESCRIPTION		\boxtimes		PRICE
5-21-291	Surform Spare Blade Round 255 × 15 mm	Х	6	3 2 5 3 5 6 5 2 1 2 9 1 4	

SPARE BLADE SHAVER TOOL



- · For quick removal of pieces, works by pulling
- · Suitable for type: 5-21-115

CODE	DESCRIPTION		\boxtimes		PRICE
5-21-515	Surform Spare Blade Scraper 60 × 42 mm	Х	12	3 2 5 3 5 6 5 2 1 5 1 5 1	

THE MEASURE OF A PRO™




SCREWDRIVERS, BITS HEX KEYS

Drive bolts and screws with reliable precision. STANLEY® screwdrivers and hex keys deliver dependable, no-nonsense performance every time. Comfort, quality and versatility are the three attributes we engineer into our screwdriver line. Stanley screwdriver handles are shaped and sized to provide comfort in the hand and torque at the fastener head. The materials and construction are of the highest quality to resist corrosion, chipping and breaking. And with tips ranging from standard to Phillips® to Torx® to flat, STANLEY screwdrivers cover almost evey application.

PRACTICAL INFO

OUR ASSORTMENT

Large selection of screwdrivers adapted to each type of screw.



* Compared to STANLEY Cushion Grip screwdrivers



FATMAX® SCREWDRIVERS

FATMAX® SCREWDRIVER STANDARD FLAT

STANLEY FATMAX

TRIMATERIAL HANDLE Rounded handle end - for Plastic, hard and soft rubber comfortable and smooth for extra grip and control STRONG & RESILIENT turning movements Handle shaped directly on the blade practically unbreakable → 65-141 → 6,5 x 150 CHROME VANADIUM STEEL 100% TIP LIFE* CNC precision-machined tip For extra durability and longer

for strength, performance and long product life. Ensures optimum dimensional fit, accuracy, control, and reduces cam out. Sandblasted for protection against

LARGE, COMFORTABLE HANDLE

Large diameter, tri-material soft-grip handle offers excellent torque for driving wood screws. Provides outstanding comfort and grip

COLOR CODING

Clear tip ID on the handle enables easy identification of the right screwdriver for each job

corrosion	and wear.									0.00.1,00	
CODE	DESCRIPTION		\boxtimes		PRICE	CODE	DESCRIPTION		\boxtimes		PRICE
1-65-477*	FATMAX Screwdriver Standard flat 2.5 × 50 mm*	-	6	3 2 5 3 5 6 1 6 5 4 7 7 0		0-65-483*	FATMAX Screwdriver Standard flat 5.5 × 150 mm*	Х	6	3 2 5 3 5 6 0 6 5 4 8 3 2	
0-65-478*	FATMAX Screwdriver Standard flat 2.5 × 75 mm*	Х	6	3 2 5 3 5 6 0 6 5 4 7 8 8		1-65-483*	FATMAX Screwdriver Standard flat 5.5 × 150 mm*	-	6	3 2 5 3 5 6 1 6 5 4 8 3 1	
1-65-478*	FATMAX Screwdriver Standard flat 2.5 × 75 mm*	-	6	3 2 5 3 5 6 1 6 5 4 7 8 7		0-65-141	FATMAX Screwdriver Standard flat 6.5 × 150 mm	Х	6	3 2 5 3 5 6 0 6 5 1 4 1 1	
0-65-479	FATMAX Screwdriver Standard flat 3 × 75 mm	Х	6	3 2 5 3 5 6 0 6 5 4 7 9 5		1-65-141*	FATMAX Screwdriver Standard flat 6.5 × 150 mm*	-	6	3 2 5 3 5 6 1 6 5 1 4 1 0	
1-65-479*	FATMAX Screwdriver Standard flat 3 × 75 mm*	-	6	3 2 5 3 5 6 1 6 5 4 7 9 4		0-65-137	FATMAX Screwdriver Standard flat 8 × 150 mm	Х	6	3 2 5 3 5 6 0 6 5 1 3 7 4	
1-65-480*	FATMAX Screwdriver Standard flat 3 × 100 mm*	-	6	3 2 5 3 5 6 1 6 5 4 8 0 0		1-65-137*	FATMAX Screwdriver Standard flat 8 × 150 mm*	-	6	3 2 5 3 5 6 1 6 5 1 3 7 3	
0-65-016	FATMAX Screwdriver Standard flat 4 × 100 mm	Х	6	3 2 5 3 5 6 0 6 5 0 1 6 2		0-65-138	FATMAX Screwdriver Standard flat 8 × 175 mm	Х	6	3 2 5 3 5 6 0 6 5 1 3 8 1	
0-65-481	FATMAX Screwdriver Standard flat 4 × 125 mm	Х	6	3 2 5 3 5 6 0 6 5 4 8 1 8		1-65-138*	FATMAX Screwdriver Standard flat 8 × 175 mm*	-	6	3 2 5 3 5 6 1 6 5 1 3 8 0	
1-65-481*	FATMAX Screwdriver Standard flat 4 × 125 mm*	-	6	3 2 5 3 5 6 1 6 5 4 8 1 7		0-65-139	FATMAX Screwdriver Standard flat 10 × 200 mm	Х	6	3 2 5 3 5 6 0 6 5 1 3 9 8	
0-65-098	FATMAX Screwdriver Standard flat 5.5 × 100 mm	Х	6	3 2 5 3 5 6 0 6 5 0 9 8 8		1-65-139*	FATMAX Screwdriver Standard flat 10 × 200 mm*	-	6	3 2 5 3 5 6 1 6 5 1 3 9 7	
1-65-098*	FATMAX Screwdriver Standard flat 5.5 × 100 mm*	-	6	3 2 5 3 5 6 1 6 5 0 9 8 7		0-65-143	FATMAX Screwdriver Standard flat 12 × 250 mm	Х	6	3 2 5 3 5 6 0 6 5 1 4 3 5	
0-65-482	FATMAX Screwdriver Standard flat 5.5 × 125 mm	Х	6	3 2 5 3 5 6 0 6 5 4 8 2 5		1-65-143*	FATMAX Screwdriver Standard flat 12 × 250 mm*	-	6	3 2 5 3 5 6 1 6 5 1 4 3 4	
1-65-482*	FATMAX Screwdriver Standard flat 5.5 × 125 mm*	-	6	3 2 5 3 5 6 1 6 5 4 8 2 4							

 $^{5.5 \}times 125 \text{ mm*}$ *Not in the Nordic assortment - special order required. Minimum order quantity applied.

FATMAX® SCREWDRIVERS PARALLEL

STANLEY FATMAX



CODE	DESCRIPTION	ò	\boxtimes		PRICE
0-65-006	FATMAX Screwdrivers Parallel 2.5 × 50 mm	Х	6	3 2 5 3 5 6 0 6 5 0 0 6 3	
1-65-006*	FATMAX Screwdrivers Parallel 2.5 × 50 mm*	-	6	3 2 5 3 5 6 1 6 5 0 0 6 2	
0-64-978	FATMAX Screwdrivers Parallel 3 × 50 mm	Х	6	3 2 5 3 5 6 0 6 4 9 7 8 4	
1-64-978*	FATMAX Screwdrivers Parallel 3 × 50 mm*	-	6	3 2 5 3 5 6 1 6 4 9 7 8 3	
0-65-008*	FATMAX Screwdrivers Parallel 3 × 100 mm*	Х	6	3 2 5 3 5 6 0 6 5 0 0 8 7	
1-65-008*	FATMAX Screwdrivers Parallel 3 × 100 mm*	-	6	3 2 5 3 5 6 1 6 5 0 0 8 6	
0-64-979*	FATMAX Screwdrivers Parallel 3 × 150 mm*	Χ	6	3 2 5 3 5 6 0 6 4 9 7 9 1	
1-64-979	FATMAX Screwdrivers Parallel 3 × 150 mm	-	6	3 2 5 3 5 6 1 6 4 9 7 9 0	
0-64-983*	FATMAX Screwdrivers Parallel 3.5 × 75 mm*	Х	6	3 2 5 3 5 6 0 6 4 9 8 3 8	
1-64-983*	FATMAX Screwdrivers Parallel 3.5 × 75 mm*	-	6	3 2 5 3 5 6 1 6 4 9 8 3 7	
0-64-984*	FATMAX Screwdrivers Parallel 3.5 × 100 mm*	Х	6	3 2 5 3 5 6 0 6 4 9 8 4 5	
1-64-984*	FATMAX Screwdrivers Parallel 3.5 × 100 mm*	-	6	3 2 5 3 5 6 1 6 4 9 8 4 4	
0-65-017	FATMAX Screwdrivers Parallel 4 × 100 mm	Χ	6	3 2 5 3 5 6 0 6 5 0 1 7 9	
1-65-017*	FATMAX Screwdrivers Parallel 4 × 100 mm*	-	6	3 2 5 3 5 6 1 6 5 0 1 7 8	
0-65-093*	FATMAX Screwdrivers Parallel 4 × 150 mm*	Х	6	3 2 5 3 5 6 0 6 5 0 9 3 3	
1-65-093*	FATMAX Screwdrivers Parallel 4 × 150 mm*	-	6	3 2 5 3 5 6 1 6 5 0 9 3 2	
1-65-476*	FATMAX Screwdrivers Parallel 5.5 × 125 mm*	-	6	3 2 5 3 5 6 1 6 5 4 7 6 3	
0-65-094	FATMAX Screwdrivers Parallel 5.5 × 150 mm	Х	6	3 2 5 3 5 6 0 6 5 0 9 4 0	
1-65-094*	FATMAX Screwdrivers Parallel 5.5 × 150 mm*	-	6	3 2 5 3 5 6 1 6 5 0 9 4 9	
0-65-096	FATMAX Screwdrivers Parallel 6.5 × 150 mm	Χ	6	3 2 5 3 5 6 0 6 5 0 9 6 4	
1-65-096*	FATMAX Screwdrivers Parallel 6.5 × 150 mm*	-	6	3 2 5 3 5 6 1 6 5 0 9 6 3	
1-65-097*	FATMAX Screwdrivers Parallel 6.5 × 200 mm*	-	6	3 2 5 3 5 6 1 6 5 0 9 7 0	

^{*}Not in the Nordic assortment - special order required. Minimum order quantity applied.

FATMAX® SCREWDRIVERS PARALLEL STUBBY

STANLEY FATMAX



CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
1-65-484	FATMAX Screwdrivers Parallel 4 × 30 mm	-	6	3 2 5 3 5 6 1 6 5 4 8 4 8	
0-65-400	FATMAX Screwdrivers Parallel 5.5 × 30 mm	Х	6	3 2 5 3 5 6 0 6 5 4 0 0 9	
1-65-400*	FATMAX Screwdrivers Parallel 5.5 × 30 mm*	-	6	3 2 5 3 5 6 1 6 5 4 0 0 8	
0-65-404*	FATMAX Screwdrivers Parallel 6.5 × 30 mm*	Х	6	3 2 5 3 5 6 0 6 5 4 0 4 7	
1-65-404*	FATMAX Screwdrivers Parallel 6.5 × 30 mm*	-	6	3 2 5 3 5 6 1 6 5 4 0 4 6	

^{*}Not in the Nordic assortment - special order required. Minimum order quantity applied.

FATMAX® SCREWDRIVER PHILLIPS

STANLEY FATMAX



CODE	DESCRIPTION		\boxtimes		PRICI
0-65-204	FATMAX Screwdriver Phillips PH00 × 50 mm	Х	6	3 2 5 3 5 6 0 6 5 2 0 4 3	
1-65-204*	FATMAX Screwdriver Phillips PH00 × 50 mm*	-	6	3 2 5 3 5 6 1 6 5 2 0 4 2	
0-65-206	FATMAX Screwdriver Phillips PH0 × 75 mm	Х	6	3 2 5 3 5 6 0 6 5 2 0 6 7	
1-65-206*	FATMAX Screwdriver Phillips PH0 × 75 mm*	-	6	3 2 5 3 5 6 1 6 5 2 0 6 6	
0-65-207	FATMAX Screwdriver Phillips PH1 × 100 mm	Х	6	3 2 5 3 5 6 0 6 5 2 0 7 4	
1-65-207*	FATMAX Screwdriver Phillips PH1 × 100 mm*	-	6	3 2 5 3 5 6 1 6 5 2 0 7 3	
1-65-208*	FATMAX Screwdriver Phillips PH1 × 250 mm*	-	6	3 2 5 3 5 6 1 6 5 2 0 8 0	
0-65-209*	FATMAX Screwdriver Phillips PH2 × 125 mm*	Х	6	3 2 5 3 5 6 0 6 5 2 0 9 8	
1-65-209	FATMAX Screwdriver Phillips PH2 × 125 mm	-	6	3 2 5 3 5 6 1 6 5 2 0 9 7	
0-65-224*	FATMAX Screwdriver Phillips PH2 × 250 mm*	Х	6	3 2 5 3 5 6 0 6 5 2 2 4 1	
1-65-224*	FATMAX Screwdriver Phillips PH2 × 250 mm*	-	6	3 2 5 3 5 6 1 6 5 2 2 4 0	
0-65-316*	FATMAX Screwdriver Phillips PH3 × 150 mm*	Х	6	3 2 5 3 5 6 0 6 5 3 1 6 3	
1-65-316	FATMAX Screwdriver Phillips PH3 × 150 mm	-	6	3 2 5 3 5 6 1 6 5 3 1 6 2	
0-65-317*	FATMAX Screwdriver Phillips PH4 × 200 mm*	Х	6	3 2 5 3 5 6 0 6 5 3 1 7 0	
1-65-317*	FATMAX Screwdriver Phillips PH4 × 200 mm*	-	6	3 2 5 3 5 6 1 6 5 3 1 7 9	

FATMAX® SCREWDRIVER PHILLIPS STUBBY

STANLEY FATMAX



CODE	DESCRIPTION	<u>_</u>	\bowtie		PRICE
0-65-406	FATMAX Screwdriver Phillips PH1 × 30 mm	Х	6	3 2 5 3 5 6 0 6 5 4 0 6 1	
1-65-406*	FATMAX Screwdriver Phillips PH1 × 30 mm*	-	6	3 2 5 3 5 6 1 6 5 4 0 6 0	
0-65-407	FATMAX Screwdriver Phillips PH2 × 30 mm	Х	6	3 2 5 3 5 6 0 6 5 4 0 7 8	
1-65-407*	FATMAX Screwdriver Phillips PH2 × 30 mm*	-	6	3 2 5 3 5 6 1 6 5 4 0 7 7	

^{*}Not in the Nordic assortment - special order required. Minimum order quantity applied.

FATMAX® SCREWDRIVER POZIDRIV

STANLEY. FATMAX



CODE	DESCRIPTION	<u>_</u>	\boxtimes		PRICE
0-65-319	FATMAX Screwdriver Pozidriv PZ0 × 75 mm	Х	6	3 2 5 3 5 6 0 6 5 3 1 9 4	
1-65-319*	FATMAX Screwdriver Pozidriv PZ0 × 75 mm*	-	6	3 253561 653193	
0-65-335	FATMAX Screwdriver Pozidriv PZ1 × 100 mm	Х	6	3 2 5 3 5 6 0 6 5 3 3 5 4	
1-65-335*	FATMAX Screwdriver Pozidriv PZ1 × 100 mm*	-	6	3 2 5 3 5 6 1 6 5 3 3 5 3	
0-65-336*	FATMAX Screwdriver Pozidriv PZ1 × 250 mm*	Х	6	3 2 5 3 5 6 0 6 5 3 3 6 1	
1-65-336*	FATMAX Screwdriver Pozidriv PZ1 × 250 mm*	-	6	3 2 5 3 5 6 1 6 5 3 3 6 0	
0-65-337	FATMAX Screwdriver Pozidriv PZ2 × 125 mm	Х	6	3 2 5 3 5 6 0 6 5 3 3 7 8	
1-65-337*	FATMAX Screwdriver Pozidriv PZ2 × 125 mm*	-	6	3 2 5 3 5 6 1 6 5 3 3 7 7	
0-62-571*	FATMAX Screwdriver Pozidriv PZ2 × 250 mm*	Х	6	3 2 5 3 5 6 0 6 2 5 7 1 9	
1-62-571*	FATMAX Screwdriver Pozidriv PZ2 × 250 mm*	-	6	3 2 5 3 5 6 1 6 2 5 7 1 8	
0-65-338	FATMAX Screwdriver Pozidriv PZ3 × 150 mm	Х	6	3 2 5 3 5 6 0 6 5 3 3 8 5	
1-65-338*	FATMAX Screwdriver Pozidriv PZ3 × 150 mm*	-	6	3 2 5 3 5 6 1 6 5 3 3 8 4	
0-65-339*	FATMAX Screwdriver Pozidriv PZ4 × 200 mm*	Х	6	3 2 5 3 5 6 0 6 5 3 3 9 2	
1-65-339*	FATMAX Screwdriver Pozidriv PZ4 × 200 mm*	-	6	3 2 5 3 5 6 1 6 5 3 3 9 1	

^{*}Not in the Nordic assortment - special order required. Minimum order quantity applied.

FATMAX® SCREWDRIVER POZIDRIV STUBBY

FMHT65387-0

STANLEY FATMAX




CODE	DESCRIPTION	<u>_</u>	\boxtimes		PRICE
0-65-408*	FATMAX Screwdriver Pozidriv PZ1 × 30 mm*	Х	6	3 2 5 3 5 6 0 6 5 4 0 8 5	
1-65-408*	FATMAX Screwdriver Pozidriv PZ1 × 30 mm*	-	6	3 2 5 3 5 6 1 6 5 4 0 8 4	
0-65-409*	FATMAX Screwdriver Pozidriv PZ2 × 30 mm	Х	6	3 2 5 3 5 6 0 6 5 4 0 9 2	
1-65-409*	FATMAX Screwdriver Pozidriv PZ2 × 30 mm*	-	6	3 2 5 3 5 6 1 6 5 4 0 9 1	

*Not in the Nordic assortment - special order required. Minimum order quantity applied.

FATMAX® SCREWRIVERS TORX

STANLEY FATMAX





*Not in the Nordic assortment - special order required. Minimum order quantity applied.

FATMAX® SCREWDRIVERWRENCH TORX TAMPERPROOF/RESITORX

STANLEY. FATMAX.





CODE	DESCRIPTION	<u>_</u>	\boxtimes		PRICE
FMHT65380-0	FATMAX Screwdriver Torx T10 × 75 mm tamperproof	Х	6	3 2 5 3 5 6 0 6 5 3 8 0 4	
FMHT65381-0	FATMAX Screwdriver Torx T15 × 75 mm tamperproof	Х	6	3 2 5 3 5 6 0 6 5 3 8 1 1	
FMHT65382-0	FATMAX Screwdriver Torx T20 × 100 mm tamperproof	Х	6	3 2 5 3 5 6 0 6 5 3 8 2 8	
FMHT65383-0	FATMAX Screwdriver Torx T25 × 100 mm tamperproof	Х	6	3 2 5 3 5 6 0 6 5 3 8 3 5	
FMHT65384-0	FATMAX Screwdriver Torx TT27 × 125 mm tamperproof	Х	6	3 2 5 3 5 6 0 6 5 3 8 4 2	
FMHT65385-0	FATMAX Screwdriver Torx T30 × 125 mm tamperproof	Х	6	3 2 5 3 5 6 0 6 5 3 8 5 9	
FMHT65386-0	FATMAX Screwdriver Torx T40 × 125 mm tamperproof	Х	6	3 2 5 3 5 6 0 6 5 3 8 6 6	

FATMAX® 5 PCS SCREWDRIVER SET PARALLEL/STANDARD FLAT/PHILLIPS

STANLEY FATMAX



- · Parallel 3.5×75mm, 5.5×125mm
- \cdot Standard flat 8 × 100mm
- · Phillips PH1×100mm, PH2×125mm

CODE	DESCRIPTION		\boxtimes		PRICE
0-65-436*	FATMAX Screwdriver set 5-pcs St/Par/Ph*	Х	6	3 2 5 3 5 6 0 6 5 4 3 6 8	

^{*}Not in the Nordic assortment - special order required. Minimum order quantity applied.

FATMAX® 5 PCS SCREWDRIVERPARALLEL/PHILLIPS DRIVER SET

STANLEY FATMAX



- \cdot Parallel 3.5 × 75mm, 4 × 100mm, 5.5 × 125mm
- Phillips PH1×100mm, PH2×125mm

CODE	DESCRIPTION		\boxtimes		PRICE
0-65-440	FATMAX Screwdriver set 5 Pcss Par/Ph	Х	6	3 2 5 3 5 6 0 6 5 4 4 0 5	

FATMAX® 6 PCS SCREWDRIVER SET TORX

STANLEY FATMAX



· Torx T10×75mm, T15×75mm, T20×100mm, T25×100mm, T30×125mm, T40×125mm

CODE	DESCRIPTION		\boxtimes		PRIC
)-65-099	FATMAX Screwdriver set 6-pcs Torx	Х	6	3 2 5 3 5 6 0 6 5 0 9 9 5	

FATMAX® 6 PCS SCREWDRIVER SET PHILLIPS

STANLEY FATMAX



· Content: 3.5×75, 4×100, 5.5×125, PH0, PH1 & PH2

FMHT0-62626* FATMAX Screwdriver set 6-pcs X 6	CODE	DESCRIPTION	<u>_</u>	\boxtimes		PRICE
PH* 3 2 5 3 5 6 0 6 2 6 2 6 6	FMHT0-62626*	FATMAX Screwdriver set 6-pcs PH*	Х	6	3 2 5 3 5 6 0 6 2 6 2 6 6	

*Not in the Nordic assortment - special order required. Minimum order quantity applied

FATMAX® 6 PCS SCREWDRIVER SET POZIDRIV

STANLEY FATMAX.



- · Parallel 3.5×75mm, 5.5×150mm
- · Standard flat 5.5×100mm, 8×150mm
- · Pozidriv PZ1×100, PZ2×125mm

CODE	DESCRIPTION		\boxtimes		PRICE
0-65-428*	FATMAX Screwdriver set 6-pcs St/Par/Poz*	Χ	6	3 2 5 3 5 6 0 6 5 4 2 8 3	

*Not in the Nordic assortment - special order required. Minimum order quantity applied.

FATMAX® 6 PCS SCREWDRIVER SET WITH WATERPUMP PLIER





· Content: 3.5 × 75, 4 × 100, 5.5 × 125, PH1, PH2 & pipe wrench

CODE	DESCRIPTION		\boxtimes		PRICE
FMHT0-62639	FATMAX Screwdriver set Water pump plier 6 pcs	Χ	6	3 2 5 3 5 6 0 6 2 6 3 9 6	

FATMAX® 7 PCS SCREWDRIVER SET PHILLIPS/POZIDRIV





- · Parallel 3.5×75mm, 5.5×125mm
- · Standard flat 6.5 × 150mm
- · Phillips PH1×100mm, PH2×125mm
- · Pozidriv PZ1 × 100mm PZ2 × 125mm

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
0-65-438	FATMAX Screwdriver set 7-pcs St/ Par/Ph/Poz	Х	6	3 2 5 3 5 6 0 6 5 4 3 8 2	

FATMAX® 7 PCS SCREWDRIVER SET PHILLIPS

STANLEY FATMAX



· Content: 2.5×50, 3.5×75, 4×100, 5.5×125, 6.5×150, PH1 & PH2

CODE	DESCRIPTION		\boxtimes		PRIC
FMHT0-62627*	FATMAX Screwdriver set 7-pcs PH*	Х	6	3 2 5 3 5 6 0 6 2 6 2 7 3	

*Not in the Nordic assortment - special order required. Minimum order quantity applied

FATMAX® 7 PCS SCREWDRIVER SET POZIDRIV

STANLEY FATMAX



- · Parallel 3.5×75mm, 3×100mm
- · Standard flat 5.5×100mm, 8×150mm
- · Pozidriv PZ0 × 75mm, PZ1 × 100mm, PH2 × 125mm

CODE	DESCRIPTION	<u>_</u>	\boxtimes		PRICE
0-65-425	FATMAX Screwdriver set 7-pcs St/Par/Poz	Х	6	3 2 5 3 5 6 0 6 5 4 2 5 2	

FATMAX® 8 PCS SCREWDRIVER SET PHILLIPS

STANLEY FATMAX



- · Parallel 3.5×75mm, 5.5×125mm
- \cdot Standard flat 4 × 100mm, 6.5 × 150mm, 8 × 150mm
- \cdot Phillips PH0 × 75mm, PH1 × 100mm, PH2 × 125mm

CODE	DESCRIPTION	<u>_</u>	\boxtimes		PRICE
0-65-437	FATMAX Screwdriver set 8-pcs St/Par/Ph	Х	6	3 2 5 3 5 6 0 6 5 4 3 7 5	

FATMAX® 9 PCS SCREWDRIVER SET POZIDRIV

STANLEY FATMAX



- · Parallel 3 × 50mm, 4 × 100mm, 6.5 × 30mm
- · Standard flat 5.5 × 100mm, 6.5 × 150mm, 8 × 150mm
- · Pozidriv PZO × 75mm, PZ1 × 100mm, PZ2 × 100mm

CODE	DESCRIPTION		\boxtimes		PRICI
FMHT65424-0*	FATMAX Screwdriver set 9-pcs St/Par/Poz*	Х	10	3 2 5 3 5 6 1 6 5 4 2 4 4	

^{*}Not in the Nordic assortment - special order required. Minimum order quantity applied.

FATMAX® 10 PCS SCREWDRIVER SET PHILLIPS





- · Parallel 3 × 50mm, 4 × 100mm
- \cdot Standard flat 5.5 × 100mm, 6.5 × 150mm, 8 × 150mm
- · Phillips PH00 × 50mm, PH0 × 75mm, PH1 × 100mm, PH2 × 125mm
- · Voltage tester

CODE	DESCRIPTION	٥	\boxtimes		PRICE
FMHT65439-0*	FATMAX Screwdriver set 10- pcs St/Par/Ph/Voltage tester	Х	10	3 2 5 3 5 6 1 6 5 4 3 9 8	51.50

^{*}Not in the Nordic assortment - special order required. Minimum order quantity applied.

FATMAX® 12 PCS SCREWDRIVER SET PHILLIPS/POZIDRIV





- \cdot Parallel 2.5 × 50mm, 4 × 100mm, 5.5 × 150mm, 6.5 × 30mm
- · Standard flat 5.5×100mm, 8×150mm
- · Phillips PH0 × 75mm, PH1 × 100mm, PH2 × 125mm
- · Pozidriv PZO × 75mm, PH1 × 100mm, PZ2 × 125mm

CODE	DESCRIPTION	<u>_</u>	\boxtimes		PRICE
FMHT65426-0*	FATMAX Screwdriver set 12- pcs St/Par/Ph/Poz*	Х	10	3 2 5 3 5 6 1 6 5 4 2 6 8	

^{*}Not in the Nordic assortment - special order required. Minimum order quantity applied.

FATMAX® BOLSTER SCREWDRIVERS

FATMAX® BOLSTER SCREWDRIVERS STANDARD FLAT

STANLEY FATMAX



- · Additional hex Bolster for high torque applications use with an open end spanner
- · Large diameter handle for excellent torque transmission and grip
- With soft-grip handle for comfortable use and color coded for quick selection of the right screwdriver
- Chrome vanadium steel blade for high resistance and limited risk of tip breakage
- · Sandblasted tip for better screw grip and longer life

CODE	DESCRIPTION	6	\boxtimes		PRICE
FMHT0-62619	FATMAX Bolster Standard flat 6.5 × 150mm	Х	6	3 2 5 3 5 6 0 6 2 6 1 9 8	
FMHT0-62620	FATMAX Bolster Standard flat 8 × 175 mm	Х	6	3 2 5 3 5 6 0 6 2 6 2 0 4	
FMHT0-62621	FATMAX Bolster Standard flat 10 × 200 mm	Х	6	3 2 5 3 5 6 0 6 2 6 2 1 1	

FATMAX® BOLSTER SCREWDRIVER PHILLIPS

STANLEY FATMAX.



- · Use more force when screwdriving thanks to the attachment
- Large diameter handle for excellent torque transmission and grip
- With soft-grip handle for comfortable use and color coded for quick selection of the right screwdriver
- Chrome vanadium steel blade for high resistance and limited risk of tip breakage
- · Sandblasted tip for better screw grip and longer life

CODE	DESCRIPTION		\boxtimes		PRICE
FMHT0-62622	FATMAX Bolster Screwdriver PH2 × 125 mm	Χ	6	3 2 5 3 5 6 0 6 2 6 2 2 8	
FMHT0-62623	FATMAX Bolster Screwdriver PH3 × 150 mm	Х	6	3 2 5 3 5 6 0 6 2 6 2 3 5	

FATMAX® BOLSTER SCREWDRIVER POZIDRIV

STANLEY FATMAX



- Additional hex Bolster for high torque applications use with an open end spanner
- · Large diameter handle for excellent torque transmission and grip
- With soft-grip handle for comfortable use and color coded for quick selection of the right screwdriver
- Chrome vanadium steel blade for high resistance and limited risk of tip breakage
- · Sandblasted tip for better screw grip and longer life

CODE	DESCRIPTION		\boxtimes		PRICE
FMHT0-62624	FATMAX Bolster Screwdriver PZ2 × 125 mm	Х	6	3 2 5 3 5 6 0 6 2 6 2 4 2	
FMHT0-62625	FATMAX Bolster Screwdriver PZ3 × 150 mm	Х	6	3 2 5 3 5 6 0 6 2 6 2 5 9	

PRACTICAL INFO


FATMAX® SCREWDRIVERS VDE

High quality steel blade
Black oxidized tip for extra protection
Polyamide protective layer
Guaranteed up to 1000 Volts
Red handle (VDE)



FATMAX® VDE SCREWDRIVERS

FATMAX® SCREWDRIVERS PARALLEL VDE



CODE	DESCRIPTION		\times		PRICE
0-65-410	FATMAX Screwdriver Parallel VDE 2.5 × 50 mm	Х	6	3 2 5 3 5 6 0 6 5 4 1 0 8	
1-65-410*	FATMAX Screwdriver Parallel VDE 2.5 × 50 mm*	-	6	3 2 5 3 5 6 1 6 5 4 1 0 7	
0-65-411	FATMAX Screwdriver Parallel VDE 3.5 × 75 mm	Х	6	3 2 5 3 5 6 0 6 5 4 1 1 5	
1-65-411*	FATMAX Screwdriver Parallel VDE 3.5 × 75 mm*	-	6	3 2 5 3 5 6 1 6 5 4 1 1 4	
0-65-412	FATMAX Screwdriver Parallel VDE 4 × 100 mm	Х	6	3 2 5 3 5 6 0 6 5 4 1 2 2	
1-65-412*	FATMAX Screwdriver Parallel VDE 4 × 100 mm*	-	6	3 2 5 3 5 6 1 6 5 4 1 2 1	
0-65-413	FATMAX Screwdriver Parallel VDE 5.5 × 150 mm	Х	6	3 2 5 3 5 6 0 6 5 4 1 3 9	
1-65-413*	FATMAX Screwdriver Parallel VDE 5.5 × 150 mm*	-	6	3 2 5 3 5 6 1 6 5 4 1 3 8	

*Not in the Nordic assortment - special order required. Minimum order quantity applied.

STANLEY® FATMAX® VDE MULTI-BIT 10 PIECE SCREWDRIVER SET IN POUCH

STANLEY FATMAX



- Heat-treated tips deliver improved torque, corrosion protection and long working life
- Heavy-duty plastic sheath insulation runs the full length of the bar to protect the user from live current. VDE compliant and certified to 1,000V for professional applications
- · Large diameter, comfortable soft-grip handle provides excellent torque for driving screws
- \cdot 10 piece set that includes: Tip blades 1 x Slotted 3.5mm, 1 x Slotted 5.5mm, 1 x 1-Point Phillips, 1 x 2-Point Phillips, 1 x Pozi 1, 1 x Pozi 2, mains tester (125-250V), large and small handles, compact and durable tool pouch

CODE	DESCRIPTION				PRICE
FMHT66426-0	STANLEY® FATMAX® VDE Multi-Bit 10 Piece Screwdriver Set In Pouch	Х	-	3253560664268	







FATMAX® SCREWDRIVERS PHILLIPS VDE

STANLEY. FATMAX.



CODE	DESCRIPTION	<u>_</u>	\boxtimes		PRICE
0-65-414	FATMAX Screwdriver Phillips VDE PH0 × 75 mm	Х	6	3 2 5 3 5 6 0 6 5 4 1 4 6	
1-65-414*	FATMAX Screwdriver Phillips VDE PH0 × 75 mm*	-	6	3 2 5 3 5 6 1 6 5 4 1 4 5	
0-65-415	FATMAX Screwdriver Phillips VDE PH1 × 100 mm	Х	6	3 2 5 3 5 6 0 6 5 4 1 5 3	
1-65-415*	FATMAX Screwdriver Phillips VDE PH1 × 100 mm*	-	6	3 2 5 3 5 6 1 6 5 4 1 5 2	
0-65-416	FATMAX Screwdriver Phillips VDE PH2 × 125 mm	Х	6	3 2 5 3 5 6 0 6 5 4 1 6 0	
1-65-416*	FATMAX Screwdriver Phillips VDE PH2 × 125 mm*	-	6	3 2 5 3 5 6 1 6 5 4 1 6 9	

*Not in the Nordic assortment - special order required. Minimum order quantity applied.

FATMAX® SCREWDRIVERS POZIDRIV VDE

STANLEY FATMAX.





CODE	DESCRIPTION	<u>_</u>	\boxtimes		PRICE
0-65-417	FATMAX Screwdriver Pozidriv VDE PZ0 × 75 mm	Х	6	3 2 5 3 5 6 0 6 5 4 1 7 7	
1-65-417*	FATMAX Screwdriver Pozidriv VDE PZ0 × 75 mm*	-	6	3 2 5 3 5 6 1 6 5 4 1 7 6	
0-65-418	FATMAX Screwdriver Pozidriv VDE PZ1 × 100 mm	Х	6	3 2 5 3 5 6 0 6 5 4 1 8 4	
1-65-418*	FATMAX Screwdriver Pozidriv VDE PZ1 × 100 mm*	-	6	3 2 5 3 5 6 1 6 5 4 1 8 3	
0-65-419	FATMAX Screwdriver Pozidriv VDE PZ2 × 125 mm	Х	6	3 2 5 3 5 6 0 6 5 4 1 9 1	
1-65-419*	FATMAX Screwdriver Pozidriv VDE PZ2 × 125 mm*	-	6	3 2 5 3 5 6 1 6 5 4 1 9 0	

^{*}Not in the Nordic assortment - special order required. Minimum order quantity applied.

FATMAX® SCREWDRIVERS VDE BORNEO - PHILLIPS & POZI

STANLEY FATMAX



- \cdot VDE Borneo Screwdrivers for a better grip and less damaged on the screw
- · Insulated blade for safety all STANLEY® VDE screw drivers are tested to 10,000 volts and guaranteed safe to 1,000 volts
- Soft-grip handle for comfortable use



CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
FMHT0-62649	FATMAX Screwdriver set VDE Borneo Pozi PZ1 & PZ2 × 125mm	Х	6	3 2 5 3 5 6 0 6 2 6 4 9 5	
FMHT0-62648	FATMAX Screwdriver set VDE Borneo 2 pcs: PH1 x 100mm & PH2 x 125mm	Х	6	3253560626488	

FATMAX® 6 PCS SCREWDRIVER SET VDE - PHILLIPS

STANLEY FATMAX



 \cdot Content: Parallel 2.5 \times 50 mm, 3.5 \times 75 mm, 5.5 \times 150 mm - Phillips 1 \times 100 mm, 2 × 125 mm - Voltage tester 3 × 64 mm

CODE	DESCRIPTION		\boxtimes		PRICE
0-65-441	FATMAX Screwdriver set VDE 6 Pcss - Par/Ph/Voltage tester	Х	6	3 2 5 3 5 6 0 6 5 4 4 1 2	

FATMAX® 6 PCS SCREWDRIVER SET VDE - POZIDRIV

STANLEY FATMAX.



 \cdot Content: Parallel 2.5 × 50 mm, 3.5 × 75 mm, 5.5 × 150 mm - Pozidriv 1 × 100 mm, 2 × 125 mm - Voltage tester 3 × 64 mm

CODE	DESCRIPTION		\boxtimes		PRICE
0-65-443	FATMAX Screwdriver set VDE 6 Pcss - Par/Poz/Voltage tester	Х	6	3 2 5 3 5 6 0 6 5 4 4 3 6	

FATMAX® 10 PCS SCREWDRIVER SET VDE - PHILLIPS/POZIDRIV

STANLEY FATMAX



 \cdot Content: Parallel 2.5 \times 50 mm, 3.5 \times 75 mm, 5.5 \times 150 mm -Phillips 0 \times 75 mm, 1 × 100 mm, 2 × 125 mm - Pozidriv 0 × 75 mm, 1 × 100 mm , 2 × 125 mm - Voltage tester 3 × 64 mm

CODE	DESCRIPTION		\boxtimes		PRICE
FMHT62573-0*	FATMAX Screwdriver set VDE 10-pcs -Par/Ph/Poz/Voltage tester*	Х	6	3 2 5 3 5 6 1 6 2 5 7 3 2	

*Not in the Nordic assortment - special order required. Minimum order quantity applied

FATMAX® 5 PCS PRO SCREWDRIVER SET VDE - NARROW TIP

STANLEY FATMAX



- · VDE Borneo Screwdrivers for a better grip and less damaged on the screw
- · Insulated blade for safety all STANLEY® VDE screwdrivers are tested to 10,000 volts and guaranteed safe to 1,000 volts
- · Soft-grip handle for comfortable use
- · Narrow tip

CODE	DESCRIPTION	٥	\boxtimes		PRICE	
XTHT0-62692*	FATMAX Pro Screwdriver set VDE 5 Pcs - PH Narrow Tip*	Х	6	3 2 5 3 5 6 0 6 2 6 9 2 1		
XTHT0-62693*	FATMAX Pro Screwdriver set VDE 5 Pcs - PZ Narrow Tip*	Х	6	3 2 5 3 5 6 0 6 2 6 9 3 8		
*Not in the No	*Not in the Nordic assortment - special order required. Minimum order quantity applied.					

VDE SCREWDRIVER SETS




- · Moulded handle to bar connection for longer life and more torque transfer from handle to screw
- · Thinner towards the tip of the screwdriver
- · Chrome vanadium bar
- · VDE & GS qualified Tested to 10.000V, rated to 1.000V AC
- · Conforms to DIN/ ANSI regulations and is usable in all industries
- · Lanyard hang hole for easy storage and for applying more torque
- STHT60030-0: Pozi: PZ2 x 100mm , Slotted: 4.0 x 100mm
- STHT65556-0: 3 x Slotted: 0.4 x 2.5 x 75mm, 0.8 x 4.0 x 100mm and 1.0 x 5.5 x 125mm 2 x Pozidriv: PZ1 x 80mm and
- STHT60031-0: 4 x Slotted: 2.5mm x 75mm, 3.5mm x 75mm, 4mm x 100mm, 5.5 x 125mm 2 x Pozidriv: PZ1 x 80mm, PZ2x

CODE	DESCRIPTION		\boxtimes		PRICE
STHT60030-0	VDE Pozi and Slotted Screwdriver Set - 2 pcs	Х	-	3253560600303	
STHT65556-0	VDE Screwdriver Set - 5 pcs	Χ	-	3253560655563	
STHT60031-0	VDE Screwdriver Set - 7 pcs	Х	-	3253560600310	

CUSHION GRIP SCREWDRIVERS

CUSHIONGRIP SCREWDRIVERS STANDARD FLAT




CUSHIONGRIP SCREWDRIVERS STANDARD FLAT STUBBY



CODE	DESCRIPTION		\boxtimes		PRICE
STHT16147-0*	Cushion grip Screwdriver Standard flat 6.5 × 45 mm*	Х	12	5 0 5 4 9 0 5 3 1 7 3 0 0	

CUSHIONGRIP SCREWDRIVERS PARALLEL





CUSHIONGRIP SCREWDRIVERS PHILLIPS



CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
STHT16153-0	Cushion grip Screwdriver Phillips PH0 × 60 mm	Х	12	3 2 5 3 5 6 0 1 6 1 5 3 8	
STHT16155-0	Cushion grip Screwdriver Phillips PH1 × 75 mm	Х	12	3 2 5 3 5 6 0 1 6 1 5 5 2	
STHT16158-0	Cushion grip Screwdriver Phillips PH2 × 100 mm	Х	12	3 2 5 3 5 6 0 1 6 1 5 8 3	
STHT16159-0	Cushion grip Screwdriver Phillips PH3 × 150 mm	Х	12	3 2 5 3 5 6 0 1 6 1 5 9 0	

CUSHIONGRIP SCREWDRIVERS PHILLIPS STUBBY



NEW

NEW

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
STHT16154-0*	Cushion grip Screwdriver Phillips PH1 × 45 mm*	Х	12	3 2 5 3 5 6 0 1 6 1 5 4 5	
STHT16157-0*	Cushion grip Screwdriver Phillips PH2 × 45 mm*	Х	12	3 2 5 3 5 6 0 1 1 6 1 5 7 6	

^{*}Not in the Nordic assortment - special order required. Minimum order quantity applied.

CUSHIONGRIP SCREWDRIVERS POZIDRIV



CODE	DESCRIPTION		\boxtimes		PRICE
STHT16161-0	Cushion grip Screwdriver Pozidriv PZ0 × 60 mm	Х	12	3 2 5 3 5 6 0 1 6 1 6 1 3	
STHT16162-0	Cushion grip Screwdriver Pozidriv PZ1 × 75 mm	Χ	12	3 2 5 3 5 6 0 1 6 1 6 2 0	
STHT16196-0*	Cushion grip Screwdriver Pozidriv PZ2 × 45 mm*	Х	12	3 2 5 3 5 6 0 1 6 1 9 6 5	
STHT16163-0	Cushion grip Screwdriver Pozidriv PZ2 × 100 mm	Χ	12	3 2 5 3 5 6 0 1 6 1 6 3 7	
STHT16164-0	Cushion grip Screwdriver Pozidriv PZ3 × 150 mm	Х	12	3 2 5 3 5 6 0 1 1 6 1 6 4 4	

^{*}Not in the Nordic assortment - special order required. Minimum order quantity applied.

CUSHIONGRIP SCREWDRIVERS TORX



CODE	DESCRIPTION		\boxtimes		PRICE
STHT16177-0	Cushion grip Torx T10 × 75 mm	Х	12	3 2 5 3 5 6 0 1 6 1 7 7 4	
STHT16178-0	Cushion grip Torx T15 × 75 mm	Х	12	3 2 5 3 5 6 0 1 6 1 7 8 1	
STHT16179-0	Cushion grip Torx T20 × 100 mm	Х	12	3 2 5 3 5 6 0 1 6 1 7 9 8	
STHT16180-0	Cushion grip Torx T25 × 100 mm	Х	12	3 2 5 3 5 6 0 1 6 1 8 0 4	
STHT16181-0*	Cushion grip Torx TT27 × 100 mm*	Х	12	3 2 5 3 5 6 0 1 6 1 8 1 1	
STHT16182-0	Cushion grip Torx T30 × 100 mm	Х	12	3 2 5 3 5 6 0 1 6 1 8 2 8	
*Not in the No	rdic assortment - special order re	quired.	Minin	num order quantity applied.	



CUSHIONGRIP SCREWDRIVER SET 8 PCS: PH, STANDARD FLAT, PARALLEL



- \cdot Phillips: PH0 × 60mm, PH1 × 75mm, PH2 × 45mm, PH2 × 100mm
- · Parallel: 3.5×60mm, 4×100mm
- · Standard flat: 5.5×100mm, 6.5×45mm



CODE	DESCRIPTION		\boxtimes		PRICE
STHT16167-0	Cushiongrip Screwdriver set 8 pcss: PH, Standard flat, Parallel	Х	4	3 2 5 3 5 6 0 1 6 1 6 7 5	

CUSHIONGRIP SCREWDRIVER SET 6 PCS: PZ, PARALLEL, STANDARD FLAT



- · Pozidriv: PZ1×75mm, PZ2×100mm · Parallel: 3.5 × 60mm, 4.0 × 100mm
- · Standard flat: 5.5×100mm, 6.5×150mm



CODE	DESCRIPTION		\boxtimes		PRICE
STHT16172-0*	Cushiongrip Screwdriver set 6 pcss: PZ, Parallel, Standard flat*	Х	4	3 2 5 3 5 6 0 1 6 1 7 2 9	

CUSHION GRIP SCREWDRIVER SET 6 PCS: PH, PARALLEL, STANDARD FLAT, VOLTAGE TESTER



- · Phillips: PH1 × 75mm, PH2 × 45mm, PH2 × 100mm
- Parallel: 4.0 × 100mm
- · Standard flat: 5.5×100mm, 6.5×45mm



CODE	DESCRIPTION	<u>_</u>	\boxtimes		PRICE
STHT16166-0	Cushion Grip Screwdriver Set 6 Pcss: PH, Parallel, Standard flat, Voltage Tester	Х	4	3 2 5 3 5 6 0 1 6 1 6 6 8	

CUSHIONGRIP SCREWDRIVER SET 6 PCS: PH, PARALLEL, STANDARD FLAT



- · Phillips: PH1×75mm, PH2×100mm
- · Parallel: 3.5 × 60mm, 4.0 × 100mm
- · Standard flat: 5.5×100mm, 6.5×150mm



CODE DI	ESCRIPTION	٥	\boxtimes		PRICE
	ushiongrip Screwdriver set 6 css: PH, Parallel, Standard flat*	Х	4	3 2 5 3 5 6 0 1 6 1 6 5 1	

STANLEY® CUSHIONGRIP SCREWDRIVER SET 4 PCSS: PH, STANDARD FLAT



- · Phillips: PH1×75mm, PH2×100mm
- Standard flat: 5.5×100mm, 6.5×150mm



CODE	DESCRIPTION	٥	\boxtimes		PRICE
STHT16169-0	Cushiongrip Screwdriver set 4 pcss: PH, Standard flat	Х	24	3 2 5 3 5 6 0 6 5 0 1 3 1	

STANLEY® CUSHION GRIP SCREWDRIVER SET 3 PCS: PH, PZ, STANDARD FLAT



- · Phillips: PH2×100mm
- · Pozidriv: PZ2 × 100mm
- · Standard flat: 6.5 × 150mm



CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
STHT16168-0*	Cushiongrip Screwdriver set 3 pcss: PH, PZ, Standard flat*	Х	4	3 2 5 3 5 6 0 1 6 1 6 8 2	

*Not in the Nordic assortment - special order required. Minimum order quantity applied

CUSHIONGRIP SCREWDRIVER SET 10-PCS STANDARD FLAT/PHILLIPS



- · Standard flat: 6.5 × 45mm, 8 × 150mm, 3 × 75mm, 6.5 × 150mm, 5 × 100mm
- · Phillips: #2 × 45mm, #1 × 100mm, #2 × 100mm, #0 × 60mm, #3 × 150mm

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
2-65-005*	Cushiongrip Screwdriver set 10-pcs St/Ph*	Х	6	3 2 5 3 5 6 2 6 5 0 0 5 4	

*Not in the Nordic assortment - special order required. Minimum order quantity applied.

CUSHIONGRIP SCREWDRIVER SET 10-PCS STANDARD FLAT/POZIDRIV



- · Standard flat 3 × 75mm, 5 × 100mm, 6.5 × 45mm, 6.5 × 100mm, 8 × 150mm
- \cdot Pozidriv PZ0 × 60mm, PZ1 × 75mm, PZ2 × 45mm, PZ2 × 100mm, PZ3 × 150mm

CODE	DESCRIPTION		\boxtimes		PRICE
2-65-014	CushionGrip Screwdriver set 10-pcs St/Pz	Х	6	3 2 5 3 5 6 2 6 5 0 1 4 6	

SCREWDRIVERS ESSENTIAL

STANLEY® SCREWDRIVER ESSENTIALS

- · Essential™ series screwdriver, combines good quality for everyday use and low price
- · Chrome vanadium bar for strength and corrosion resistance
- · Essential screwdriver for everyday use
- · Hanging hole

CODE	DESCRIPTION	٥	\boxtimes		PRICE
STHT0-60273	Stanley Essential screwdriver pozidriv PZ0 x 50mm carded	Х	6	3253560602734	
STHT0-60274	Stanley Essential screwdriver pozidriv PZ1 x 100mm carded	Χ	6	3253560602741	
STHT0-60275	Stanley Essential screwdriver pozidriv PZ2 x 30mm Stubby carded	Х	6	3253560602758	
STHT0-60276	Stanley Essential screwdriver pozidriv PZ2 x 100mm carded	Χ	6	3253560602765	
STHT0-60280	Stanley Essential screwdriver Phillips PH0 x 50mm carded	Χ	6	3253560602802	
STHT0-60308	Stanley Essential screwdriver Phillips PH1 x 100mm carded	Х	6	3253560603083	
STHT0-60329	Stanley Essential screwdriver Phillips PH2 x 30mm Stubby carded	Х	6	3253560603298	
STHT0-60335	Stanley Essential screwdriver Phillips PH2 x 100mm carded	Х	6	3253560603359	
STHT0-60358	Stanley Essential screwdriver Parallel 4mm x 100mm carded	Х	6	3253560603588	
STHT0-60378	Stanley Essential screwdriver Parallel 3mm x 75mm carded	Χ	6	3253560603786	
STHT0-60389	Stanley Essential screwdriver Flared 5,5mm x 150mm carded	Х	6	3253560603892	
STHT0-60401	Stanley Essential screwdriver Flared 6,5mm x 30mm Stubby carded	Х	6	3253560604011	
STHT0-60413	Stanley Essential screwdriver Flared 6,5mm x 150mm carded	Х	6	3253560604134	



SCREWDRIVERS ESSENTIAL - SETS

STANLEY® SCREWDRIVER SET ESSENTIAL 6 PCS



- · Screwdriver for daily use
- · Soft handle for comfort
- \cdot Chrome vanadium blade for strength and corrosion resistance
- · Hardened tip for longer life
- · Content: (STHT0-60208): PH0 × 50mm, PH1 × 75mm, PH2 × 100mm, Standard flat 5.5 × 100mm, 6.5 × 150mm, Parallel 3 × 75mm
- \cdot Content: (STHT0-60209): PH1 imes 75mm, PH2 imes 100mm, Standard flat 5.5 imes100mm, 8 × 175mm, Parallel 4 × 100mm, 6.5 × 150mm

CODE	DESCRIPTION		\boxtimes		PRICE
STHT0-60208*	Screwdriver set Essential 6 pcss*	-	24	3 2 5 3 5 6 0 6 0 2 0 8 6	
STHT0-60209	Screwdriver set Essential 6 pcss	-	24	3 2 5 3 5 6 0 6 0 2 0 9 3	

*Not in the Nordic assortment - special order required. Minimum order quantity applied

STANLEY® SCREWDRIVER SET ESSENTIAL 8 PCS



- · Screwdriver for daily use
- · Soft handle for comfort
- · Chrome vanadium blade for strength and corrosion resistance
- · Hardened tip for longer life
- · Content: PH0 × 50mm, PH1 × 75mm, PH2 × 100mm, Standard flat 3 × 75mm, 5.5 × 100mm, 8 × 175mm, Parallel 4 × 100mm, 6.5 × 150mm

CODE	DESCRIPTION	<u></u>	\boxtimes		PRIC
STHT0-60210*	Screwdriver set Essential 8 pcss*	-	24	3 2 5 3 5 6 0 6 0 2 1 0 9	
***************************************	rdia accortment angolal arder		NA::-	num ardar auantitu annliad	

STANLEY® SCREWDRIVER SET ESSENTIAL 10 PCS



- · Screwdriver for daily use
- · Soft handle for comfort
- · Chrome vanadium blade for strength and corrosion resistance
- · Hardened tip for longer life
- · Content: PH0 × 50mm, PH1 × 75mm, PH2 × 100mm, Standard flat 5.5 × 100mm, 8 × 175mm, Parallel 3 × 75mm, 4 × 100mm, 6.5 × 150mm, PZ1 × 100mm, PZ2×100mm

CODE	DESCRIPTION		\boxtimes		PRICE
STHT0-60211*	Screwdriver set Essential 10 pcs*	-	16	3 2 5 3 5 6 0 6 0 2 1 1 6	

*Not in the Nordic assortment - special order required. Minimum order quantity applied.

STANLEY® SCREWDRIVER SET ESSENTIAL 12 PCS



- · Screwdriver for daily use
- · Soft handle for comfort
- · Chrome vanadium blade for strength and corrosion resistance
- · Hardened tip for longer life
- \cdot Content: PH1 × 75mm, PH2 × 100mm, Standard flat 5.5 × 100mm, 6.5 × 150mm, 8 × 175mm, Parallel 4 × 100mm, 5.5 × 100mm, PZ1 × 100mm, PZ2×100mm, T15×100mm, T20×100mm, T25×100mm

CODE	DESCRIPTION	Ó	\boxtimes		PRICE	
STHT0-60212*	Screwdriver set Essential 12 pcs*	-	12	3 2 5 3 5 6 0 6 0 2 1 2 3		
*Not in the Nordic assortment - special order required. Minimum order quantity applied.						

STANLEY® SCREWDRIVER SET ESSENTIAL 20 PCS



- · Screwdriver for daily use
- · Soft handle for comfort
- · Chrome vanadium blade for strength and corrosion resistance
- · Hardened tip for longer life
- \cdot Content: PH0 × 50mm, PH1 × 75mm, PH2 × 100mm (×2), Standard flat 5.5 × 100mm (×2), 6.5 × 150mm (×2), 8 × 175mm, Parallel 2.5 × 50mm, 3 × 75mm (×2), 4 × 100mm (×2), PZ1 × 100mm, PZ2 × 100mm (×2) , T10 × 100mm, T15 × 100mm, T20 × 100mm

CODE	DESCRIPTION		\boxtimes		PRICE
STHT0-60213	Screwdriver set Essential 20 pcss	-	8	3 2 5 3 5 6 0 6 0 2 1 3 0	

SPECIALITY SCREWDRIVERS

STANLEY® FATMAX® AWL STANLEY



- \cdot Suitable for making holes in wood before drilling and screwing
- · Ergonomic handle
- · Awl 0 × 75 mm

CODE	DESCRIPTION		\boxtimes		PRICE
0-65-491	FATMAX Awl 0 × 75 mm	Х	6	3 2 5 3 5 6 0 6 5 4 9 1 7	

STANLEY® BRADAWL



- \cdot Hardened, tempered and sharpened blades for efficient performance
- · Plastic sleeve for effortless pushing and turning
- · Rust resistant Nickel plating
- · Textured handle for improved grip

CODE	DESCRIPTION		\boxtimes		PRICE
0-69-014	Stanley Awl 32 x 2 mm	Х	6	3253560690144	

FATMAX® VOLTAGE TESTER STANLEY FATMAX®



- · Non-conductive up to 250V
- · Complies with VDE, GSE and CE Standard
- · Belp clip for comfort and easy storage (not on STHT0-62685)
- · Visible flashing light when electrical current is detected

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
FMHT0-64985	FATMAX Voltage tester 220V-250V - tip 3.5 mm	Х	36	3 2 5 3 5 6 0 6 4 9 8 5 2	

STANLEY® VOLTAGE TESTER 220V-250V

- · Non-conductive up to 250V
- · Complies with VDE, GSE and CE Standard flats
- · Belt clip for comfort and easy storage (not on STHT0-62685)
- · Visible flashing light when electrical current is detected



CODE	DESCRIPTION		\boxtimes		PRICE
STHT0-66121	Voltage tester 220V-250V - tip 3.5 mm	Х	6	3 2 5 3 5 6 0 6 6 1 2 1 2	
STHT0-62685	Extra Long Voltage tester 105 mm	Х	6	3 2 5 3 5 6 0 6 2 6 8 5 3	

PRECISION SCREWDRIVERS

STANLEY®PRECISION SCREWDRIVER MULTIBIT 8 PCS



- · Multibit set with convenient storage of bits in the handle
- · Precise clamp for holding bits
- · In accordance with the relevant DIN & ISO Standards
- · Soft-grip handle for greater comfort and optimal control
- Supplied in convenient, reusable storage box
- · Content: Parallel 1, 1.2, 1.5, 1.8, 2, 2.5 & PH000, PH00

CODE	DESCRIPTION		\boxtimes		PRICE
STHT0-62629*	Precision screwdriver Multibit 8 pcs	Х	6	3 2 5 3 5 6 0 6 2 6 2 9 7	
*Not in the No	rdic assortment - special order re	quired.	Minir	num order quantity applied.	

STANLEY® PRECISION SCREWDRIVER MULTIBIT 16 PCS

- · Multibit set with convenient storage of bits in the handle
- · Precise clamp for holding bits
- · In accordance with the relevant DIN & ISO Standards
- · Soft-grip handle for greater comfort and optimal control
- · Supplied in handy storage box
- Content: Parallel 1, 1.2, 1.5, 1.8, 2, 2.5 & PH000, PH00 & T5, T6, T7, T8 & Hex 0.9, 1.3, 1.5, 2

CODE	DESCRIPTION	٥	\boxtimes		PRICE
STHT0-62633*	Precision screwdriver Multibit 16 pcs	Х	6	3 2 5 3 5 6 0 6 2 6 3 3 4	

STANLEY® PRECISION TURNER HEX BIT 32 PCS



- · Multibit set with convenient storage of bits in the handle
- · Precise clamp for holding bits
- · In accordance with the relevant DIN & ISO Standards
- · Soft-grip handle for greater comfort and optimal control
- · Supplied in a handy storage box
- · Content: Parallel 1, 1.2, 1.5, 1.8, 2, 2.5, 3 & PH000, PH00, PH0 & PZ0, PZ1 & T5, T6, T7, T8, T9 & Hex 0.9, 1.3, 1.5, 2, 2.5, 3, 4 & T10, T15, T20 & Triwing 2, 3, 4 & Square 2, 3

CODE	DESCRIPTION	ð	\boxtimes		PRICE
STHT0-62634*	Precision Turner 32 Pcs Hex	Х	6	3 2 5 3 5 6 0 6 2 6 3 4 1	

STANLEY®PRECISION SCREWDRIVER SET 4 PCS TORX



- · Multibit set with convenient storage of bits in the handle
- · Precise clamp for holding bits
- · In accordance with the relevant DIN & ISO Standards
- · Soft-grip handle for greater comfort and optimal control
- · Supplied in a handy storage box
- · Content: T6, T7, T8, T9

CODE	DESCRIPTION		\times		PRICE
STHT0-62630*	Precision wrench Torx 4 pcs	Х	6	3 2 5 3 5 6 0 6 2 6 3 0 3	

STANLEY®PRECISION SCREWDRIVER SET 6 PCS 1-1.8



- · Multibit set with convenient storage of bits in the handle
- · Precise clamp for holding bits
- · In accordance with the relevant DIN & ISO Standards
- · Soft-grip handle for greater comfort and optimal control
- · Supplied in a handy storage box
- · Content: Parallel 1, 1.2, 1.5, 1.8 & PH000, PH00

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE			
STHT0-62631*	Precision screwdriver set 6 Pcs 1-1.8	Х	6	3 2 5 3 5 6 0 6 2 6 3 1 0				
*Not in the No	*Not in the Nordic assortment - special order required. Minimum order quantity applied.							

STANLEY® PRECISION SCREWDRIVER SET 6 PCS 2-3



- · Multibit set with convenient storage of bits in the handle
- · Precise clamp for holding bits
- · In accordance with the relevant DIN & ISO Standards
- · Soft-grip handle for greater comfort and optimal control
- · Supplied in a convenient storage box
- · Content: Parallel 2, 2.5, 3 & PH000, PH00, PH0

CODE	DESCRIPTION		\boxtimes		PRICE
STHT0-62632*	Precision screwdriver set 6 pcs 2-3	Х	6	3 2 5 3 5 6 0 6 2 6 3 2 7	

*Not in the Nordic assortment - special order required. Minimum order quantity applied

FATMAX® PRECISION SCREWDRIVER SET 6 PCS



- · Ergonomic handle
- · Parallel 3×100, 3×50, 2.5×50 Phillips PH00×50, PH0×75 Pozidriv PZ0×75

CODE	DESCRIPTION	<u>_</u>	\boxtimes		PRICE
0-65-492*	FATMAX Precision screwdriver Set 6 pcs	Х	6	3 2 5 3 5 6 0 6 5 4 9 2 4	

STANLEY® PRECISION INSTRUMENT SCREWDRIVER SET 6 PCS



- · Complete set of 6 screwdrivers with hexagonal handle and revolving head
- · Nickel-plated, fluted handles for finger tip control and rust preventions
- Tempered and blued steel for long life
- Parallel 1.4, 2, 2.4, 3mm
- · Pozidriv PZ0. PZ1

CODE	DESCRIPTION	<u>_</u>	\boxtimes		PRIC
1-66-039	Precision Instrument Screwdriver set 6 pcs	Х	6	3 2 5 3 5 6 1 6 6 0 3 9 9	

STANLEY® CUSHIONGRIP PRECISION SCREWDRIVER SET 6 PCS



- \cdot Bi-material handles designed for easy and comfortable grip
- · Soft cushion grip for comfort
- · Swivel-head handles provide precision and reach
- · Magnetic tip
- · Colour coded ends for instant identification of the right screwdriver
- · Parallel 3mm, 2.4mm, 2mm, 1.4mm
- · Phillips PH0, PH1

CODE	DESCRIPTION	ð	\boxtimes		PRICE
0-66-052	Cushion grip precision Screwdriver set 6 pcs Par/Ph	Х	6	0 7 6 1 7 4 6 6 0 5 2 4	

STANLEY® PRECISION SCREWDRIVER SET 5-PCS METAL



- · Set of precision Screwdriverss with 0.8mm, 1mm, 1.2mm, 1.6mm & 2mm screwdrivers
- · Fast rotary movements ensure easy and fast work in precision applications
- · Nickel finish for longer life and easy cleaning

CODE	DESCRIPTION		\boxtimes		PRICE
STHT0-62686*	Precision screwdriver set 5-pcs Metal	Х	6	3 2 5 3 5 6 0 6 2 6 8 6 0	

BIT SCREWDRIVERS

STANLEY® FATMAX® RATCHETING SCREWDRIVER STANLEY FATMAX







CODE	DESCRIPTION		\boxtimes		PRICE
FMHT62692-0	STANLEY® FATMAX® Ratcheting Screwdriver	Х	4	5 0 5 4 9 0 5 2 9 5 6 1 5	

STANLEY® FATMAX® 4V POWER ASSIST SCREWDRIVER

STANLEY.



- · 4V Power Assist Screwdriver operates at up to 300rpm
- · 0.9Nm of torque, balanced to complement the speed of operation
- · 1.5Ah rechargeable battery for superior runtime (USB cable included)
- · 3 colour LED Charge indicator
- · Features an integrated magnetic bit holder
- \cdot Fits neatly in the hand and can be easily carried in a pocket or toolbox
- Push-button functionality for quick and simple operation. Switches seamlessly between forward and reverse modes with a single key press
- · Bits: Philips 1-2mm, Pozidriv 1-2mm, Slotted 4 -5.5mm

CODE	DESCRIPTION				PRICE
FMHT66719-0	STANLEY® FATMAX® 4V Power Assist Screwdriver	Х	6	3253560667191	

STANLEY® FATMAX® LED RATCHET SCREWDRIVER





- · Fine 45-tooth ratchet delivers extremely high torque with a 9° working arc
- · Bi-material handle for grip, comfort and high torque loads
- · LED for dark areas initial brightness: 3.5 Lumens
- · Magnetic bit retention prevents bit loss
- · 3-position ratchet enables clockwise, anti-clockwise and locked ratcheting
- Content: 5, 6.5, 8, PH1, PH2, PH3, PZ1, PZ2, PZ3, T10, T15 & T20

CODE	DESCRIPTION	<u>_</u>	\boxtimes		PRICE
FMHT0-62689	FATMAX Ratchet Screwdriver LED	Х	6	3 2 5 3 5 6 0 6 2 6 8 9 1	

STANLEY® FATMAX® BIT ADAPTOR

STANLEY FATMAX.

- · Handle moulded direct to bar virtually unbreakable bond. Highly reliable and providing an extra long life
- · Colour coded ends make it easy to identify the correct screwdriver for each
- · Chrome vanadium steel bar allows for high torque and reduces the chance of tip breakage
- · Smooth domed end for fast spinning action speed and comfort

CODE	DESCRIPTION	0	\boxtimes		PRICE
0-65-490	FATMAX Bit adaptor × 125mm	Х	6	3 2 5 3 5 6 0 6 5 4 9 0 0	

STANLEY® FATMAX® PISTOL GRIP RATCHET



- · Fine 45-tooth ratchet delivers extremely high torque with a 9° working arc
- · Bi-material handle for grip, comfort and high torque loads
- · 3-position ratchet enables clockwise, anti-clockwise and locked ratcheting
- · Pistol grip for higher torque loads
- · Content: 5, 6.5, 8, PH1, PH2, PH3, PZ1, PZ2, PZ3, T10, T15 & T20

CODE	DESCRIPTION	Ó	\boxtimes		PRICE
FMHT0-62691	FATMAX Ratchet Screwdriver Pistol Grip	Х	6	3 2 5 3 5 6 0 6 2 6 9 1 4	

STANLEY® PISTOL GRIP RATCHET BIT SCREWDRIVER SET 38 PCS



- · 6 long bits: Phillips® n° 1, n° 2, n° 3 Parallel 5, 6.7 mm
- · 24 Standard flat bits: Phillips® n° 0, n° 1, n° 2 (X3)n° 3 Parallel 5, 6, 7 mm -
- · Hex 2, 3, 4, 5, 5.5, 6 mm Square S1, S2, S3 Torx® T10, T15, T20, T25, T27, T30
- 6 sockets 5. 6. 8. 9.10. 11mm


· 1 pistol grip ratchet bit screwdriver

CODE	DESCRIPTION	<u></u>	\times		PRICE
0-63-038	Pistol Grip Ratchet Bit screwdriver Set 38 pcs	Х	6	3 2 5 3 5 6 0 6 3 0 3 8 6	

STANLEY® FATMAX® RATCHET SCREWDRIVERS - 7 & W12 BITS



- · Fine 45-tooth ratchet delivers extremely high torque with a 9° working arc
- · Large soft-grip handle with bit storage for greater comfort and ease of use
- · 3-position ratchet enables clockwise, anti-clockwise and locked ratcheting
- · Content: 5, 6.5, 8, PH1, PH2, PH3, PZ1, PZ2, PZ3, T10, T15 & T20
- · FMHT0-62688: Content: 5, 6.5, PH1, PH2, PZ1 & PZ2





TMAX Ratchet Screwdriver Bits	Х	6	3 2 5 3 5 6 0 6 2 6 9 0 7	
	_	_		
SCRIPTION		\times		PRICE
TMAX Ratchet Screwdriver ubby - 7 bits	Χ	6	3 2 5 3 5 6 0 6 2 6 8 8 4	
	Bits SCRIPTION TMAX Ratchet Screwdriver	Bits X SCRIPTION TMAX Ratchet Screwdriver	Bits X b SCRIPTION TMAX Ratchet Screwdriver X 6	SCRIPTION 🗢 🗵 IIII


STANLEY® PISTOL GRIP RATCHET BIT SCREWDRIVER SET 22 PCS



· 1 extension

- · 2 long bits : Phillips® n°2 Parallel 6 mm
- · 12 Standard flat bits: Phillips® n°1, n°2, n°3 Parallel 5, 6, 7 mm Torx® T10, T15, T20 - Hex 3, 4, 5 mm
- · 6 sockets 5, 6, 8, 9, 10, 11 mm

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
0-63-022	Pistol Grip Ratchet Bit screwdriver Set 22 pcs	Х	6	3 2 5 3 5 6 0 6 3 0 2 2 5	



MULTI-BIT SCREWDRIVER 35 PCS



· 12x Hex bits: 3x2 - 5x3 - 4 - 5 - 8 7x Flat bits: 4 - 4.5 - 5.5 - 6 - 6.5 - 8 mm

8x Phillips bits: PHO - PH1 - PH2x2 - PH3 x2 - PH4 x2

7x PZ bits: PZ0 - PZ1 - PZ2 x2 - PZ3 x2 - PZ4

6x Torx bits: T10 - T15 - T20 - T25 - T27 - T30

· 21x Tamperproof Torx: 3xTX10 - 3xTX15 - 6xTX20 - 3xTX25 - 3xTX30 - 3xTX40 1x Magnetic bit holder 60 mm

CODE	DESCRIPTION			PRICE
STHT0-70885	Multi-bit Screwdriver bits 35 pcs	-	3253560708856	

MULTI-BIT RATCHETING SCREWDRIVER WITH BITS



- Patented bit storage in handle and cap for ease of visibility, access and security
- · Durable bi-material handles for comfortable grip
- · Pawl mechanism with three positions (right, left, fixed)
- · Parallel 6,5 & 5 mm Phillips n°1, 2 Pozidriv n°1, 2 Torx T10, T15 Square n°1, 2

CODE	DESCRIPTION		\bowtie		PRICE
0-68-010	Multi-bit ratcheting Screwdriver with bits	Х	6	3 2 5 3 5 6 0 6 8 0 1 0 7	

STUBBY MULTI-BIT RATCHETING SCREWDRIVER



- · Magnetic bit holder
- · Ratcheting mechanism- Right, left and stop
- · Smart magazine solution with 6 bits in the cap
- · Content: PH1, PH2, PZ1, PZ2, flat 4.5 mm, flat 6 mm

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
0-66-358	Stubby Multibit Ratcheting Screwdriver	Х	3	3 2 5 3 5 6 0 6 6 3 5 8 2	

STUBBY MULTI-BIT SCREWDRIVER



- Magnetic bit holder
- · Durable bi-material handle
- \cdot Smart magazine solution with 6 bits in the cap
- · Content: PH1, PH2, PZ1, PZ2, St 4.5 mm, St 6 mm

CODE	DESCRIPTION	ð	\boxtimes		PRICE
0-66-357	Stubby Multi-bit Screwdriver	Х	3	3 2 5 3 5 6 0 6 6 3 5 7 5	

SCREWDRIVING SET - BITS

STANLEY® FATMAX® 61 PIECE - SL, PH, PZ, T, RT, HEX



· 1/4" bits: Slot: 4 - 4.5 - 5.5 - 6 - 6.5 - 8 mm PHO - PH1 - 2 × PH2 - 2 × PH3 - PH4 PZ1 - 2 × PZ2 - 2 × PZ3 - PH4

Torx: 10 - 15 - 20 - 25 - 27 - 30

Resistorx: 3 × T10 - 3 × T15 - 6 × T20 - T25 - T30 - T40

Hex: $2 \times 3 - 4 - 5 - 3 \times 6 - 8mm$

· Magnetic bit holder 60 mm

CODE	DESCRIPTION		\boxtimes		PRICE
1-13-902	STANLEY® bit set 1/4" Bit holder 61-pcs	-	10	3 2 5 3 5 6 1 1 3 9 0 2 4	
FMHT1-81017	Stanley FATMAX 61PC Bits set, Display x10	Х	10	3253561810176	

STANLEY® BIT SET 1/4" - MAGNETIC BIT HOLDER WITH LOCK-RING 40 PCS



· 1/4" bits: Slot: 4 - 5.5 - 6.5 - 8 mm PH1 - PH2 - PH3 PZ1 - PZ2 - PZ3

Torx: T8 - T10 - T15 - T20 - T25 - T27 - T30 - T40 Resistorx: T10 - T15 - T20 - T25 - T27 - T30 - T40

: 3 - 4 - 5 - 6mm

- · Magnetic bit holder 60 mm
- · 1/4" sockets: 6 7 8 10 11 12 13 mm
- \cdot 1/4" ratchet wrench

CODE	DESCRIPTION		\boxtimes		PRICE
1-13-906	STANLEY® bit set 1/4" Ratchet wrench 40-pcs	-	10	3 2 5 3 5 6 1 1 3 9 0 6 2	

STANLEY® BIT SET 1/4" - RATCHET WRENCH, BIT HOLDER - 40 PCS



 \cdot 1/4" bits

Slot: 4 - 5.5 - 6.5 - 8 mm PH1 - PH2 - PH3 PZ1 - PZ2 - PZ3

Torx: T8 - T10 - T15 - T20 - T25 - T27 - T30 - T40 Resistorx: T10 - T15 - T20 - T25 - T27 - T30 - T40

: 3 - 4 - 5 - 6mm

- · Magnetic bit holder lock-ring 60 mm
- · 1/4" sockets: 6 7 8 10 11 12 13 mm
- · 1/4" ring ratchet wrench

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
1-13-907	STANLEY® bit set 1/4" Combination wrench 40-pcs	-	10	3 2 5 3 5 6 1 1 3 9 0 7 9	

STANLEY® BIT SET 1/4" - RATCHET WRENCH 32 PCS



· 1/4" bits:

Slot: 4 - 5.5 - 6.5 - 8 mm

PH1 - PH2 - PH3

PZ1 - PZ2 - PZ3

Torx: T8 - T10 - T15 - T20 - T25 - T27 - T30 - T40 Resistorx: T10 - T15 - T20 - T25 - T27 - T30 - T40

: 3 - 4 - 5 - 6mm

· Magnetic bit holder lock-ring 60 mm

· 1/4" ratchet wrench

CODE	DESCRIPTION	<u>_</u>	\boxtimes		PRICE
1-13-904*	STANLEY® bit set 1/4" Ratchet wrench 32 pcs	-	10	3 2 5 3 5 6 1 1 3 9 0 4 8	
*Not in the I	Nordic assortment - special order re	quired.	Minin	num order quantity applied.	

STANLEY® BIT SET 1/4" - RATCHET WRENCH, BIT HOLDER - 32 PCS



· 1/4" bits

Slot: 4 - 5.5 - 6.5 - 8 mm

PH1 - PH2 - PH3

PZ1 - PZ2 - PZ3

Torx: T8 - T10 - T15 - T20 - T25 - T27 - T30 - T40

Resistorx: T10 - T15 - T20 - T25 - T27 - T30 - T40

: 3 - 4 - 5 - 6mm

· Magnetic bit holder 60 mm

· 1/4" ring ratchet wrench

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
1-13-905	STANLEY® bit set 1/4" Combination wrench 32-pcs	-	10	3 2 5 3 5 6 1 1 3 9 0 5 5	

STANLEY® BIT SET 1/4" - BIT HOLDER - 31 PCS



· 1/4" bits:

Slot: 4 - 4.5 - 5.5 mm

PH1 - PH2 - PH3

PZ1 - PZ2 - PZ3

Torx: T10 - T15 - 2 × T20 - 2 × T25 - 2 × T27 - 2 × T30 - 2 × T40

Resistorx: T10 - T15 - T20 - T25 - T30

: 3 - 4 - 5 - 6mm

· Magnetic bit holder lock-ring 60 mm

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
1-13-903	STANLEY® bit set 1/4" Bit holder 31-pcs	-	6	3 2 5 3 5 6 1 1 3 9 0 3 1	

STANLEY® BIT SET 1/4" - BIT HOLDER - 19 PCS



· 1/4" bits:

Slot: 4.5 - 5.5 - 6.5 mm

PH1 - PH2

PZ1 - PZ2 - PZ3 - PZ4

Torx: 10 - 15 - 20 - 25 - 30 - 40

Hex: 3 - 4 - 5 mm

· Magnetic bit holder 60 mm

CODE	DESCRIPTION	٥	\boxtimes		PRICE
1-13-901	STANLEY® bit set 1/4" Bit holder 19-pcs	-	6	3 2 5 3 5 6 1 1 3 9 0 1 7	

STANLEY® PHILLIPS® 1/4" INSERT BIT



· Suitable for industry, construction and DIY

CODE	DESCRIPTION	٥	\boxtimes		PRICE
1-68-942*	1/4" Bits Phillips No1 × 25 mm 25 pcs	-	48	3 2 5 3 5 6 1 6 8 9 4 2 0	
0-68-946*	1/4" Bits Phillips No2 × 25 mm 3 pcs	Х	1	3 2 5 3 5 6 0 6 8 9 4 6 9	
1-68-946*	1/4" Bits Phillips No2 × 25 mm 25 pcs	-	48	3 2 5 3 5 6 1 6 8 9 4 6 8	
3-68-946*	1/4" Bits Phillips No2 × 25 mm 100 pcs	-	10	3 2 5 3 5 6 3 6 8 9 4 6 6	
1-68-947*	1/4" Bits Phillips No2 × 50 mm 10 pcs	-	48	3 2 5 3 5 6 1 6 8 9 4 7 5	
1-68-950*	1/4" Bits Phillips Nr3 × 25 mm 25 pcs	-	48	3 2 5 3 5 6 1 6 8 9 5 0 5	

^{*}Not in the Nordic assortment - special order required. Minimum order quantity applied.

STANLEY® INSERT BIT POZIDRIV 1/4"



· Suitable for industry, construction and DIY

CODE	DESCRIPTION		\boxtimes		PRICE
1-68-945*	1/4" Bits Pozidriv Nr1 × 25 mm 25 pcs	-	1	3 2 5 3 5 6 1 6 8 9 4 5 1	

^{*}Not in the Nordic assortment - special order required. Minimum order quantity applied.

STANLEY® INSERT BIT TORX® 1/4"



· Suitable for industry, construction and DIY

CODE	DESCRIPTION	٥	\boxtimes		PRICE
0-68-842*	1/4" Bits Torx T20 × 25 mm - 3 pcs	Х	1	3 2 5 3 5 6 0 6 8 8 4 2 4	
1-68-842*	1/4" Bits Torx T20 × 25 mm - 25 pcs	-	1	3 2 5 3 5 6 1 6 8 8 4 2 3	
1-68-843*	1/4" Bits Torx T25 × 25 mm - 25 pcs	-	1	3 2 5 3 5 6 1 6 8 8 4 3 0	
1-68-845*	1/4" Bits Torx T30 × 25 mm - 25 pcs	-	1	3 2 5 3 5 6 1 6 8 8 4 5 4	

^{*}Not in the Nordic assortment - special order required. Minimum order quantity applied.

STANLEY® MAGNETIC BIT HOLDER



· Magnetic cavity holds 1/4 bits securely



CODE	DESCRIPTION	<u>_</u>	\boxtimes		PRICE
0-68-732	1/4" Magnetic Bit Holder 60 mm - 1 pcs	Х	1	3 2 5 3 5 6 0 6 8 7 3 2 8	
1-68-732*	1/4" Magnetic Bit Holder 60 mm - 5 pcs	-	1	3 2 5 3 5 6 1 6 8 7 3 2 7	
3-68-729*	1/4" Magnetic Bit Holder 75 mm - 5 pcs	-	10	3 2 5 3 5 6 3 6 8 7 2 9 5	

^{*}Not in the Nordic assortment - special order required. Minimum order quantity applied.

STANLEY® 6-WAY SCREWDRIVER



- · All in one screwdriver
- · Attach wrench to bolster nut for additional leverage and torque
- · Available in an attractive 24 piece merchandiser
- · Bar is chrome plated for rust resistance
- · Built in bolster allows additional leverage
- · High quality bits for long life
- · Slip resistant rubber grip provides comfort
- · Soft, diamond textured handle provides a firm grip for extra torque without strain
- · Tri lobular handle, bimaterial handle for torgue and comfortable grip

CODE	DESCRIPTION	<u></u>	\boxtimes		PRIC
0-68-012	Stanley 6-Way Screwdriver	-	-	3253560680121	

STANLEY® BITS SET - 10 PCS



- \cdot 9 bits and bit holder in plastic storage box
- · 1-68-724 Phillips n°2 Pozidriv n°1, n°2, n°3 Torx T10, T15, T20, T25, T30
- -1-68-734 Parallel 4.5 × 0.6 mm, 5.5 × 1.0 mm, 6.5 × 1.2 mm Phillips n°1, n°2, n°3
- Pozidriv n°1, n°2, n°3

CODE	DESCRIPTION	<u></u>	\boxtimes		PRIC
1-68-724*	Bits set - 10 pcs	Х	20	3 2 5 3 5 6 1 6 8 7 2 4 2	
1-68-734*	Bits set - 10 pcs	Х	20	3 2 5 3 5 6 1 6 8 7 3 4 1	

*Not in the Nordic assortment - special order required. Minimum order quantity applied.

STANLEY® BITS SET - 7 PCS



- \cdot 6 bits and bit holder (60 mm) in plastic storage box
- \cdot 0-68-735 Parallel 0.6 × 4.5 mm, 1.0 × 5.5 mm, 1.2 × 6.5 mm Phillips n°0, 1, 2 Magnetic bit holder
- \cdot 0-68-737 Parallel 0.8 × 5.0 mm, 1.2 × 6.5 mm Phillips n°0, 1, 2 Pozidriv n°1, 2 Magnetic bit holder
- \cdot 0-68-738 Parallel 0.6 × 4.5 mm, 1.0 × 5.5 mm, 1.2 × 6.5 mm Pozidriv n°0, 1, 2 Magnetic bit holder
- · 0-68-739 T10, T15, T20, T25, T30, T40 Magnetic Bit Holder

CODE	DESCRIPTION		\boxtimes		PRICE
1-68-735*	Bits set 7 pcs	Х	24	3 2 5 3 5 6 1 6 8 7 3 5 8	
1-68-737*	Bits set 7 pcs	Х	24	3 2 5 3 5 6 1 6 8 7 3 7 2	
1-68-738*	Bits set 7 pcs	Х	24	3 2 5 3 5 6 1 6 8 7 3 8 9	
1-68-739*	Bits set 7 pcs	Х	24	3 2 5 3 5 6 1 6 8 7 3 9 6	

*Not in the Nordic assortment - special order required. Minimum order quantity applied.

HAND DRILLS

STANLEY® 4 JAW CHUCK RATCHET

- · 12-Point, 3 way ratchet for use in confined spaces
- · Ball bearing mounting head for smooth operation
- · Chromomium plated for corrosion resistance and therefore longer life
- Universal chuck with 4 jaws: diameter 13 mm with holder for square tip bits



CODE	DESCRIPTION		\boxtimes		PRIC
1-02-715	4 Jaw Chuck Ratchet 250 mm	-	6	3 2 5 3 5 6 1 0 2 7 1 5 4	

STANLEY® SINGLE PINION HAND DRILL 105



- $\cdot \ \textbf{Aluminium gear wheel both long lasting, strong and lightweight}$
- · Precision die cast for strength and durability
- Mandrel with three 8-mm diameter bits, without key, for wicks with square

CODE	DESCRIPTION		\boxtimes		PRICE
0-03-105	Single Pinion Hand Drill 105 265 mm	Х	6	3 2 5 3 5 6 0 0 3 1 0 5 3	

T-HANDLES, P-HANDLES & HEX KEYS

STANLEY® FATMAX® RATCHETING T-HANDLE SET - 27 PCS

STANLEY FATMAX



- Ratcheting Mechanism Industry first for T-Handle. This speeds up the application as you can keep the key in the fastener while returning tool to the starting position
- · 27-pcs set supplied with:

St: 3 × 35 mm, 4-5 × 35 mm, 6-8 × 51 mm, 4-5 × 150 mm, 6-8 × 150 mm PZ: PZ1 × 35 mm, PZ2 × 35mm (2), PZ3 × 35mm, PZ1 × 150mm, PZ2 × 150mm (2), PZ3 × 150mm

PH: PH1 \times 35mm, PH2 \times 35mm, PH3 \times 35mm

Torx: T15 × 150mm, T20 × 150mm, T25 × 150mm

Hex: 2.5 × 116mm, 3 × 116mm, 4 × 164mm, 5 × 164mm, 6 × 164mm, 8×164mm

CODE	DESCRIPTION	ð	\boxtimes		PRICE
0-79-153	FATMAX® Ratcheting T-Handle Set - 27 pcs	-	4	3 2 5 3 5 6 0 7 9 1 5 3 7	

HEX KEY METRIC SET METRIC - 9 PCS



- Additional multi position handle for use in line or as a T or L handle for improved comfort and to generate more leverage
- · All keys stored in a size marked plastic holder for easy selection
- Ball hex configuration on the long arm to allow offset driving of hard to reach set screws
- · Black anti-corrosion galvanised finish
- · Can be used at an angle of up to 25°
- · Straight hex on short arm for maximum leverage
- · High-resistance chrome vanadium steel
- · 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm

CODE	DESCRIPTION		\boxtimes		PRICE
0-89-904	Hex Key Metric Set Metric - 9 pcs	Χ	6	3 2 5 3 5 6 0 8 9 9 0 4 2	

HEX KEY SET - 8 PCS



- · Standard hex keys in high tensile steel for long life
- · Material: steel
- · 0-69-251: 1.5, 2, 2.5, 3, 4, 5, 5.5, 6mm
- · 0-69-252: 1/16" 1/4"
- · 0-69-253: 1.5, 2, 2.5, 3, 4, 5, 5.5, 6, 8, 10mm

CODE	DESCRIPTION	<u>_</u>	\boxtimes		PRICE
0-69-251	Hex key set 8 pcs 1.5 mm-6 mm	Х	24	3 2 5 3 5 6 0 6 9 2 5 1 3	
0-69-252	Hex key set - 1/16 - 1/4"	Х	24	3253560692520	
0-69-253	Hex key set 10 pcs 1.5-10 mm	Х	24	3 2 5 3 5 6 0 6 9 2 5 3 7	

BALL HEX KEY SET - 9 PCS



- · All keys are marked per as their size for easy selection
- · Standard hex keys in high tensile steel for long life
- · Long arm, ball point hex keys, allows engagement in angles of up to 25°
- · 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm

CODE	DESCRIPTION	<u>_</u>	\boxtimes		PRICE
0-69-256	Ball Hex Key Set 9 PCS5-10 mm	Х	24	3 2 5 3 5 6 0 6 9 2 5 6 8	

STANLEY® FATMAX® LOCKING HEX-KEY METRIC SET

STANLEY FATMAX



- \cdot Convenient "Button Lock" releases Hex Keys for secure and easy change from moving to locked
- \cdot Ergonomic handle for better grip allowing application of more torque
- · Extra long keys give easy access for recessed bolts
- · 0-97-552 : 1.5. 2. 2.5. 3. 4. 5. 6. 8mm
- · 0-97-553: T9, T10, T15, T20 (×2), T25, T27, T30

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
0-97-552	FATMAX® Locking Hex-Key Metric Set (mm)	Х	12	3 2 5 3 5 6 0 9 7 5 5 2 4	
0-97-553	FATMAX® Locking Hex-Key Metric Set (Torx)	Х	12	3 2 5 3 5 6 0 9 7 5 5 3 1	

FOLDING KEY SET - 7 PCS



- · 7 pcs metric flat head screwsdrivers in high tensile steel
- · 4-69-261: 1.5, 2, 2.5, 3, 4, 5, 6mm
- · 4-69-262: 2.5, 3, 4, 5, 6, 8, 10mm

CODE	DESCRIPTION		\boxtimes		PRICE
4-69-262	Folding key set 7 pcs 2.5-10 mm	Х	12	3 2 5 3 5 6 4 6 9 2 6 2 5	
4-69-261	Folding key set 7 pcs 1.5-6 mm	Х	12	3 2 5 3 5 6 4 6 9 2 6 1 8	

FOLDING TORX SET - 8 PCS



- · Set of 8 keys with Torx®
- Made of high tensile steel
- T9, T10, T15, T20, T25, T27, T30, T40

CODE	DESCRIPTION	٥	\boxtimes		PRIC
4-69-263*	Folding Torx set - T9-T40	Х	12	3 2 5 3 5 6 4 6 9 2 6 3 2	

STANLEY® FATMAX® P-HANDLE HEX KEY SET - 6 PCS



- · Black oxidised coating for corrosion resistance
- · Ergonomic P-handle for comfort
- · Ideal for fastening hex screws
- · 3,4,5,6,7,8 mm

CODE	DESCRIPTION		\boxtimes		PRICE
FMHT0-69049	STANLEY® FATMAX® P-Handle Hex Key Set - 6 pcs	Х		3253560690496	

FOLDING KEY SETS - 8 PCS



- · Comfortable over molded ergonomic handle
- · All keys stored in a size marked order for ease of access & identification
- · Black phosphate finish
- · 2-69-264: 1.5 2 2.5 3 4 5 6 8mm
- · 2-69-266: T9, T10, T15, T20, T25, T27, T30, T40

CODE	DESCRIPTION	٥	\boxtimes		PRICE
2-69-264	Folding hex key set - 8 pcs	Х	12	3 2 5 3 5 6 2 6 9 2 6 4 1	
2-69-266	Folding Torx set - 8 pcs	Х	12	3 2 5 3 5 6 2 6 9 2 6 6 5	

TRIANGLE FOLDER HEX KEY SET



- · Hex keys fold out for easy access and storage
- \cdot High impact & ergonomic case for improved comfort
- Once the hex key is locked into place the storage unit Becomes the driver handle
- · Rubber grip for outstanding comfort

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
0-95-935	STANLEY® 9 Piece Triangle Folder Hex Key Set metric	Х	12	3253560959357	


STANLEY® FATMAX® P-HANDLE HEX KEY SET - 5 PCS



- · Black oxidised coating for corrosion resistance
- · Ergonomic P-handle for comfort
- · Ideal for fastening hex screws
- · T10 T15 T20 T25 T30

CODE	DESCRIPTION	<u>_</u>	\boxtimes		PRICE
FMHT0-69048	STANLEY® FATMAX® P-Handle Hex Key Set 5 pcs	Х	12	3253560690489	

THE MEASURE OF A PRO™



MECHANICAL TOOLS

The STANLEY® offering of mechanical tools supplies both do-ityourselfers and pros with a wide range of product options to successfully accomplish the job at hand. STANLEY® mechanical tools are made to the same professional standards as the tools you use on the job every day.

Turn to STANLEY® for ratcheting, flare nut, and combination open/box-end wrench sets in standard SAE and metric sizes in either polish or black chrome finish. Or take a STANLEY® single adjustable, ratcheting, pipe wrench for a spin.

REVERSIBLE RATCHETING WRENCH SETS

FATMAX® REVERSIBLE RATCHETING WRENCH SETS

STANLEY FATMAX



- · Anti-slip design provides improved bolt contact
- 72-tooth ratchet with a one pawl mechanism, with 5° increment/arc swing for improved access - 15° offset
- \cdot 12-point reversible ratcheting box end
- Forged in corrosion-resistant chrome vanadium steel with a satin chrome finish and an anti-slip profile
- · 7-part: 8 10 12 13 14 17 19 mm

12 nieces: 8	- 9 - 10	- 11 -	12 - 13	- 14 - 15 -	16 - 17	- 18 - 19 mm

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
FMMT82848-0	FATMAX Combination wrench set with ratcheting box end 7 pcs	Х	10	3 2 5 3 5 6 0 8 2 8 4 8 6	
FMMT82849-0	FATMAX Combination wrench set with ratcheting box end 12 pcs	Х	10	3 2 5 3 5 6 0 8 2 8 4 9 3	

REVERSIBLE RATCHETING WRENCH SETS



- · Anti-slip design provides improved bolt contact
- 72-tooth ratchet with a one pawl mechanism, with 5° increment/arc swing for improved access - 15° offset
- · 12-point reversible ratcheting box end
- · Forged in corrosion-resistant chrome vanadium steel chrome finish
- · 7-part: 8 10 12 13 14 17 19 mm
- · 12 pieces: 8 9 10 11 12 13 14 15 16 17 18 19 mm

CODE	DESCRIPTION	<u>_</u>	\boxtimes		PRICE
STMT82846-0	Reversible Ratcheting Wrench Set - 7 pieces	Х	8	3 2 5 3 5 6 0 8 2 8 4 6 2	
STMT82847-0	Reversible Ratcheting Wrench Set - 12 pcs	Х	4	3 2 5 3 5 6 0 8 2 8 4 7 9	

FATMAX® REVERSIBLE RATCHETING WRENCH SET - STUBBY

STANLEY FATMAX



- · Anti-slip design provides improved bolt contact
- \cdot 72-tooth ratchet with a one pawl mechanism, with 5° increment/arc swing for improved access 15° offset
- · 12-point reversible ratcheting box end 15° offset
- · Forged in corrosion-resistant chrome vanadium steel with a satin chrome finish and an anti-slip profile
- · Content: 8 10 12 13 14 17 19mm

C	DDE	DESCRIPTION	<u>_</u>	\boxtimes	
FI	MMT82900-0	FATMAX Reversible Ratcheting Wrench Set - STUBBY 7 pcs	Х	16	3 2 5 3 5 6 0 8 2 9 0 0 1

FATMAX® REVERSIBLE RATCHETING WRENCH SET

STANLEY FATMAX



- · Anti-slip design provides improved bolt contact
- · 12-point reversible ratcheting box end 15° offset
- Forged in corrosion-resistant chrome vanadium steel with a satin chrome finish and an anti-slip profile
- · 7 pcs: 8 10 12 13 14 17 19 mm
- · 12 pcs: 8 9 10 11 12 13 14 15 16 17 18 19 mm

CODE	DESCRIPTION		\times		PRICE
MMT82844-0	FATMAX Combination wrench set 7 pieces	Х	10	3 2 5 3 5 6 0 8 2 8 4 4 8	
MMT82845-0	FATMAX Combination spanner set 12 pcs	Х	10	3 2 5 3 5 6 0 8 2 8 4 5 5	

COMBINATION WRENCH SET



- · Anti-slip design provides improved bolt contact
- · 12-point reversible ratcheting box end 15° offset
- · Forged in corrosion-resistant chrome vanadium steel chrome finish
- · 7 pcs: 8 10 12 13 14 17 19 mm
- · 12 pcs: 8 9 10 11 12 13 14 15 16 17 18 19 mm

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
STMT82842-0	Combination Wrench Set - 7 pcs	Х	8	3 2 5 3 5 6 0 8 2 8 4 2 4	
STMT82843-0	Combination Wrench Set- 12 pcs	Х	4	3 2 5 3 5 6 0 8 2 8 4 3 1	

COMBINATION WRENCHES - ESSENTIAL

- · 12-point versatile box end for easy fitting over nuts and bolts finish
- \cdot 15° offset open and box end bringing improved access



CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
STMT95908-0	Combination Wrench 8 mm	Х	8	3253560959081	
STMT95787-0	Combination Wrench 9 mm	Х	8	3253560957872	
STMT95788-0	Combination Wrench 10 mm	Х	8	3253560957889	
STMT95789-0	Combination Wrench 11 mm	Х	8	3253560957896	
STMT95790-0	Combination Wrench 12 mm	Х	8	3253560957902	
STMT95791-0	Combination Wrench 13 mm	Х	8	3253560957919	
STMT95792-0	Combination Wrench 14 mm	Х	8	3253560957926	
STMT95909-0	Combination Wrench 15 mm	Х	8	3253560959098	
STMT95910-0	Combination Wrench 16 mm	Х	8	3253560959104	
STMT95793-0	Combination Wrench 17 mm	Х	8	3253560957933	
STMT95911-0	Combination Wrench 18 mm	Х	8	3253560959111	
STMT95912-0	Combination Wrench 19 mm	Х	8	3253560959128	

278

PRICE

FATMAX® ANTI-SLIP REVERSIBLE RATCHETING WRENCHS

FATMAX.

CHROME VANADIUM STEEL

72T RATCHET MECHANISM

Allowing for 5° increments, ensuring tightening capacity and accuracy within narrow spaces

15° OFFSET OPEN AND BOX END

Bringing improved access

forged in corrosion resistant chrome vanadium steel with a satin chrome finish and an anti-slip profile 13-032

SWITCH LEVER Allowing for easy, onehanded operation

12-POINT VERSATILE BOX

For easy fitting over nuts and bolts

ANTI-SLIP DESIGN Providing improved bolt contact, preventing slipping

CODE	DESCRIPTION	Ó	\boxtimes		PRICE
FMMT13081-0*	FATMAX Anti-slip reversible ratcheting wrench 8 mm	Χ	10	3 2 5 3 5 6 0 1 3 0 8 1 7	
FMMT13082-0*	FATMAX Anti-slip reversible ratcheting wrench 9 mm	Χ	10	3 2 5 3 5 6 0 1 3 0 8 2 4	
FMMT13083-0*	FATMAX Anti-slip reversible ratcheting wrench 10 mm	Χ	10	3 2 5 3 5 6 0 1 3 0 8 3 1	
FMMT13084-0*	FATMAX Anti-slip reversible ratcheting wrench 11 mm	Χ	10	3 2 5 3 5 6 0 1 3 0 8 4 8	
FMMT13085-0*	FATMAX Anti-slip reversible ratcheting wrench 12 mm	Χ	10	3 2 5 3 5 6 0 1 3 0 8 5 5	
FMMT13086-0*	FATMAX Anti-slip reversible ratcheting wrench 13 mm	Χ	10	3 2 5 3 5 6 0 1 3 0 8 6 2	
FMMT13087-0*	FATMAX Anti-slip reversible ratcheting wrench 14 mm	Χ	10	3 2 5 3 5 6 0 1 3 0 8 7 9	
FMMT13088-0*	FATMAX Anti-slip reversible ratcheting wrench 15 mm	Χ	10	3 2 5 3 5 6 0 1 3 0 8 8 6	
FMMT13089-0*	FATMAX Anti-slip reversible ratcheting wrench 16 mm	Χ	10	3 2 5 3 5 6 0 1 3 0 8 9 3	
FMMT13094-0*	FATMAX Anti-slip reversible ratcheting wrench 17 mm	Χ	10	3 2 5 3 5 6 0 1 3 0 9 4 7	
FMMT13095-0*	FATMAX Anti-slip reversible ratcheting wrench 18 mm	Х	10	3 2 5 3 5 6 0 1 3 0 9 5 4	
FMMT13096-0*	FATMAX Anti-slip reversible ratcheting wrench 19 mm	Χ	10	3 2 5 3 5 6 0 1 3 0 9 6 1	

^{*}Not in the Nordic assortment - special order required. Minimum order quantity applied.





FATMAX® ANTI-SLIP STUBBY RATCHETING WRENCH

FATMAX.

- · Anti-slip design provides improved bolt contact
- · 72-tooth ratchet with a one pawl mechanism, with 5° increment/arc swing
- · 12-point reversible ratcheting box end 15° angle offset
- Open-ended wrench in 15° angle optimum accessibility
- · Made of chrome vanadium steel with matt chrome finish



CODE	DESCRIPTION		\boxtimes		PRICE
FMMT13097-0*	FATMAX Anti-slip stubby ratcheting wrench 8 mm	Х	10	3 2 5 3 5 6 0 1 3 0 9 7 8	
FMMT13098-0*	FATMAX Anti-slip stubby ratcheting wrench 10 mm	Х	10	3 2 5 3 5 6 0 1 3 0 9 8 5	
FMMT13109-0*	FATMAX Anti-slip stubby ratcheting wrench 12 mm	Х	10	3 2 5 3 5 6 0 1 3 1 0 9 8	
FMMT13111-0*	FATMAX Anti-slip stubby ratcheting wrench 13 mm	Х	10	3 2 5 3 5 6 0 1 3 3 1 1 1 1	
FMMT13112-0*	FATMAX Anti-slip stubby ratcheting wrench 14 mm	Х	10	3 2 5 3 5 6 0 1 3 1 1 2 8	
FMMT13113-0*	FATMAX Anti-slip stubby ratcheting wrench 17 mm	Х	10	3 2 5 3 5 6 0 1 3 1 1 3 5	
FMMT13115-0*	FATMAX Anti-slip stubby ratcheting wrench 19 mm	Х	10	3 2 5 3 5 6 0 1 3 1 1 5 9	

^{*}Not in the Nordic assortment - special order required. Minimum order quantity applied

FATMAX® ANTI-SLIP COMBINATION WRENCH

STANLEY FATMAX

· Non-slip design - providing improved bolt contact, preventing slipping


PRICE

· 12-point versatile box end

DESCRIPTION

· Made of chrome vanadium steel with matt chrome finish

FMMT13029-0*	FATMAX Combination wrench 6 mm Anti-slip	Х	10	3 2 5 3 5 6 0 1 3 0 2 9 9
FMMT13030-0*	FATMAX Combination wrench 7 mm Anti-slip	Х	10	3 2 5 3 5 6 0 1 3 0 3 0 5
FMMT13031-0*	FATMAX Combination wrench 8 mm Anti-slip	Х	10	3 2 5 3 5 6 0 1 3 0 3 1 2
FMMT13032-0*	FATMAX Combination wrench 9 mm Anti-slip	Х	10	3 2 5 3 5 6 0 1 3 0 3 2 9
FMMT13033-0*	FATMAX Combination wrench 10 mm Anti-slip	Χ	10	3 2 5 3 5 6 0 1 3 0 3 3 6
FMMT13034-0*	FATMAX Combination wrench 11 mm Anti-slip	Χ	10	3 2 5 3 5 6 0 1 3 0 3 4 3
FMMT13035-0*	FATMAX Combination wrench 12 mm Anti-slip	Х	10	3 2 5 3 5 6 0 1 3 0 3 5 0
FMMT13036-0*	FATMAX Combination wrench 13 mm Anti-slip	Χ	10	3 2 5 3 5 6 0 1 3 0 3 6 7
FMMT13037-0*	FATMAX Combination wrench 14 mm Anti-slip	Χ	10	3 2 5 3 5 6 0 1 3 0 3 7 4
FMMT13038-0*	FATMAX Combination wrench 15 mm Anti-slip	Х	10	3 2 5 3 5 6 0 1 3 0 3 8 1
FMMT13039-0*	FATMAX Combination wrench 16 mm Anti-slip	Х	10	3 2 5 3 5 6 0 1 3 0 3 9 8
FMMT13040-0*	FATMAX Combination wrench 17 mm Anti-slip	Х	10	3 2 5 3 5 6 0 1 3 0 4 0 4
FMMT13041-0*	FATMAX Combination wrench 18 mm Anti-slip	Х	10	3 2 5 3 5 6 0 1 3 0 4 1 1
FMMT13042-0*	FATMAX Combination wrench 19 mm Anti-slip	Х	10	3 2 5 3 5 6 0 1 3 0 4 2 8





7 63.030 7

OPEN END WRENCH SETS

FATMAX® OPEN END WRENCH SETS

STANLEY. FATMAX.



g grandage 13-055 9

- · Anti-slip design provides improved bolt contact
- · Double wrench 2 sizes for one wrench
- · 15° offset
- · Forged in corrosion-resistant chrome vanadium steel with a satin chrome finish and an anti-slip profile
- · 7 pcs: 6×7, 8×9, 10×11, 12×13, 14×15, 16×17, 18×19mm
- · 12 pcs: 6×7, 8×9, 10×11, 12×13, 14×15, 16×17, 18×19, 20×22, 21×23, 24×26,

25×28. 30× 32mm

CODE	DESCRIPTION		\boxtimes		PRICE
FMMT82901-0	FATMAX Open End Wrench set 7 pcs	Х	2	3 2 5 3 5 6 0 8 2 9 0 1 8	
FMMT82902-0	FATMAX Open End Wrench set 12 pcs	Х	6	3 2 5 3 5 6 0 8 2 9 0 2 5	

FATMAX® ANTI-SLIP OPEN-END WRENCH



- · Anti-slip design provides improved bolt contact
- Double wrench 2 sizes for one wrench
- · 15° offset
- · Made of chrome vanadium steel with matt chrome finish

ODE	DESCRIPTION	٥	\boxtimes		PRICE
MMT13062-0*	FATMAX Anti-slip open-end wrench 6 × 7 mm	Х	10	3 2 5 3 5 6 0 1 3 0 6 2 6	
MMT13065-0	FATMAX Anti-slip open-end wrench 8 × 9 mm	Х	10	3 2 5 3 5 6 0 1 3 0 6 5 7	
MMT13066-0	FATMAX Anti-slip open-end wrench 10 × 11 mm	Х	10	3 2 5 3 5 6 0 1 3 0 6 6 4	
MMT13067-0	FATMAX Anti-slip open-end wrench 12 × 13 mm	Х	10	3 2 5 3 5 6 0 1 3 0 6 7 1	
MMT13068-0*	FATMAX Anti-slip open-end wrench 14 × 15 mm	Х	10	3 2 5 3 5 6 0 1 3 0 6 8 8	
MMT13069-0*	FATMAX Anti-slip open-end wrench 16 × 17 mm	Х	10	3 2 5 3 5 6 0 1 3 0 6 9 5	
MMT13070-0*	FATMAX Anti-slip open-end wrench 18 × 19 mm	Х	10	3 2 5 3 5 6 0 1 3 0 7 0 1	
MMT13071-0*	FATMAX Anti-slip open-end wrench 20 × 22 mm	Х	10	3 2 5 3 5 6 0 1 3 0 7 1 8	
MMT13072-0*	FATMAX Anti-slip open-end wrench 21 × 23 mm	Х	4	3 2 5 3 5 6 0 1 3 0 7 2 5	
MMT13073-0*	FATMAX Anti-slip open-end wrench 24 × 27 mm	Х	4	3 2 5 3 5 6 0 1 3 0 7 3 2	
MMT13074-0*	FATMAX Anti-slip open-end wrench 25 × 28 mm	Х	4	3 2 5 3 5 6 0 1 3 0 7 4 9	
MMT13077-0*	FATMAX Anti-slip open-end wrench 30 × 32 mm	Х	4	3 2 5 3 5 6 0 1 3 0 7 7 0	

^{*}Not in the Nordic assortment - special order required. Minimum order quantity applied.

ADJUSTABLE WRENCHES

FATMAX® QUICK ADJUSTABLE WRENCH BI-MATERIAL STANLEY FATMAX





QUICK ADJUSTMENT MECHANISM Bringing fast and accurate

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
FMHT13125-0	FATMAX Adjustable wrench bimat 150 × 24 mm	Х	2	3 2 5 3 5 6 0 1 3 1 2 5 8	
FMHT13126-0	FATMAX Adjustable wrench bimat 200 × 29 mm	Х	2	3 2 5 3 5 6 0 1 3 1 2 6 5	
FMHT13127-0	FATMAX Adjustable wrench bimat 250 × 33 mm	Х	2	3 2 5 3 5 6 0 1 3 1 2 7 2	
FMHT13128-0	FATMAX Adjustable wrench bimat 300 × 38 mm	Х	2	3 2 5 3 5 6 0 1 3 1 2 8 9	

ADJUSTABLE WRENCH METAL



- · Parallel jaws placed at a 15° angle provide a firm grip and best reach
- · Metric/Inch scale maximizing the tightening applications

CODE	DESCRIPTION	٥	\boxtimes		PRICE
STHT13121-0	Adjustable wrench 150 × 19 mm	Х	2	3 2 5 3 5 6 0 1 3 1 2 1 0	
STHT13122-0	Adjustable wrench 200 × 24 mm	Х	2	3 2 5 3 5 6 0 1 3 1 2 2 7	
STHT13123-0	Adjustable wrench 250 × 29 mm	Х	2	3 2 5 3 5 6 0 1 3 1 2 3 4	
STHT13156-0	Adjustable wrench 300 × 36 mm	Х	2	3 2 5 3 5 6 0 1 3 1 5 6 2	

283

ADJUSTABLE WRENCH BI-MATERIAL



CODE	DESCRIPTION	<u></u>	\bowtie		PRICE
0-90-947	Adjustable wrench bimat 150 × 26 mm	Х	2	3 2 5 3 5 6 0 9 0 9 4 7 5	
0-90-948	Adjustable wrench bimat 200 × 31 mm	Х	2	3 253560 909482	
0-90-949	Adjustable wrench bimat 250 × 36 mm	Х	2	3 253560 909499	
0-90-950	Adjustable wrench bimat 300 × 40 mm	Х	2	3 253560 909505	

FATMAX® ADJUSTABLE WRENCH

Maximizing the tightening

applications



- · Chrome vanadium steel
- · Ergonomic handle
- · Rust resistant chrome finish



CODE	DESCRIPTION	<u>_</u>	\boxtimes		PRIC
0-95-872*	FATMAX Adjustable Wrench 150 × 26 mm	Х	4	3 2 5 3 5 6 0 9 5 8 7 2 5	
0-95-873*	FATMAX Adjustable Wrench 200 × 31 mm	Х	4	3 2 5 3 5 6 0 9 5 8 7 3 2	
0-95-874*	FATMAX Adjustable Wrench 250 × 37 mm	Х	4	3 2 5 3 5 6 0 9 5 8 7 4 9	
0-84-540*	FATMAX Adjustable Wrench 300 × 43 mm	Х	4	3 2 5 3 5 6 0 8 4 5 4 0 7	
0-95-876*	FATMAX Adjustable Wrench 375 × 48 mm	Х	4	3 2 5 3 5 6 0 9 5 8 7 6 3	
*Not in the	Nordic assortment - special order ı	equired.	Minir		

SELF-TIGHTENING RATCHETING WRENCH



- · No need to remove from fastener while tightening or loosening
- · Easy to enlarge all sizes of fastening within size range
- Generously sized bi-material handle for enhanced comfort and performance

CODE	DESCRIPTION	6	\boxtimes		PRICE
4-87-988*	Self-tightening ratcheting wrench 8 - 14 mm	Х	10	3 2 5 3 5 6 4 8 7 9 8 8 0	
4-87-989*	Self-tightening ratcheting wrench 13 - 19 mm	Х	10	3 2 5 3 5 6 4 8 7 9 8 9 7	
4-87-990*	Self-tightening ratcheting wrench 17 - 24 mm	Х	10	3 2 5 3 5 6 4 8 7 9 9 0 3	

*Not in the Nordic assortment - special order required. Minimum order quantity applied.

RATCHETS

FATMAX® RATCHET 120T

STANLEY FATMAX



- 120 tooth ratchet with dual pawl mechanism for 2X better access in tight spaces vs. traditional 60T ratchet
- Low profile switch lever prevents accidental switching and allows for easy, one-handed operation
- · Quick release mechanism to release sockets quickly
- · Bi-material handle for comfort, better grip and control

CODE	DESCRIPTION		\boxtimes		PRICE
FMMT82676-0	FATMAX ratchet 1/4" 120T	Х	4	3 2 5 3 5 6 0 8 2 6 7 6 5	
FMMT82677-0	FATMAX ratchet 3/8" 120T	Х	4	3 2 5 3 5 6 0 8 2 6 7 7 2	
FMMT82678-0	FATMAX ratchet 1/2" 120T	Х	8	3 2 5 3 5 6 0 8 2 6 7 8 9	

RATCHET 72T



- · 72 tooth ratchet fine toothing provides 5° increment
- Low profile switch lever prevents accidental switching and allows for easy, one-handed operation
- · Quick release mechanism to release caps quickly
- · Bi-material handle for comfort, better grip and control

CODE	DESCRIPTION		\boxtimes		PRICE
STMT82663-0	Ratchet 1/4" 72T	Х	12	3 2 5 3 5 6 0 8 2 6 6 3 5	
STMT82664-0	Ratchet 3/8" 72T	Х	12	3 2 5 3 5 6 0 8 2 6 6 4 2	
STMT82665-0	Ratchet 1/2" 72T	Х	8	3 2 5 3 5 6 0 8 2 6 6 5 9	

FATMAX® RATCHET SET 1/4" 120T

STANLEY FATMAX



- 120 tooth ratchet with dual pawl mechanism for 2X better access in tight spaces vs. traditional 60T ratchet
- Low reversing lever prevents accidental movement and allows onehanded operation
- · Quick release mechanism to release caps quickly
- · Bi-material handle for comfort, better grip and control
- · Content:

Ratchet 1/4" 120T

Sockets 1/4" (12-point): 5.5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 mm Bit holder 1/4"

Bits 1/4": PH0 - PH1 - PH2 - Slot 3.5 - 4.5 - 8 - Torx 15 - 20 - 25 - 30

CODE	DESCRIPTION		\boxtimes		PRICE
FMMT82679-0	FATMAX Ratchet Set 1/4" 120T	Х	8	3 2 5 3 5 6 0 8 2 6 7 9 6	

RATCHET SET 1/4" 72T 11 PCS



- · 72 tooth ratchet fine toothing provides 5° increment
- · Bi-material handle for comfort, better grip and control
- · Caps with 12 side
- · Content:

Ratchet 1/4" 72T

Sockets 1/4" (12 side): 5.5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 mm

CODE	DESCRIPTION	0	\boxtimes		PRICE
STMT82666-0	Ratchet set 1/4" 72T 11 pcs	Х	8	3 2 5 3 5 6 0 8 2 6 6 6 6	

FATMAX® RATCHET SET 3/8" 120T





- 120 tooth ratchet with dual pawl mechanism for 2X better access in tight spaces vs. traditional 60T ratchet
- \cdot Low reversing lever prevents accidental movement and allows one-handed operation
- · Quick release mechanism to release caps quickly
- · Bi-material handle for comfort, better grip and control
- · Content:

Ratchet 3/8" 120T

Sockets 1/4" (12-point): 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 mm Bit holder 3/ 8" for 1/4" bits

Bits 1/4": PH0 - PH1 - PH2 - Slot 3.5 - 4.5 - 8 - Torx 15 - 20 - 25 - 30

CODE	DESCRIPTION		\boxtimes		PRICE
FMMT82680-0	FATMAX Ratchet Set 3/8" 120T	Χ	2	3 2 5 3 5 6 0 8 2 6 8 0 2	

RATCHET SET 3/8" 72T 11 PCS



- · 72 tooth ratchet fine toothing provides 5° increment
- Bi-material handle for comfort, better grip and control
 12-points profile on rail to hold sockets
- · Content:

Ratchet 3/8" 72T

Sockets 3/8" (12-point): 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 mm

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
STMT82670-0	Ratchet set 3/8" 72T 11 pcs	Х	8	3 2 5 3 5 6 0 8 2 6 7 0 3	

FATMAX® RATCHET SET 1/2" 120T

STANLEY FATMAX



- 120 tooth ratchet with dual pawl mechanism for 2X better access in tight spaces vs. traditional 60T ratchet
- Low reversing lever prevents accidental movement and allows one-handed operation
- · Quick release mechanism to release caps quickly
- · Bi-material handle for comfort, better grip and control
- Content:

Ratchet 1/2" 120T

Sockets 1/2" (12-point): 13 - 14 - 15 - 16 - 17 - 18 - 19 - 22 - 24 mm Bit holder 1/2" for 5/16" bits

Bits 5/16": PH0 - PH1 - PH2 - Slot 3.5 - 4.5 - 8 - Torx 15 - 20 - 25 - 30

CODE	DESCRIPTION		\boxtimes		PRICE
FMMT82681-0	FATMAX Ratchet Set 1/2" 120T	Х	4	3 2 5 3 5 6 0 8 2 6 8 1 9	

RATCHET SET 1/2" 72T 10 PCS



- · 72 tooth ratchet fine toothing provides 5° increment
- · Bi-material handle for comfort, better grip and control
- · 12-points profile on rail to hold sockets
- · Content:

Ratchet 1/2" 72T

Sockets 1/2" (12-point): 13 - 14 - 15 - 16 - 17 - 18 - 19 - 22 - 24 mm


CODE	DESCRIPTION		\boxtimes		PRICE
STMT82671-0	Ratchet set 1/2" 72T 10 pcs	Х	4	3 2 5 3 5 6 0 8 2 6 7 1 0	

CHROME ROTATOR RACHET SET - 1/4" & 3/8"



- · Normal ratchet -twist handle for quick ratchet
- \cdot Easy to use top reverse switch
- · Consumer friendly 'Try Me' packaging
- \cdot 1/4" Ratchet + 4 mm, 5 mm, 5.5 mm, 6 mm, 7 mm, 8 mm, 9 mm, 10 mm, 11 mm, 13mm sockets set (11 pcs set)
- · 3/8" Ratchet + 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19mm sockets set (9 pcs set)

CODE	DESCRIPTION	<u></u>			PRICE
0-94-606	Chrome Rotator Rachet Set 9 pcs	Х	4	3253560946067	
0-94-607	Chrome Rotator Rachet Set 11 pcs	Х	4	3253560946074	



SOCKET SETS 1/4"

FATMAX® SOCKET SET 1/4" 42 PCS

STANLEY FATMAX.



· Content:

Ratchet 1/4" 120T

Sockets 1/4" (6-points profile): 4 - 4.5 - 5 - 5.5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 -

Extensions 1/4": 3" - 6"

Universal joint 1/4"

Bit holder 1/4"

Spinner handle 1/4"

Sliding T-handle 1/4"

Bits 1/4": PZ1 - PZ2 - PZ3 - PH1 - PH2 - PH3 - Hex: 3 - 4 - 5 - 6 - 7 - Torx 10 -

15 - 20 - 25 - 27 - 30 - 40 - Slot: 4 - 5 - 6 - 7 DESCRIPTION PRICE CODE FMMT82683-1 Socket set 1/4" 42 pcs

SOCKET SET 1/4" 38 PCS



· Content:

Ratchet 1/4" 72T

Sockets 1/4" (6-points profile): 5.5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 mm

Extensions 1/4": 3" - 6"

Bit holder 1/4"

Spinner handle 1/4"

Bits 1/4": PZ1 - PZ2 - PZ3 - PH1 - PH2 - PH3 - Hex 3 - 4 - 5 - 6 - 7 - Torx 10 -

15 - 20 - 25 - 27 - 30 - 40 - Slot 4 - 5 - 6 - 7

Universal joint 1/4"

DESCRIPTION PRICE CODE 3 2 5 3 5 6 1 8 2 8 3 8 6 STMT82828-1 Socket set 1/4" 38 pcs

COMPACT SOCKET SET 1/4" 37 PCS



- · Compact box, easy to transport and store
- · Content:

Ratchet 1/4" 72T

Sockets 1/4" (12-point): 4 - 4.5 - 5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 mm

Extension 1/4": 3"

Bit holder 1/4"

Bits 1/4": PZ1 - PZ2 - PZ3 - PH1 - PH2 - PH3 - Hex 3 - 4 - 5 - 6 - 7 - Torx 10 -

15 - 20 - 25 - 27 - 30 - 40 - Slot 4 - 5 - 6 - 7

CODE	DESCRIPTION	<u></u>	\boxtimes		PRIC
STMT82672-0	Compact socket set 1/4" 37 pcs	Х	5	3 2 5 3 5 6 0 8 2 6 7 2 7	

SOCKET SETS 3/8"

FATMAX® SOCKET SET 3/8" 49 PCS

STANLEY FATMAX.



Conten

Ratchet 3/8" 120T

Sockets 3/8" (6-points profile): 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19

- 20 - 21 - 22 - 23 - 24 mm

Extensions 3/8": 3" - 6"

Sliding T-handle 3/8"

Universal joint 3/8"

Bit holder 3/8" for 1/4" bits

Spark plug sockets 3/8": 16 - 21 mm

Spinner handle 1/4"

Bit holder 1/4"

Bits 1/4": PZ1 - PZ2 - PZ3 - PH1 - PH2 - PH3 - 6 side 3 - 4 - 5 - 6 - 7 - Torx 10 -

15 - 20 - 25 - 27 - 30 - 40 - Slot 4 - 5 - 6 - 7

CODE	DESCRIPTION		\boxtimes		PRICE
FMMT82684-1	FATMAX Socket set 3/8" 49 pcs	-	2	3 2 5 3 5 6 1 8 2 6 8 4 9	

SOCKET SET 3/8" 45 PCS



· Content:

Ratchet 3/8" 72T

Sockets 3/8" (6-points profile): 8 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 -

20 - 21 - 22 mm

Extensions 3/8": 3" - 5"

Universal joint 3/8"

Bit holder 3/8" for 1/4" bits

Spark plug sockets 3/8": 16 - 21 mm

Spinner handle 1/4"

Bit holder 1/4"

Bits 1/4": PZ1 - PZ2 - PZ3 - PH1 - PH2 - PH3 - 6 side 3 - 4 - 5 - 6 - 7 - Torx 10 -

15 - 20 - 25 - 27 - 30 - 40 - Slot 4 - 5 - 6 - 7

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
STMT82829-1	Socket set 3/8" 45 pcs	-	2	3 2 5 3 5 6 1 8 2 8 2 9 4	

SOCKET SET 1/2"

FATMAX® SOCKET SET 1/2" 26 PCS

STANLEY FATMAX



· Content:

Ratchet 1/2" 120T

Sockets 1/2" (6-points profile): 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19

- 20 - 21 - 22 - 23 - 24 - 27 - 30 - 32 - 34 mm

Extensions 1/2": 3" - 10"

Sliding T-handle 1/2"

Universal joint 1/2"

CODE	DESCRIPTION	<u>_</u>	\boxtimes		PRICE
FMMT82685-1	FATMAX socket set 1/2" 26 pcs	-	2	3 2 5 3 5 6 1 8 2 6 8 5 6	

SOCKET SET 1/2" 24 PIECES



· Content:

Ratchet 1/2" 72T

Sockets 1/2" (6-points profile): 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19

- 20 - 21 - 22 - 23 - 24 - 27 - 30 - 32 mm

Extensions 1/2": 3"-10"

Universal joint 1/2"

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
STMT82830-1	Socket set 1/2" 24 pcs	-	3	3 2 5 3 5 6 1 8 2 8 3 0 0	

SOCKET SETS MIXED

FATMAX® COMBINATION SET 1/4" + 1/2" 49 PCS

STANLEY FATMAX



Ratchet 1/4" 120T

Sockets 1/4" (6-points profile): 4 - 4.5 - 5 - 5.5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 -

Extensions 1/4": 3" - 6"

Universal joint 1/4"

Sliding T-handle 1/4", Ratchet 1/2" 120T, Extensions 1/2": 3" - 10"

Sockets1/2" (6-points profile): 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 21 -

22 - 24 mm

Universal joint 1/2"

Sliding T-handle 1/2"

Combination wrenches: 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19

mm					
CODE	DESCRIPTION	٥	\boxtimes		PRICE
FMMT82827-1	FATMAX Combination set 1/4" + 1/2" 49 pcs	-	2	3 2 5 3 5 6 1 8 2 8 2 7 0	

COMBINATION SET 1/4" + 1/2" 41 PCS



Ratchet 1/4" 72T

Sockets 1/4" (6-points profile): 5.5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 mm

Extensions 1/4": 3" - 6"

Universal joint 1/4"

Ratchet 1/2" 72T

Sockets 1/2" (6 point): 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 21 - 22 - 24

Extensions 1/2": 3" - 10"

Universal joint 1/2"

Combination wrenches: 8 - 10 - 11 - 12 - 13 - 14 - 16 - 17 - 18 - 19mm

CODE	DESCRIPTION		\boxtimes		PRICE
STMT82832-1	Combination set 1/4" + 1/2" + Combination wrenches 41-piece	-	2	3 253561 828324	

COMBINATION SET 1/4" + 1/2" 175 PCS



•	1/4" Drive 4mm Socket	· 6mm Combination Spanner	· 1/4" Drive Coupler	· 80mm Magnetic Bit Holder
	1/4" Drive 5mm Socket	 8mm Combination Spanner 	 1/2"Drive 16mm Spark Plug Socket 	 Socket Adaptor 1/2"F x 3/8"M
٠	1/4" Drive 6mm Socket	 10mm Combination Spanner 	1/2"Drive 21mm Spark Plug Socket	1/4" Drive Socket - TORX-14E-4
٠	1/4" Drive 7mm Socket	 12mm Combination Spanner 	1/4"Drive Spinner Handle	1/4" Drive Socket - TORX-14E-5
٠	1/4" Drive 8mm Socket	 13mm Combination Spanner 	· 1/4" Drive Extension Bar 2"	1/4" Drive Socket - TORX-14E-6
٠	1/4" Drive 9mm Socket	· 14mm Combination Spanner	1/4" Drive Extension Bar 4"	1/4" Drive Socket - TORX-14E-7
	1/4" Drive 10mm Socket	 15mm Combination Spanner 	· 1/2" Drive Extension Bar 5"	1/4" Drive Socket - TORX-14E-8
	1/4" Drive 11mm Socket	 17mm Combination Spanner 	· 1/4" Drive Sliding T-Bar	· 3/8" Drive Socket - TORX-38E-10
٠	1/4" Drive 12mm Socket	 18mm Combination Spanner 	· 1/4" Drive Universal Joint	3/8" Drive Socket - TORX-38E-11
	1/4" Drive 13mm Socket	· 19mm Combination Spanner	· 10PC BIT RAIL 25MM	3/8" Drive Socket - TORX-38E-12
	1/4" Drive 14mm Socket	· 5mm Nut Driver	· 10PC BIT RAIL 25MM	· 3/8" Drive Socket - TORX-38E-14
٠	1/2" Drive 15mm Socket	5.5mm Nut Driver	· 10PC BIT RAIL 25MM	3/8" Drive Socket - TORX-38E-16
	1/2" Drive 16mm Socket	· 6mm Nut Driver	· 10PC BIT RAIL 25MM	3/8" Drive Socket - TORX-38E-18
	1/2" Drive 17mm Socket	· 7mm Nut Driver	· 10PC BIT RAIL 25MM	1/2"Drive Socket - TORX-12E-20
٠	1/2" Drive 19mm Socket	· 8mm Nut Driver	· 11PC BIT RAIL 25MM	1/2"Drive Socket - TORX-12E-22
	1/2" Drive 20mm Socket	· 9mm Nut Driver	· 11PC BIT RAIL 25MM	 8 Piece Folding Hex Key Set 1.5mm
	1/2" Drive 21mm Socket	· 10mm Nut Driver	9PC BIT RAIL 25MM	8mm Stanley STHT71800
	1/2" Drive 22mm Socket	· 11mm Nut Driver	· 10PC BIT RAIL 25MM	1/4" Drive 72T Ratchet Handle
	1/2" Drive 24mm Socket	· 12mm Nut Driver	· 10PC BIT RAIL 25MM	 1/2" Drive 72T Ratchet Handle
	1/2" Drive 27mm Socket	· 13mm Nut Driver		

CODE	DESCRIPTION	6			PRICE
STMT17380-1	1/4" + 1/2" + CW + HEX KEYS + BITS SET - 175 PCS	-	2	3253561173806	

FATMAX® SOCKET SET 1/4" + 1/2" 81 PCS

STANLEY FATMAX.



Ratchet 1/4": 120T

- · Sockets 1/4" (6-points): 4 4.5 5 5.5 6 7 8 9 10 11 12 13 14 mm
- · Long sockets 1/4" (6-points): 4 5 6 7 8 9 10 11 12 13 14 mm
- · Extensions 1/4": 3" 6"
- · Universal joint 1/4"
- · Bit holder 1/4"
- · Spinner handle 1/4"
- · Sliding T-handle 1/4"
- · Bits 1/4": PZ1 PZ2 PZ3 PH1 PH2 PH3 6 side 3 4 5 6 7 Torx 10 -
- 15 20 25 27 30 40 Slot 4 5-6-7
- · Ratchet 1/2" 120T
- · Sockets 1/2" (6-points): 8 10 11 12 13 14 15 16 17 18 19 20 21 -
- 22 23 24 27 30 32 34mm
- · Spark plug sockets 1/2": 16 21 mm · Extensions 1/2": 3" - 5"
- · Sliding T-handle 1/2"
- · Universal joint 1/2"

CODE	DESCRIPTION		\boxtimes		PRICE
FMMT82826-1	FATMAX socket set 1/4" + 1/2" 81 pcs	-	2	3 2 5 3 5 6 1 8 2 8 2 6 3	

SOCKET SET 1/4" + 1/2" 72 PCS



Content:

Ratchet 1/4" 72T

Sockets 1/4" (6-points): 5.5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 mm

Long sockets 1/4" (6-points): 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 mm

Extensions 1/4": 3" - 6"

Universal joint 1/4"

Bit holder 1/4"

Spinner handle 1/4"

Bits 1/4": PZ1 - PZ2 - PZ3 - PH1 - PH2 - PH3 - 6 side 3 - 4 - 5 - 6 - 7 - Torx 10 -

15 - 20 - 25 - 27 - 30 - 40 - Slot 4 - 5 - 6 - 7

Ratchet 1/2" 72T

Sockets 1/2" (6-points): 8 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 20 - 21 -

22 - 23 - 24 - 27 - 30 - 32 mm

Spark plug sockets 1/2": 16 - 21 mm

Extensions 1/2": 3" - 10"

Universal joint 1/2"

CODE	DESCRIPTION				PRICE
STMT82831-1	Socket set 1/4" + 1/2" 72 pcs	-	2	3 2 5 3 5 6 1 8 2 8 3 1 7	

SOCKET SET 1/4" & 1/2" – 96 PIECES



- · 1/2' Sockets x 16
- · ½' Ratchet Handle x1
- · 1/2' SPK 21mm x1 · 1/2' SPK 16mm x1
- · 1/2' Extension Bar 250mm x1 · 3-Way 38F*12M Adapter x1
- · ½' Universal joint x1

- · 1/2' 6 Pt. Deep Sockets x 8
- · ¼' T-Handle x1
 - · ¼' Deep Socket x 5

· ¼' Ratchet Handle x1

· 1/4' Spinner Handle x1

· 1/4' 6 Pt. sockets x 14

· 1/4' Universal Joint x1

· 1/4' Bit Adapter x1

· ¼' Extension Bar 100 mm x1

· Bits (1/4') x41

CODE	DESCRIPTION		\boxtimes		PRICE
STMT17379-1	Socket set 1/4" + 1/2" 96 pcs	-	2	3253561173790	

1/2" MAXIDRIVE SOCKETS

FATMAX® 1/2" X-PROFILE MAXIDRIVE SOCKETS

STANLEY. FATMAX.

NECK-DOWN DESIGN

Facilitating the use in narrow spaces



MAXIDRIVE PROFILE

Maximizing the contact between the socket and nut/



To easily identify the socket size

CODE	DESCRIPTION	
FMMT17093-0	FATMAX 1/2" Socket kit 14, 15, 16 mm	3253560170936
FMMT17094-0	FATMAX 1/2" Socket kit 17, 18, 19 mm	3253560170943
FMMT17095-0	FATMAX 1/2" Socket kit 21, 22,	3253560170950

CODE	DESCRIPTION		\boxtimes		PRICE
FMMT17227-0*	FATMAX 1/2" Socket 6P 8mm	Х	6	3 2 5 3 5 6 0 1 7 2 2 7 5	
FMMT17228-0*	FATMAX 1/2" Socket 6P 9mm	Х	6	3 2 5 3 5 6 0 1 7 2 2 8 2	
FMMT17229-0*	FATMAX 1/2" Socket 6P 10mm	Х	6	3 2 5 3 5 6 0 1 7 2 2 9 9	
FMMT17230-0*	FATMAX 1/2" Socket 6P 11mm	Х	6	3 2 5 3 5 6 0 1 7 2 3 0 5	
FMMT17231-0*	FATMAX 1/2" Socket 6P 12mm	Х	6	3 2 5 3 5 6 0 1 7 2 3 1 2	
FMMT17232-0*	FATMAX 1/2" Socket 6P 13mm	Х	6	3 2 5 3 5 6 0 1 7 2 3 2 9	
FMMT17233-0*	FATMAX 1/2" Socket 6P 14mm	Х	6	3 2 5 3 5 6 0 1 7 2 3 3 6	
FMMT17234-0*	FATMAX 1/2" Socket 6P 15mm	Х	6	3 2 5 3 5 6 0 1 7 2 3 4 3	
FMMT17235-0*	FATMAX 1/2" Socket 6P 16mm	Х	6	3 2 5 3 5 6 0 1 7 2 3 5 0	
FMMT17236-0*	FATMAX 1/2" Socket 6P 17mm	Х	6	3 2 5 3 5 6 0 1 7 2 3 6 7	
FMMT17237-0*	FATMAX 1/2" Socket 6P 18mm	Х	6	3 2 5 3 5 6 0 1 7 2 3 7 4	
FMMT17238-0*	FATMAX 1/2" Socket 6P 19mm	Х	6	3 2 5 3 5 6 0 1 7 2 3 8 1	
FMMT17239-0*	FATMAX 1/2" Socket 6P 20mm	Х	4	3 2 5 3 5 6 0 1 7 2 3 9 8	
FMMT17240-0*	FATMAX 1/2" Socket 6P 21mm	Х	4	3 2 5 3 5 6 0 1 7 2 4 0 4	
FMMT17241-0*	FATMAX 1/2" Socket 6P 22mm	Х	4	3 2 5 3 5 6 0 1 7 2 4 1 1	
FMMT17242-0*	FATMAX 1/2" Socket 6P 23mm	Х	4	3 2 5 3 5 6 0 1 7 2 4 2 8	
FMMT17243-0*	FATMAX 1/2" Socket 6P 24mm	Х	4	3 2 5 3 5 6 0 1 7 2 4 3 5	
FMMT17244-0*	FATMAX 1/2" Socket 6P 27mm	Х	4	3 2 5 3 5 6 0 1 7 2 4 4 2	
FMMT17245-0*	FATMAX 1/2" Socket 6P 30mm	Х	2	3 2 5 3 5 6 0 1 7 2 4 5 9	
FMMT17246-0*	FATMAX 1/2" Socket 6P 32mm	Х	2	3 2 5 3 5 6 0 1 7 2 4 6 6	
FMMT17247-0*	FATMAX 1/2" Socket 6P 34mm	Х	2	3 2 5 3 5 6 0 1 7 2 4 7 3	

1/2" ACCESSORIES

FATMAX® 1/2" SOCKET EXTENSIONS

STANLEY FATMAX.



· Better reach in hard-to-reach places

	DESCRIPTION	ے	\times		PRICE
FMMT25123-0*	FATMAX 1/2" Extension - 75mm	Х	4	3 2 5 3 5 6 0 2 5 1 2 3 9	
FMMT25122-0*	FATMAX 1/2" Extension - 152mm	Х	4	3 2 5 3 5 6 0 2 5 1 2 2 2	

FATMAX® 1/2" UNIVERSAL JOINT

STANLEY FATMAX



· Better reach and freedom of movement during ratcheting applications

FMMT17999-0* FATMAX 1/2" Universal joint X 4	CODE DESCRIPTION	<u></u>	\boxtimes		PRIC
3 "2 5 3 5 6 0 " 1 7 9 9 9 1 "	FMMT17999-0* FATMAX 1/2" Universal joint	Х	4	3 2 5 3 5 6 0 1 7 9 9 9 1	

1/2" STANLEY ESSENTIAL SOCKETS

STANLEY® 1/2" SOCKETS - ESSENTIAL



- · Maximizing the contact between the socket and nut/bolt
- · Polished chrome finish

CODE	DESCRIPTION		\boxtimes		PRICE
STMT86508-0	1/2' Drive 6P Socket 8 mm	-	-	3253560865085	
STMT86509-0	1/2' Drive 6P Socket 9 mm	-	-	3253560865092	
STMT86510-0	1/2' Drive 6P Socket 10 mm	-	-	3253560865108	
STMT86511-0	1/2' Drive 6P Socket 11 mm	-	-	3253560865115	
STMT86512-0	1/2' Drive 6P Socket 12 mm	-	-	3253560865122	
STMT86513-0	1/2' Drive 6P Socket 13 mm	-	-	3253560865139	
STMT86514-0	1/2' Drive 6P Socket 14 mm	-	-	3253560865146	
STMT86515-0	1/2' Drive 6P Socket 15 mm	-	-	3253560865153	
STMT88738-0	1/2' Drive 6P Socket 16 mm	-	-	3253560887384	
STMT86517-0	1/2' Drive 6P Socket 17 mm	-	-	3253560865177	
STMT86518-0	1/2' Drive 6P Socket 18 mm	-	-	3253560865184	
STMT86519-0	1/2' Drive 6P Socket 19 mm	-	-	3253560865191	
STMT86520-0	1/2' Drive 6P Socket 20 mm	-	-	3253560865207	
STMT86521-0	1/2' Drive 6P Socket 21 mm	-	-	3253560865214	
STMT86524-0	1/2' Drive 6P Socket 24 mm	-	-	3253560865245W	

*Not in the Nordic assortment - special order required. Minimum order quantity applied.

3/8" MAXIDRIVE SOCKETS

FATMAX® 3/8" X-PROFILE MAXIDRIVE SOCKETS

STANLEY. FATMAX.

- · Knurled: better grip
- · Maxidrive profile: maximum contact of the cap and the nut/bolt
- · Narrowed neck: more accessible in tight spaces
- · Clearly visible size

CODE	DESCRIPTION	Ō	\boxtimes		PRICE
FMMT17208-0*	FATMAX 3/8" Socket 6P 8mm	Х	12	3 2 5 3 5 6 0 1 7 2 0 8 4	
FMMT17209-0*	FATMAX 3/8" Socket 6P 9mm	Х	12	3 2 5 3 5 6 0 1 7 2 0 9 1	
FMMT17210-0*	FATMAX 3/8" Socket 6P 10mm	Х	12	3 2 5 3 5 6 0 1 7 2 1 0 7	
FMMT17211-0*	FATMAX 3/8" Socket 6P 11mm	Χ	12	3 2 5 3 5 6 0 1 7 2 1 1 4	
FMMT17212-0*	FATMAX 3/8" Socket 6P 12mm	Χ	12	3 2 5 3 5 6 0 1 7 2 1 2 1	
FMMT17213-0*	FATMAX 3/8" Socket 6P 13mm	Х	12	3 2 5 3 5 6 0 1 7 2 1 3 8	
FMMT17214-0*	FATMAX 3/8" Socket 6P 14mm	Χ	12	3 2 5 3 5 6 0 1 7 2 1 4 5	
FMMT17215-0*	FATMAX 3/8" Socket 6P 15mm	Χ	12	3 2 5 3 5 6 0 1 7 2 1 5 2	
FMMT17216-0*	FATMAX 3/8" Socket 6P 16mm	Х	12	3 2 5 3 5 6 0 1 7 2 1 6 9	
FMMT17217-0*	FATMAX 3/8" Socket 6P 17mm	Χ	12	3 2 5 3 5 6 0 1 7 2 1 7 6	
FMMT17218-0*	FATMAX 3/8" Socket 6P 18mm	Х	6	3 2 5 3 5 6 0 1 7 2 1 8 3	
FMMT17219-0*	FATMAX 3/8" Socket 6P 19mm	Х	6	3 2 5 3 5 6 0 1 7 2 1 9 0	
FMMT17220-0*	FATMAX 3/8" Socket 6P 20mm	Χ	6	3 2 5 3 5 6 0 1 7 2 2 0 6	
FMMT17221-0*	FATMAX 3/8" Socket 6P 21mm	Χ	6	3 2 5 3 5 6 0 1 7 2 2 1 3	
FMMT17222-0*	FATMAX 3/8" Socket 6P 22mm	Χ	6	3 2 5 3 5 6 0 1 7 2 2 2 0	
FMMT17223-0*	FATMAX 3/8" Socket 6P 23mm	Χ	6	3 2 5 3 5 6 0 1 7 2 2 3 7	
FMMT17224-0*	FATMAX 3/8" Socket 6P 24mm	Χ	6	3 2 5 3 5 6 0 1 7 2 2 4 4	

*Not in the Nordic assortment - special order required. Minimum order quantity applied.



3/8" ACCESSORIES

FATMAX® 3/8" SPARK PLUG SOCKET

STANLEY FATMAX



CODE	DESCRIPTION	٥	\boxtimes		PRICE
FMMT17225-0*	FATMAX 3/8" Spark Plug Socket 16mm	Х	6	3 2 5 3 5 6 0 1 7 2 2 5 1	
FMMT17226-0*	FATMAX 3/8" Spark Plug Socket 21mm	Х	4	3 2 5 3 5 6 0 1 7 2 2 6 8	

FATMAX® 3/8" SOCKET EXTENSIONS

STANLEY FATMAX



 \cdot Helps end users reach fasteners in inaccessible places.

CODE	DESCRIPTION	<u>_</u>	\boxtimes		PRIC
FMMT25130-0*	FATMAX 3/8" Extension - 75mm	Х	6	3 2 5 3 5 6 0 2 5 1 3 0 7	
FMMT25131-0*	FATMAX 3/8" Extension - 152mm	Х	6	3 2 5 3 5 6 0 2 5 1 3 1 4	

FATMAX® 3/8" UNIVERSAL JOINT

STANLEY FATMAX



 It gives to end user greater accessibility and free range of motion during ratcheting applications

CODE	DESCRIPTION	<u>_</u>	\boxtimes		PF
FMMT18011-0*	FATMAX 3/8" Universal joint	Х	6	3 2 5 3 5 6 0 1 8 0 1 9 5	

FATMAX® 3/8" BIT HOLDER

STANLEY FATMAX.



 \cdot Use 3/8" bits for screwdriving

CODE	DESCRIPTION		\boxtimes		PRICE
FMMT18013-0*	FATMAX 3/8" Bit holder	Х	12	3 2 5 3 5 6 0 1 8 0 1 3 3	

^{*}Not in the Nordic assortment - special order required. Minimum order quantity applied.

MAXIDRIVE SOCKETS 1/4"

FATMAX® 1/4" X-PROFILE MAXIDRIVE SOCKETS

STANLEY FATMAX.



- · Knurled: better grip
- · Maxidrive profile: Maximizing the contact between the socket and nut/bolt
- · Neck-down Design Facilitating the use in narrow spaces
- · Visible dimensions To easily identify the socket size

CODE	DESCRIPTION	٥	\boxtimes		PRICE
FMMT17185-0*	FATMAX 1/4" Socket 6P 4mm	Х	12	3 2 5 3 5 6 0 1 7 1 8 5 8	
FMMT17186-0*	FATMAX 1/4" Socket 6P 4.5mm	Х	12	3 2 5 3 5 6 0 1 7 1 8 6 5	
FMMT17187-0*	FATMAX 1/4" Socket 6P 5mm	Х	12	3 2 5 3 5 6 0 1 7 1 8 7 2	
FMMT17190-0*	FATMAX 1/4" Socket 6P 5.5mm	Х	12	3 2 5 3 5 6 0 1 7 1 9 0 2	
FMMT17191-0*	FATMAX 1/4" Socket 6P 6mm	Х	12	3 253560 171919	
FMMT17192-0*	FATMAX 1/4" Socket 6P 7mm	Х	12	3 2 5 3 5 6 0 1 7 1 9 2 6	
FMMT17193-0*	FATMAX 1/4" Socket 6P 8mm	Χ	12	3 253560 171933	
FMMT17194-0*	FATMAX 1/4" Socket 6P 9mm	Χ	12	3 2 5 3 5 6 0 1 7 1 9 4 0	
FMMT17195-0*	FATMAX 1/4" Socket 6P 10mm	Х	12	3 2 5 3 5 6 0 1 7 1 9 5 7	
FMMT17196-0*	FATMAX 1/4" Socket 6P 11mm	Х	12	3 2 5 3 5 6 0 1 7 1 9 6 4	
FMMT17197-0*	FATMAX 1/4" Socket 6P 12mm	Χ	12	3 253560 171971	
FMMT17198-0*	FATMAX 1/4" Socket 6P 13mm	Х	12	3 2 5 3 5 6 0 1 7 1 9 8 8	
FMMT17207-0*	FATMAX 1/4" Socket 6P 14mm	Х	12	3 2 5 3 5 6 0 1 7 2 0 7 7	

^{*}Not in the Nordic assortment - special order required. Minimum order quantity applied.

FATMAX® 1/4" X-PROFILE MAXIDRIVE LONG SOCKETS

STANLEY FATMAX



- · Knurled: better grip
- Maxidrive profile: Maximizing the contact between the socket and nut/bolt Neck-down Design - Facilitating the use in narrow spaces
- \cdot Visible dimensions To easily identify the socket size

CODE	DESCRIPTION		\boxtimes		PRICE
FMMT17248-0*	FATMAX 1/4" Long Socket 6P 4mm	Х	12	3 2 5 3 5 6 0 1 7 2 4 8 0	
FMMT17249-0*	FATMAX 1/4" Long Socket 6P 5mm	Х	12	3 2 5 3 5 6 0 1 7 2 4 9 7	
FMMT17300-0*	FATMAX 1/4" Long Socket 6P 6mm	Х	12	3 2 5 3 5 6 0 1 7 3 0 0 5	
FMMT17337-0*	FATMAX 1/4" Long Socket 6P 7mm	Х	12	3 2 5 3 5 6 0 1 7 3 3 7 1	
FMMT17338-0*	FATMAX 1/4" Long Socket 6P 8mm	Х	12	3 2 5 3 5 6 0 1 7 3 3 8 8	
FMMT17339-0*	FATMAX 1/4" Long Socket 6P 9mm	Х	12	3 2 5 3 5 6 0 1 7 3 3 9 5	
FMMT17523-0*	FATMAX 1/4" Long Socket 6P 10mm	Х	12	3 2 5 3 5 6 0 1 7 5 2 3 8	
FMMT17963-0*	FATMAX 1/4" Long Socket 6P 11mm	Х	12	3 2 5 3 5 6 0 1 7 9 6 3 2	
FMMT17964-0*	FATMAX 1/4" Long Socket 6P 12mm	Х	12	3 2 5 3 5 6 0 1 7 9 6 4 9	
FMMT17965-0*	FATMAX 1/4" Long Socket 6P 13mm	Х	12	3 2 5 3 5 6 0 1 7 9 6 5 6	
FMMT17966-0*	FATMAX 1/4" Long Socket 6P 14mm	Х	12	3 2 5 3 5 6 0 1 7 9 6 6 3	

^{*}Not in the Nordic assortment - special order required. Minimum order quantity applied.

FATMAX® 1/4" X-PROFILE MAXIDRIVE SOCKET SETS



- · Knurled: better grip
- \cdot Maxidrive profile: Maximizing the contact between the socket and nut/bolt Neck-down Design Facilitating the use in narrow spaces
- \cdot Visible dimensions To easily identify the socket size

DDE	DESCRIPTION		\boxtimes		PRICE
MMT17090-0	FATMAX 1/4" Socket kit 5, 6, 7 mm	Х	-	3253560170905	
MMT17091-0	FATMAX 1/4" Socket kit 5, 6, 7 mm	Х	-	3253560170912	
MMT17092-0	FATMAX 1/4" Socket kit 5, 6, 7 mm	Х	-	3253560170929	

1/4" ACCESSORIES

FATMAX® 1/4" SOCKET EXTENSIONS



· Helps end users reach fasteners in inaccessible places

CODE	DESCRIPTION	٥	\boxtimes		PRICE
FMMT25125-0*	FATMAX 1/4" Extension - 75mm	Х	6	3 2 5 3 5 6 0 2 5 1 2 5 3	
FMMT25126-0*	FATMAX 1/4" Extension - 152mm	Х	6	3 2 5 3 5 6 0 2 5 1 2 6 0	

FATMAX® 1/4" UNIVERSAL JOINT





 It gives to end user greater accessibility and free range of motion during ratcheting applications

CODE	DESCRIPTION		\boxtimes		PRICE
FMMT18008-0*	FATMAX 1/4" Universal joint	Х	12	3 2 5 3 5 6 0 1 8 0 0 8 9	

*Not in the Nordic assortment - special order required. Minimum order quantity applied.

FATMAX® 1/4" BIT HOLDER

STANLEY FATMAX



· Use 1/4" bits for screwdriving

CODE	DESCRIPTION	<u>_</u>	\boxtimes		PRICE		
FMMT18007	-0* FATMAX 1/4" Bit holder	Х	12	3 2 5 3 5 6 0 1 8 0 0 7 2			
*Not in the Nordic assortment - special order required. Minimum order quantity applied.							

STANLEY® 1/4" BIT HOLDER



· Use 1/4" bits for screwdriving

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
STMT86124-0	Stanley 1/4" Bit holder	Х	12	3253560861247	

PRO STACK SOCKET SET FOAM INLAYS

FATMAX® PRO-STACK SOCKET SET FOAM INLAY 1/2" 20 PCS

STANLEY FATMAX.



- · P9 Ratchet wrench 1/2" with bi-material handle, 53T, 5°
- · 1/2" Extension 127mm
- · 1/2" Universal joint
- · Spark plug sockets 18, 21 mm
- · 1/2" 6-point sockets 10-24 mm

CODE	DESCRIPTION		\boxtimes		PRICE
FMHT0-74297	FATMAX PRO-STACK Socket set foam inlay 1/2" - 20 pcs	-	2	3 2 5 3 5 6 0 7 4 2 9 7 3	

FATMAX® PRO-STACK SOCKET SET FOAM INLAY 3/8" 38 PIECES

STANLEY FATMAX



- \cdot P9 Ratchet wrench 3/8" with bi-material handle, 53T, 5°
- · 3/8" Extension 76.2mm
- · 3/8" Extension 152.4mm
- · 3/8" Universal joint
- · 14 pcs key set: Hex 1.5, 2, 2.5, 3, 4, 4.5, 5, 6 and 7 mm
- · 3/8" sockets (6-points profile) 10-19 mm
- · 3/8" long sockets (6-points profile) 10-19 mm

CODE	DESCRIPTION		\boxtimes		PRICE
FMHT0-74296	FATMAX PRO-STACK Socket set foam inlay 3/8" 38 pcs	-	2	3 2 5 3 5 6 0 7 4 2 9 6 6	

FATMAX® PRO-STACK INSERT SOCKET SET 1/4" 48 PCS

STANLEY FATMAX



- \cdot P9 Ratchet wrench 1/4" with bi-material handle, 53T, 5°
- · 1/4" Extension 76.2mm
- · 1/4" Extension 152.4mm
- \cdot 1/4" Universal Universal joint
- · Handle 1/4"
- · Bit adapter 1/4"
- · 20-piece bit set: Slot: 4, 6 and 8 Phillips: PH0, PH1, PH2 and PH3 Pozidriv: PZ1, PZ2 and PZ3 Hex: 3, 4, 5, 6 and 8 Torx: T10, T15 , T20, T25 and T30
- \cdot 1/4" hexagonal sockets 4-14 mm
- · 1/4" long sockets 6-point 4-14 mm

CODE	DESCRIPTION		\boxtimes		PRICE
FMHT0-74295	FATMAX PRO-STACK Insert Socket Set 1/4'' 48 pcs	-	2	3 2 5 3 5 6 0 7 4 2 9 5 9	

FATMAX® PRO-STACK COMBINATION WRENCH SET FOAM INLAY

STANLEY.
FATMAX.



· Combination spanners 10 - 19 mm

CODE	DESCRIPTION	<u>_</u>	\boxtimes		PRICE
FMHT0-74298	FATMAX PRO-STACK Combination wrench set foam inlay 10 pcs	-	2	3 2 5 3 5 6 0 7 4 2 9 8 0	

FATMAX® PRO-STACK® SOCKET SETS

FATMAX® PRO-STACK SOCKET SET 1/2" 26 PCS

STANLEY FATMAX



- · Transparent lid for full visibility
- · Durable, robust design
- · Content:

1× 1/2" 120T bi-material ratchet

12× 1/2" sockets (6-point): 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 20

- 21 - 22 - 23 - 24 - 27 - 30 - 32 - 34 mm

2× 1/2" extensions: 3" - 10"

1× 1/2" Universal joint

1× 1/2" 3-WAY Adapter for Sliding T-handle

· Can be combined with PRO-STACK and TSTAK

· Size: large

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
FMMT98103-1	FATMAX PRO-STACK Socket set 1/2" 26 pcs	-	2	3 2 5 3 5 6 1 9 8 1 0 3 6	

FATMAX® PRO-STACK SOCKET SET 1/4" 37 PCS





- $\cdot \ \text{Transparent lid for full visibility}$
- Durable, robust design
- · Content:

1× 1/4" ratchet wrench

11× 1/4" sockets (6-points profile): 5 - 5.5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14

1× 1/4" socket

30× 1/4" bits: Pozidriv: 1 - 2 - 3

Phillips: 1 - 2 - 3 Hex: 3 - 4 - 5 - 5,5 - 6-7 Slotted: 3 - 4 - 5 - 6 - 7 - 8

Tamperproof torx: 10 - 15 - 20 - 25 - 27 - 30


· Can be combined with PRO-STACK and TSTAK

· Size: small

CODE	DESCRIPTION	<u>-</u>	\boxtimes		PRICE
FMMT19101-0	FATMAX PRO-STACK Socket set 1/4" 37 pcs	-	2	3 2 5 3 5 6 1 9 8 1 0 3 6	

FATMAX® PRO-STACK SOCKET SET 3/8" 18 PCS

STANLEY FATMAX



· Content:

1× 3/8" 120T bi-material ratchet

15× 1/4" sockets (6 point): 5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18

- 19 mm

1× 1/4" extensions: 3"

1× 1/4" Universal joint

 \cdot Can be combined with PRO-STACK and TSTAK

 $\cdot \; \text{Size: medium}$

CODE	DESCRIPTION	<u></u>	\boxtimes		PRIC
FMMT98102-0	FATMAX PRO-STACK Socket set 3/8" 18 pcs	Х	5	3 2 5 3 5 6 0 9 8 1 0 2 0	

FATMAX® PRO-STACK SOCKET SET 1/4" 48 PCS

STANLEY FATMAX.

- · Transparent lid for full visibility
- · Durable, robust design
- · Content:
- 1× 1/4" 120T bi-material ratchet
- 12× 1/4" sockets (6 point): 4 5 5.5 6 7 8 9 10 11 12 13 14 mm
- 2× 1/4" extensions: 3" 6"
- 1× 1/4" bit holder
- 1× 1/4" Universal joint
- 1× 1/4" spinner
- 30× 1/4" bits
- · Can be combined with PRO-STACK and TSTAK
- · Size: medium

CODE	DESCRIPTION		\boxtimes		PRICE
FMMT98101-0	FATMAX PRO-STACK Socket wrench set 1/4" 48 pcs	Х	5	3 253560 981013	

FATMAX® PRO-STACK COMBINATION WRENCH SET 12 PCS



- · Transparent lid for full visibility
- · Durable, robust design
- · Content:

12x Anti-slip combination wrenches: 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 -16 - 17 mm

- \cdot Can be combined with PRO-STACK and TSTAK
- · Size: medium

CODE	DESCRIPTION	Ô	\boxtimes		PRICE
FMMT98104-0	FATMAX PRO-STACK Combination spanner set 12 pcs	Х	4	3 2 5 3 5 6 0 9 8 1 0 4 4	

FATMAX® PRO-STACK COMBINATION WRENCH SET 12 PCS

STANLEY FATMAX



- 1x 1/4' 120T bi-material ratchet
- 13x 1/4' sockets (6-points): 4 4,5 5 5,5 6 7 8 9 10 11 12 13 14 mm
- 11x 1/4' deep sockets (6-points) : 4 5 6 7 8 9 10 11 12 13 14 mm
- 1x Hex Key Set (14pcs) 2x 1/4' extensions : 3" 6"
 1x 1/4' bit holder
- 1x 1/4' universal joint 1x 1/4' Sliding T-handle
- 1x 1/4' spinner
- Rail #1 POZIDRIV PZ1x2 PZ2x2 PZ3 | PHILIPPS: PH1x2- PH2x2 PH3x2
- Rail #2 HEX: 1.5 2 2.5 3 4 5x2 5.5 6 7 8
- Rail #3 RESISTORX: TT10 TT15x2 TT20x2 TT25x2 TT27x2 TT30 TT40
- Rail #4 SLOTTED: 3 4 4.5 5 5.5x2 6 6.5x2 7 8
- 14x 1/4' Anti-Slip Combination Wrenches : 6 7 8 9 10 11 12 13 14 15 16 17 18 19
- DRAWER 3
- 1x 1/2' 120T bi-material ratchet
- 15x 1/2' sockets (6-points) : 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 mm
- 3x 1/2' spark plug sockets : 16 19 21 mm
- · 2x 1/2' extensions : 3" 10" 1x 1/2' universal joint
- 1x 1/2' 3-WAY Adapter for Sliding T-handle

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
FMMT98104-0	FATMAX PRO-STACK Combination spanner set 12 pcs	Х	4	3 2 5 3 5 6 0 9 8 1 0 4 4	

TRANSMODULE SYSTEM

FATMAX® PLIERS SET DYNAGRIP 4 PCS

STANLEY FATMAX



- · Needle Nose Plier 200 mm
- · Side cutter 150 mm
- · Combination plier 180 mm
- · Wire stripping plier 150 mm

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
STMT1-74179	FATMAX Transmodule Pliers Set Dynagrip 4 pcs	Х	4	3 2 5 3 5 6 1 7 4 1 7 9 1	

FATMAX® PLIERS SET CIRCLIPS 4 PCS

STANLEY FATMAX



- · Circlip bar straight internal 1800 mm
- · Circlip bar straight external 1800 mm
- · Circlip bar curved internal 1800 mm
- · Circlip rod bent external 1800 mm

DESCRIPTION	_	\boxtimes		PRICE
FATMAX Transmodule Pliers set Circlips 4 pcs	Х	4	3 2 5 3 5 6 1 7 4 1 8 0 7	
	FATMAX Transmodule Pliers set	FATMAX Transmodule Pliers set	FATMAX Transmodule Pliers set	

FATMAX® SOCKET SET 1/2" - 23 PCS

STANLEY FATMAX



- · 18 sockets (6-points profile): 8, 9, 10 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32mm
- · 1 ratchet NP9
- · 1 L handle 90°
- · 2 extensions: 125 + 250 mm
- · 1 Universal ioint

CODE	DESCRIPTION		\boxtimes		PRICE
STMT1-74173	FATMAX Transmodule Socket set 1/2" 6-points profile	Х	4	3 2 5 3 5 6 1 7 4 1 7 3 9	

FATMAX® SOCKET SET 1/2" - 23 PCS

STANLEY. FATMAX.



- · 18 sockets (12-points profile): 8, 9, 10 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32mm
- · 1 ratchet NP9
- · 1 L handle 90°
- · 2 extensions: 125 + 250 mm
- · 1 Universal joint

CODE	DESCRIPTION	<u>_</u>	\boxtimes		PRICE
STMT1-74726	FATMAX Transmodule Socket set 1/2" 12-points 23 pcs	Х	4	3 2 5 3 5 6 1 7 4 7 2 6 7	

FATMAX® TORX BITSET 1/2" PROFILE 24 PCS

STANLEY FATMAX



- · 9 Torx socket bits: T20, T25, T27, T30, T40, T45, T50, T55, T60
- · 6 Torx long socket bits: T30, T40, T45, T50, T55, T60
- 9 Torx sockets (6-points profile): E10, E11, E12, E14, E16, E18, E20, E22, E24

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
STMT1-74176	FATMAX Transmodule Torx Bitset 1/2" - 24-piece	Х	4	3 2 5 3 5 6 1 7 4 1 7 6 0	

FATMAX® SOCKET SET 3/8" - 36 PCS

STANLEY FATMAX



- · 14 sockets (12-points profile): 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22mm
- 13 long sockets (6-points profile): 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22
- · 3 hex bit sockets: 4, 5, 6 mm
- · 3 Torx bit sockets: T25, T30, T40
- · 1 extension 125 mm
- · 1 Universal joint

· 1 ratchet NP9						
CODE	DESCRIPTION	<u></u>	\boxtimes		PRIC	
STMT1-74174	FATMAX Transmodule Socket set 3/8" 36 pcs	Х	4	3 2 5 3 5 6 1 7 4 1 7 4 6		

FATMAX® SOCKET SET 1/4" 60 PCS

STANLEY FATMAX



- · 13 sockets: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm
- · 13 long sockets: 4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm
- · 3 slotted bits: 4, 5.5, 7mm
- · 3 PZ bits: PZ1, PZ2, PZ3
- · 3 PH bits: PH1, PH2, PH3
- · 3 Hex bits: 2, 2.5, 3, 4, 5, 6mm
- · 8 Torx bits: T6, T7, T8, T9, T10, T15, T20, T25
- · 6 Torx sockets: E4, E5, E6, E7, E8, E10
- · 1 ratchet NP9
- · 1 spinner
- · 2 extensions: 50, 100 mm
- · 1 extension joint 125 mm
- · 1 Universal joint
- · 1 T handle

CODE	DESCRIPTION		\boxtimes		PRICE
STMT1-74175	FATMAX Transmodule Socket set 1/4" 60 pcs	Х	4	3 2 5 3 5 6 1 7 4 1 7 5 3	

FATMAX® OFFSET DOUBLE RING WRENCH SET - 10 PCS

STANLEY FATMAX



 \cdot 10 ring wrenches: 6 × 7 mm, 8 × 9 mm, 10 × 12 mm, 11 × 13 mm, 12 × 14 mm, 14 × 15 mm, 16 × 17 mm, 18 × 19 mm, 21 × 23 mm, 22 × 24mm

CODE	DESCRIPTION		\boxtimes		PRICE
STMT1-74177	FATMAX Transmodule Ring wrench set 10 pcs	Х	4	3 2 5 3 5 6 1 7 4 1 7 7 7	

FATMAX® COMBINATION WRENCH SET 10 PCS

STANLEY FATMAX.



· 16 combination wrenches: 6mm, 7mm, 8mm, 9mm, 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm, 22mm, 24mm

CODE	DESCRIPTION		\boxtimes		PRICE
STMT1-74178	FATMAX Transmodule Combination wrench Set	Х	4	3 2 5 3 5 6 1 7 4 1 7 8 4	

FATMAX® CUSHIONGRIP SCREWDRIVER SET 8 PCS

STANLEY FATMAX



- 4 Cushion Grip Slotted Screwdrivers: 3×100mm, 5×150mm (parallel),
 6.5×150mm, 8×200mm
- \cdot 4 Cushion Grip Phillips screwdrivers: PH0 × 60mm, PH1 × 100mm, PH2 × 125mm, PH3 × 150mm

CODE	DESCRIPTION	<u></u>	\boxtimes		PRIC
STMT1-74181	FATMAX Transmodule Cushiongrip Screws wrench set 8 pcs	Х	4	3 2 5 3 5 6 1 7 4 1 8 1 4	

FATMAX® CUSHION GRIP SCREWDRIVER SET TORX 6 PCS

STANLEY FATMAX



 \cdot 6 Cushion Grip Screwdrivers Torx: T10 × 80mm, T15 × 80mm, T20 × 120mm, T25 × 120mm, T30 × 120mm, T40 × 120mm

CODE	DESCRIPTION	٥	\boxtimes		PRICE
STMT1-74182	FATMAX Transmodule Cushiongrip Screws wrench set Torx 6 pcs	Х	4	3 2 5 3 5 6 1 7 4 1 8 2 1	

TOOL CABINET WITH 7 DRAWERS

STANLEY.
FATMAX

NEW



- · 2 medium and 5 shallow drawers for organizing your tools and accessories
- \cdot Durable work surface, ideal for storing small parts and accessories
- · Worktop with integrated handles
- \cdot Durable drawers with ball bearing slides, also for storing heavier tools
- · With non-slip drawer lining
- Lockable with key on the side for safe storage of the tool
- · Lockable wheels for easy mobility and safety
- · Made in France
- · Load capacity: 300kg total, 20kg per drawer
- Dimensions: L73.5 × H89 × W51.5 cm

CODE	DESCRIPTION	<u>©</u>	\boxtimes		PRICE
STST74305-1	FATMAX Tool Cabinet with 5 drawers	-	1		
STST74306-1	FATMAX Tool Cabinet with 7 drawers	-	1	3 2 5 3 5 6 1 7 4 3 0 6 1	

SELF GRIPPING OIL FILTER WRENCH



- · For oil filters
- · 3/8" drive bit
- · Capacity: 65-110mm
- · Adjusts to fit most oil filters from 63,5 to 121 mm

CODE	DESCRIPTION		\boxtimes		PRICE
STHT80880-0	Self Gripping Oil Filter Wrench	-	-	3253560808808	

DRAIN PLUG WRENCH



- · 8 and 10 mm drive bits
- · Designed for use on:
- · 8mm : Citroen, Peugeot, Renault, Talbot, Volvo
- · 10mm: For gear boxes on different cars (BMW, Ford, Renault, Toyota)

CODE	DESCRIPTION	<u></u>			PRICE
STHT80879-0	Drain Plug Wrench	-	-	3253560808792	

DIESEL GLOW PLUG SOCKETS



- \cdot 8 and 10 mm drive bits
- · Designed for use on:
- · 8mm : Citroen, Peugeot, Renault, Talbot, Volvo
- · 10mm: For gear boxes on different cars (BMW, Ford, Renault, Toyota)

CODE	DESCRIPTION		PRICE
STHT80888-0	Diesel Glow Plug 8 mm	 3253560808792	
STHT81015-0	Diesel Glow Plug 9 mm	3253560810153	
STHT81016-0	Diesel Glow Plug 10 mm	3253560810160	

OIL BITS

- \cdot Used to make the oil change on cars
- \cdot 3/8" Oil drain bits
- \cdot 8 different sizes to fits with most common car brands



CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
STHT81574-0	Oil bit HEX 8 mm	-	-	3253560815745	
STHT81575-0	Oil bit HEX 10 mm	-	-	3253560815752	
STHT81576-0	Oil bit HEX 12 mm	-	-	3253560815769	
STHT81577-0	Oil bit HEX 13 mm	-	-	3253560815776	
STHT81578-0	Oil bit HEX 14 mm	-	-	3253560815783	
STHT81579-0	Oil bit HEX 17 mm	-	-	3253560815790	
STHT81580-0	Oil bit SQUARE 8 mm	-	-	3253560815806	
STHT81581-0	Oil bit SQUARE 10 mm	-	-	3253560815813	

PETROL SPARK PLUG SOCKETS



- \cdot Sockets used to change the spark plugs on a petrol engine car.
- · 3/8" Petrol Spark plugs 14 & 16 mm
- · 2 different sizes to fits with most common petrol car brands

CODE	DESCRIPTION	<u></u>			PRICE
STHT81582-0	Petrol Spark Plug 14 mm	-	-	3253560815820	
STHT81583-0	Petrol Spark Plug 16 mm	-	-	3253560815837	

TELESCOPIC WHEEL TOOL



- · Telescopic handle to unscrew wheel bolts
- · Telescopic handle to more torque
- · 2 sockets: 17/19 mm, 21/23 mm

CODE	DESCRIPTION		\times		PRICE
O-06808THTS	Telescopic Wheel Tool	-	-	3253560808907	

DIGITAL TIRE PRESSURE GAUGE



- · Easy to Read Digital Display
- · Comfort Grip Handle
- · Automotive Chemical Resistant Materials
- · Integrated LED for Use at Night or Dark Areas
- · Measures : 3-150psi | 0,2-10,3Bar | 20,7-1034 KPA | 0,21-10,5kg/cm²

CODE	DESCRIPTION		PRICE
STHT80874-0	Digital Tire Pressure Gauge	 3253560808747	

FLAT TIRE REPAIR KIT



- 4 Cushion Grip Slotted Screwdrivers: 3×100mm, 5×150mm (parallel),
 6.5×150mm, 8×200mm
- \cdot 4 Cushion Grip Phillips screwdrivers: PH0 \times 60mm, PH1 \times 100mm, PH2 \times 125mm, PH3 \times 150mm

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
STHT80891-0	Flat Tire Repair Kit	-	-	3253560808914	

AXEL STANDS - 2 TON



- · 2T axle stands
- · Min height: 278 mm / Max Height: 430 mm
- · Safety pins
- · Foot pads for more stability
- High quality ratchet bar to work in safety conditions

CODE	DESCRIPTION	٥	\boxtimes		PRICE
STMT81255-1	Axel Stands - 2 ton	-	-	3253561812552	

BRAKE WIND BACK CUBE



- · Used to return piston when replacing pads
- · 3/8" square drive
- · Fits five different piston cavity configurations operation on different cars brands

CODE	DESCRIPTION		\boxtimes		PRICE
STHT80883-0	Brake Wind Back Cube	-	-	3253560808839	

FOOT PUMP



- · High Pressure Cylinder Foot Pump
- · Can be used for cars, bikes, balloons... (adapters supplied)
- · Compact Size no need too much room in your car
- · Lightweight about 1kg

CODE	DESCRIPTION		\boxtimes		PRICE
STMT1-74181	Foot Pump	-	-	3253561741814	

OIL DRAINER 15L



- · Capacity 15 liters
- · Impact and hydrocarbon-resistant
- \cdot To be used for floor oil change

CODE	DESCRIPTION	<u>_</u>	\boxtimes		PRICE
STHT80878-1	Oil Drainer	-	-	3253561741814	

FLOOR JACK - 2 TON



- · 2T Floor Jack
- · Min height: 85 mm / Max Height: 381 mm
- · 360 degree swivel saddle for solid load contact
- · Lightweight for fast positioning and maneuverability
- · Rust resistant finish for long life
- · Easy to carry light with handle


CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
STMT81251-1	Floor Jack - 2 ton	-	-	3253561812514	

3 IN 1 – AUTOMOTIVE MULTI TOOL



- \cdot 3/8" Square drive for oil filter / spark plugs / brakes operations / oil drain
- · 1/4" for accessories
- · Can be used with generic tools for automotive repair (bits / sockets)

CODE	DESCRIPTION	<u></u>			PRICE
STHT80872-0	3 in 1 – Automotive Multi tool	-	-	3253560808723	




PLIERS AND SNIPS

The great appeal - in fact the entire point - of pliers and adjustable wrenches is handiness. They should be versatile, durable and designed to accomplish tasks efficiently. STANLEY's are.

STANLEY® pliers and snips are available in a range of sizes, handles, and types for multiple applications in sets or single units.


PRACTICAL INFO

OUR ASSORTIMENT



<mark>12</mark> 31


FATMAX® PLIERS




FATMAX® SIDE CUTTER - END CUTTER - LONG NOSE PLIERS -



CODE	DESCRIPTION	٥	\boxtimes		PRICE
FMHT0-70814	FATMAX Side Cutter 200 mm	Х	6	3 2 5 3 5 6 0 7 0 8 1 4 6	
FMHT0-71851	FATMAX End Cutter 190 mm	Х	6	3 2 5 3 5 6 0 7 1 8 5 1 0	
FMHT0-70812	FATMAX Long Nose Pliers 205 mm	Х	6	3 2 5 3 5 6 0 7 0 8 1 2 2	





CODE	DESCRIPTION	<u>_</u>	\boxtimes		PRIC
FMHT0-75469*	FATMAX Universal pliers 6in1 200 mm	Х	2	3 2 5 3 5 6 0 7 5 4 6 9 3	

FATMAX Diagonal Cutting Pliers


5in1 180mm

PRICE

^{*}Not in the Nordic assortment - special order required. Minimum order quantity appli

FATMAX® MINI COMBINATION PLIERS

STANLEY FATMAX



C	ODE	DESCRIPTION	ð	\boxtimes		PRICE
F	MHT0-80516	FATMAX Mini Combination Pliers 190 mm	Х	6	3 2 5 3 5 6 0 8 0 5 1 6 6	

FATMAX® MINI LONG NOSE PLIERS

STANLEY FATMAX



CODE	DESCRIPTION		\boxtimes		PRICE
FMHT0-80517	FATMAX Mini Long nose Pliers 125 mm	Х	6	3 2 5 3 5 6 0 8 0 5 1 7 3	

FATMAX® MINI SIDE CUTTER

STANLEY.



CODE	DESCRIPTION	<u></u>	\boxtimes		PRIC
FMHT0-80518	FATMAX Mini Side Cutter 120 mm	Х	6	3 2 5 3 5 6 0 8 0 5 1 8 0	

FATMAX® MINI END CUTTER

STANLEY FATMAX



CODE	DESCRIPTION		\boxtimes		PRICE
FMHT0-80519	FATMAX Mini End Cutter 190 mm	Х	6	3 2 5 3 5 6 0 8 0 5 1 9 7	

FATMAX® MINI LONG NOSE PLIERS

STANLEY FATMAX




CODE	DESCRIPTION	<u>_</u>	\boxtimes		PRICE
FMHT0-80520	FATMAX Mini Long Nose Pliers 190 mm	Х	6	3 2 5 3 5 6 0 8 0 5 2 0 3	

FATMAX® MINI CURVED LONG NOSE PLIERS

STANLEY FATMAX



CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
FMHT0-80523	FATMAX Mini Curved Long Nose Pliers 190 mm	Х	6	3 2 5 3 5 6 0 8 0 5 2 3 4	



FATMAX® POWER DIAGONAL CUTTERS

STANLEY FATMAX



CODE	DESCRIPTION		\boxtimes		PRICE
0-89-860	FATMAX Power Diagonal Cutter Maxsteel 160 mm	Х	10	3 2 5 3 5 6 0 8 9 8 6 0 1	
0-89-861	FATMAX Power Diagonal Cutter Maxsteel 200 mm	Х	10	3 2 5 3 5 6 0 8 9 8 6 1 8	

FATMAX® DIAGONAL CUTTERS

STANLEY FATMAX



CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
0-89-858	FATMAX Diagonal Cutter Maxsteel 160 mm	Х	10	3 2 5 3 5 6 0 8 9 8 5 8 8	
0-89-859	FATMAX Diagonal Cutter Maxsteel 200 mm	Х	10	3 2 5 3 5 6 0 8 9 8 5 9 5	

FATMAX® END CUTTER

STANLEY FATMAX



CODE	DESCRIPTION	Õ	\boxtimes		PRICE
0-89-875	FATMAX End cutter Maxsteel 160 mm	Х	10	3 2 5 3 5 6 0 8 9 8 7 5 5	

FATMAX® STRAIGHT LONG NOSE PLIERS

STANLEY FATMAX



CODE	DESCRIPTION	٥	\boxtimes		PRICE
0-89-869	FATMAX Straight Long nose Pliers Maxsteel 160 mm	х	10	3 2 5 3 5 6 0 8 9 8 6 9 4	
0-89-870	FATMAX Straight Long nose Pliers Maxsteel 200 mm	Х	10	3 2 5 3 5 6 0 8 9 8 7 0 0	

FATMAX® CURVED LONG NOSE PLIERS



CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
0-89-871	FATMAX Curved Long nose Pliers Maxsteel 160 mm	Х	4	3 2 5 3 5 6 0 8 9 8 7 1 7	
0-89-872	FATMAX Curved Long nose Pliers Maxsteel 200 mm	Х	10	3 2 5 3 5 6 0 8 9 8 7 2 4	

FATMAX® FLAT LONG NOSE PLIERS

STANLEY FATMAX

CODE	DESCRIPTION		\boxtimes		PRIC
0-84-495	FATMAX flat long nose pliers 160 mm	Х	10	3 2 5 3 5 6 0 8 4 4 9 5 0	



FATMAX® ROUND LONG NOSE PLIERS

STANLEY FATMAX



CODE	DESCRIPTION	2	\boxtimes		PRICE
0-84-496*	FATMAX Round Long nose pliers 160 mm	Х	10	3 2 5 3 5 6 0 8 4 4 9 6 7	

Not in the Nordic assortment - special order required. Minimum order quantity applied

FATMAX® WIRE STRIPPER



CODE	DESCRIPTION	٥	\boxtimes		PRICE
0-89-873	FATMAX Wire Stripper Maxsteel 160 mm	Х	10	3 2 5 3 5 6 0 8 9 8 7 3 1	

FATMAX® CABLE CUTTER STANLEY FATMAX



CODE	DESCRIPTION	٥	\boxtimes		PRICE
0-89-874	FATMAX Cable cutter Maxsteel 215 mm	Х	4	3 2 5 3 5 6 0 8 9 8 7 4 8	

FATMAX® WATER PUMP PLIERS PUSHLOCK





- \cdot Easy to use patented PUSHLOCKTM adjustment button
- · Fully adjustable in 17 positions
- · Optimised jaw geometry for multiple gripping applications
- · Induction hardened jaws
- · Ergonomic bi-material handle
- · Jaw Capacity: 200mm to 50mm, 250mm to 62mm, 300mm to 75mm

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
0-84-647	FATMAX Water pump pliers 200 mm	Х	4	3 2 5 3 5 6 0 8 4 6 4 7 3	
0-84-648	FATMAX Water pump pliers 250 mm	Х	4	3 2 5 3 5 6 0 8 4 6 4 8 0	
0-84-649	FATMAX Water pump pliers 300 mm	Х	4	3 2 5 3 5 6 0 8 4 6 4 9 7	

FATMAX® MOTOR PLIERS

STANLEY. FATMAX




- · Easy to use patented PUSHLOCK™ adjustment button
- · 3 lockable positions
- · Laser marking for identification 3 positions
- · Induction hardened jaws
- · Ergonomic bi-material handles

CODE	DESCRIPTION	٥	\boxtimes		PRI
0-84-645*	FATMAX Motor Pliers 150 mm	Χ	4	3 2 5 3 5 6 0 8 4 6 4 5 9	
0-84-646*	FATMAX Motor Pliers 200 mm	Х	4	3 2 5 3 5 6 0 8 4 6 4 6 6	

*Not in the Nordic assortment - special order required. Minimum order quantity applied.

DYNAGRIP® PLIERS

DYNAGRIP® COMBINATION PLIERS



DYNAGRIP® WATER PUMP PLIERS 250 MM



CODE	DESCRIPTION	<u>_</u>	\boxtimes		PRICE
STHT0-74361	Dynagrip Water pump pliers 250 mm	Х	6	3 2 5 3 5 6 0 7 4 3 6 1 1	

DYNAGRIP® SIDE CUTTER



CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
STHT0-74362	Dynagrip Side Cutter 150 mm	Х	12	3 2 5 3 5 6 0 7 4 3 6 2 8	
STHT0-74455	Dynagrip Side Cutter 180 mm	Х	12	3 2 5 3 5 6 0 7 4 4 5 5 7	

DYNAGRIP® END CUTTER - 150 MM



CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
STHT0-75067*	Dynagrip Head cutter 150 mm	Х	12	3 2 5 3 5 6 0 7 5 0 6 7 1	

^{*}Not in the Nordic assortment - special order required. Minimum order quantity applied.

DYNAGRIP® WIRE STRIPPER - 150 MM



CODE	DESCRIPTION		\boxtimes		PRICE
STHT0-75068	Dynagrip stripping tool 150 mm	Χ	12	3 2 5 3 5 6 0 7 5 0 6 8 8	

DYNAGRIP® LONG NOSE PLIERS



CODE	DESCRIPTION		\boxtimes		PRICE
STHT0-74363	Dynagrip Long nose Pliers 150 mm	Х	12	3 2 5 3 5 6 0 7 4 3 6 3 5	
STHT0-74364	Dynagrip Long nose Pliers 200 mm	Х	12	3 2 5 3 5 6 0 7 4 3 6 4 2	

WATERPUMP PLIER - 240MM




- · Black phosphate finish
- · Browned head
- · Branches sheathed with yellow PVC
- · Equipped with a safety stop
- · finger guard for better control & added user safety
- · Interlocking joint assembly for smooth cutting
- · Interposed hinge and double adjustment 7 positions

CODE	DESCRIPTION	٥	\boxtimes		PRICE
2-84-017	WATERPUMP PLIER 240MM	Χ	12	3253562840172	

VDE PLIERS

VDE COMBINATION PLIERS



CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
0-84-000*	VDE 1000 V Combination pliers 160 mm	Х	10	3 2 5 3 5 6 0 8 4 0 0 0 6	
0-84-001*	VDE 1000 V Combination pliers 180 mm	Х	10	3 2 5 3 5 6 0 8 4 0 0 1 3	
0-84-002*	VDE 1000 V Combination pliers 200 mm	Х	8	3 2 5 3 5 6 0 8 4 0 0 2 0	

^{*}Not in the Nordic assortment - special order required. Minimum order quantity applied.

VDE POWER SIDE CUTTER



CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
0-84-003	VDE 1000 V Power side cutter 180 mm	Х	4	3 2 5 3 5 6 0 8 4 0 0 3 7	
0-84-004*	VDE 1000 V Power side cutter 195 mm	Х	4	3 2 5 3 5 6 0 8 4 0 0 4 4	

^{*}Not in the Nordic assortment - special order required. Minimum order quantity applied.

VDE LONG NOSE PLIERS



CODE	DESCRIPTION		\boxtimes		PRICE
0-84-006*	VDE 1000V Long nose 160 mm	Х	4	3 2 5 3 5 6 0 8 4 0 0 6 8	
0-84-007	VDE 1000 V Long nose pliers 200 mm	Х	4	3 2 5 3 5 6 0 8 4 0 0 7 5	

^{*}Not in the Nordic assortment - special order required. Minimum order quantity applied.

VDE CURVED LONG NOSE PLIERS



CODE	DESCRIPTION	٥	\boxtimes		PRICE
0-84-008	VDE 1000 V Curved Long nose Pliers 200 mm	Х	10	3 2 5 3 5 6 0 8 4 0 0 8 2	

VDE SIDE CUTTER



CODE	DESCRIPTION	<u></u>	\boxtimes		PRIC
0-84-009	VDE 1000 V Side cutter 160 mm	Х	10	3 2 5 3 5 6 0 8 4 0 0 9 9	

VDE WIRE STRIPPER



CODE	DESCRIPTION	٥	\boxtimes		PRICE
0-84-010	VDE 1000 V Wire stripper 170 mm	Х	10	3 253560 840105	

VDE END CUTTER



CODE	DESCRIPTION	<u>_</u>	\boxtimes		PRIC
0-84-016*	VDE 1000 V End cutter 160 mm	Х	10	3 2 5 3 5 6 0 8 4 0 1 6 7	
*Not in the	Nordic assortment - special order re	auired.	Minir	num order quantity applied.	

PLIERS SET

FATMAX® POWER TONGS SET - 40% MORE POWER 3 PCS

STANLEY FATMAX

- \cdot Double hinge construction for more cutting power
- · Additional power transmission
- · Carbon steel construction
- · Conforms to ANSI specifications
- · Bi-material handle
- \cdot 40% more power than regular pliers

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
FMHT0-72415	FATMAX Power tongs set 3-piece	Х	6	3 2 5 3 5 6 0 7 2 4 1 5 3	

FATMAX® MINI PLIERS SET 6 PCS

STANLEY FATMAX



- \cdot Very compact model for work on small workpieces or in confined spaces
- · Ergonomic bi-material handle
- · Opening spring to operate float
- · Precision cutting edges

CODE	DESCRIPTION		\boxtimes		PRICE
FMHT0-80541	FATMAX Mini Pliers Set 6 pcs	Х	6	3 2 5 3 5 6 0 8 0 5 4 1 8	

FATMAX® MINI PLIERS SET 3 PCS

STANLEY.



- · Very compact model for work on small workpieces or in confined spaces
- · Ergonomic bi-material handle
- · Opening spring to operate float
- · Precision cutting edges

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
FMHT0-80524	FATMAX Mini Pliers Set 3 pcs	Х	6	3 2 5 3 5 6 0 8 0 5 2 4 1	

FATMAX® PLIERS SET 3 PCS

STANLEY FATMAX



Contents: Straight Long nose Pliers 160 mm, Combination Pliers 180 mm,
 Side Cutter 160 mm

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
4-84-488	FATMAX Pliers Set 3 pcs	Х	6	3 2 5 3 5 6 4 8 4 4 8 8 8	



VDE PLIERS SET 4 PCS



 \cdot Contents: combination pliers 160 mm, side cutter 175 mm, Long nose pliers 160 mm, stripping pliers 170 mm

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
4-84-489	VDE pliers set 4 pcs	Х	4	3 2 5 3 5 6 4 8 4 4 8 9 5	



DYNAGRIP® PLIERS SET WATER PUMP PLIERS 3-PIECE



· Contents: combination pliers 150 mm, side cutter 150 mm, water pump pliers 250 mm

ZJU IIIIII					
CODE	DESCRIPTION		\boxtimes		PRICE
STHT0-74471	Dynagrip Pliers Set CG Water Pump Pliers 3-piece	Х	6	3 2 5 3 5 6 0 7 4 4 7 1 7	

DYNAGRIP® PLIERS SET CG 150 MM 3 PCS



 \cdot Contents: combination pliers 150 mm, side cutter 150 mm, Long nose pliers

130 111111					
CODE	DESCRIPTION		\boxtimes		PRICE
STHT0-75094	Dynagrip Pliers Set CG 150 mm 3 pcs	Х	12	3 2 5 3 5 6 0 7 5 0 9 4 7	

BASIC PLIERS SET



- $\cdot \ \textbf{Comfortable handle}$
- · Forged and hardened carbon steel
- · Hardened jaws
- · Polished head
- \cdot 152mm adjustable combination pliers (2 positions), 152mm Long nose pliers, 152mm side cutter

CODE	DESCRIPTION		\boxtimes		PRICE
0-84-114	Basic Pliers Set	Х	4	3 2 5 3 5 6 0 8 4 1 1 4 0	

BASIC PLIERS SET WITH WATER PUMP PLIERS



- · Comfortable handle
- $\boldsymbol{\cdot}$ Forged and hardened carbon steel
- · Hardened jaws
- · Polished head
- \cdot 152mm adjustable combination pliers (2 positions), 152mm Long nose pliers, 254mm water pump pliers

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
0-84-892	Basic Pliers Set With Water Pump Pliers	Х	4	3 2 5 3 5 6 0 8 4 8 9 2 7	

LOCKING PLIERS

LOCKING PLIERS CURVED JAW



- · Anti-rust chrome housing
- · Accurately machined jaw
- · Clamping force adjustable with screw
- · Quick release lever

CODE	DESCRIPTION	٥	\boxtimes		PRIC
0-84-808	Locking Pliers Curved Jaws 185 mm (L) 36 mm (Jaw)	-	4	3 253560 848088	
0-84-809	Locking Pliers Curved Jaws 225 mm (L) 53 mm (Jaw)	-	4	3 2 5 3 5 6 0 8 4 8 0 9 5	

LOCKING PLIERS STRAIGHT JAW



- · Anti-rust chrome housing
- · Accurately machined jaw
- · Clamping force adjustable with screw
- · Quick release lever

CODE	DESCRIPTION	٥	\boxtimes		PRICE
0-84-810	Locking Pliers Straight Jaws 190 mm (L) 38 mm (Jaw)	-	4	3 2 5 3 5 6 0 8 4 8 1 0 1	
0-84-811	Locking Pliers Straight Jaws 225 mm (L) 50 mm (Jaw)	-	4	3 2 5 3 5 6 0 8 4 8 1 1 8	

LOCKING PLIERS LONG JAW



- · Anti-rust chrome housing
- · Accurately machined jaw
- · Clamping force adjustable with screw
- · Quick release lever

CODE	DESCRIPTION		\boxtimes		PRICE
0-84-812	Locking Pliers Long Jaws 170 mm (L) 62 mm (Jaw)	-	4	3 2 5 3 5 6 0 8 4 8 1 2 5	
0-84-813*	Locking Pliers Long Jaws 215 mm (L) 75 mm (Jaw)	-	4	3 2 5 3 5 6 0 8 4 8 1 3 2	

LOCKING PLIERS "V" JAW



- · Anti-rust chrome housing
- · Accurately machined jaw
- · Toothing all over the mouth
- · Clamping force adjustable with screw
- · Quick release lever

CODE	DESCRIPTION	<u>_</u>	\boxtimes		PRICE
0-84-814*	Locking Pliers "V" Jaws 225 mm (L) 47 mm (Jaw)	-	4	3 2 5 3 5 6 0 8 4 8 1 4 9	

*Not in the Nordic assortment - special order required. Minimum order quantity applied.

LOCKING PLIERS "C" JAW



- · Anti-rust chrome housing
- · Accurately machined jaw
- · Toothing all over the mouth
- · Clamping force adjustable with screw
- · Quick release lever

CODE	DESCRIPTION		\boxtimes		PRICE
0-84-816*	Locking Pliers "C" Jaws 285 mm (L) 90 mm (Jaw)	-	4	3 2 5 3 5 6 0 8 4 8 1 6 3	
0-84-815	Locking Pliers "C" Jaws 170 mm (L) 45 mm (Jaw)	-	4	3 2 5 3 5 6 0 8 4 8 1 5 6	

LOCKING PLIERS WITH LARGE JAW



- · Forged combined straight and curved jaws for clamping to a variety of shaped surfaces throughout the industry
- · Wide opening jaws with 4 positions
- Acts as a "third man" in many applications
- · Knurled adjusting nut to adjust the clamping pressure
- · Quick release lever
- · Nickel-coated pressed steel handles
- Textured handle to improve grip even with oily hands

CODE	DESCRIPTION		\boxtimes		PRICE
1-84-199*	Locking pliers Large Jaw 250 mm	-	1	3 2 5 3 5 6 1 8 4 1 9 9 6	

^{*}Not in the Nordic assortment - special order required. Minimum order quantity applied.

FATMAX® LOCKING PLIERS

FATMAX® LOCKING PLIERS CURVED JAWS

STANLEY FATMAX



- · Easy release when the TRULOCK is disengaged the squeeze to release
- Security no accidental release due to TRULOCK
- · Eyebolts for higher torque tightening and faster winding
- \cdot Firm grip optimised jaw and tooth geometry design
- · New rust resistant black finish on high-performance steel for a longer life
- · Induction hardened CR-V Jaws for long-life

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
FMHT0-75409	FATMAX Locking Pliers Curved Jaws 180 mm	Х	4	3 2 5 3 5 6 0 7 5 4 0 9 9	
FMHT0-74886	FATMAX Locking Pliers Curved Jaws 250 mm	-	2	3 2 5 3 5 6 0 7 4 8 8 6 9	

FATMAX® LOCKING PLIERS STRAIGHT JAWS

STANLEY FATMAX.



- · Easy release when the TRULOCK is disengaged the squeeze to release Security - no accidental release due to TRULOCK
- · Eyebolts for higher torque tightening and faster winding
- · Firm grip optimised jaw and tooth geometry design
- · New rust resistant black finish on high-performance steel for a longer life
- · Induction hardened CR-V Jaws for long-life

CODE	DESCRIPTION	٥	\boxtimes		PRICE
FMHT0-75467	FATMAX Locking Pliers Straight Jaws 180 mm	Х	4	3 2 5 3 5 6 0 7 5 4 6 7 9	
FMHT0-74884	FATMAX Locking Pliers Straight Jaws 250 mm	-	2	3 2 5 3 5 6 0 7 4 8 8 4 5	

FATMAX® LOCKING PLIERS LONG JAWS

STANLEY FATMAX.

- \cdot Easy release when the TRULOCK is disengaged the squeeze to release Security - no accidental release due to TRULOCK
- · Eyebolts for higher torque tightening and faster winding
- · Firm grip optimised jaw and tooth geometry design
- · New rust resistant black finish on high-performance steel for a longer life
- · Induction hardened CR-V Jaws for long-life

C) Gilmina
STANLEY
(C)

CODE	DESCRIPTION	٥	\boxtimes		PRICE
FMHT0-75438	FATMAX Grip Pliers Long Jaws 150 mm	Χ	4	3 2 5 3 5 6 0 7 5 4 3 8 9	
FMHT0-74888	FATMAX Grip Pliers Long Jaws 220 mm	-	2	3 2 5 3 5 6 0 7 4 8 8 8 3	

FATMAX® LOCKING PLIERS "C" JAW

STANLEY FATMAX.



- · Easy release when the TRULOCK is disengaged the squeeze to release

- · Induction hardened CR-V Jaws for long-life

CODE	DESCRIPTION		\boxtimes		PRICE
FMHT0-75408	FATMAX Grip Pliers "C" Jaw 150 mm	Х	4	3 2 5 3 5 6 0 7 5 4 0 8 2	
FMHT0-74892	FATMAX Grip Pliers "C" Jaw 280 mm	-	2	3 2 5 3 5 6 0 7 4 8 9 2 0	

SPECIFIC PLIERS

FATMAX® AUTOMATIC WIRE STRIPPER

STANLEY FATMAX



- · Automatically adjustable wire stripper
- · Suitable for stripping copper and aluminum wire up to 10 mm² (multiple wire) and up to 6 mm² (single wire)
- · Ergonomic non-slip handle

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
FMHT0-96230	FATMAX Automatic Wire Stripper	-	6	3 2 5 3 5 6 0 9 6 2 3 0 2	


CRIMPING PLIER 220 MM - DIPPED HANDLE





- · Crimpina: 1.5 / 2.5 / 6 mm²
- · Wire stripper: 0.75 6 mm²
- · Bolt cutter
- · Black finish
- · Ergonomic handle
- · Fast and smooth use

CODE	DESCRIPTION	<u>~</u>	\boxtimes		PRICE
STHT0-75414	Crimping plier 220 mm	-	2	3 2 5 3 5 6 0 7 5 4 1 4 3	

STUD CRIMPING TOOL 260 MM







FATMAX® RUSSIAN END NIPPERS

STANLEY. FATMAX.



- · Accurate cutting surfaces
- \cdot Long service life of the cutting edges due to high-frequency treatment up to 60 HRC
- · Ergonomic handles, rounded for easy handling
- Pivot point close to the cutting edge for optimum transmission with minimal effort
- · Cutting capacity: up to 4.5 mm at 80 kg/mm² and up to 1.6 mm at 160 kg/mm²

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
4-95-098*	FATMAX Russian end nippers 250 mm	Х	2	3 2 5 3 5 6 4 9 5 0 9 8 5	
4-95-100*	FATMAX Russian end nippers 300 mm	Х	2	3 2 5 3 5 6 4 9 5 1 0 0 5	

*Not in the Nordic assortment - special order required. Minimum order quantity applied

RUSSIAN END NIPPERS



- · High alloy steel
- · Induction hardened cutting edges
- · Complies with ISO 9242 DIN 5242 standards
- \cdot Blank finished surfaces of the clamps with chemically blackened and
- lacquered handle for protection
- Very common in concrete work for twisting and cutting tie wires on reinforcement bars or rebars

CODE	DESCRIPTION		\boxtimes		PRIC
1-84-182*	Russian End nippers 280 mm	-	6	3 2 5 3 5 6 1 8 4 1 8 2 8	

*Not in the Nordic assortment - special order required. Minimum order quantity applied

END NIPPERS - DIPPED HANDLE



- · High alloy steel
- · Induction hardened cutting edges
- · Complies with ISO 9242- DIN 5242 standards
- · Blank finished surfaces of the clamps with chemically blackened and handle with yellow plastic cover for protection
- Very common in concrete work for twisting and cutting tie wires on reinforcement bars or rebars

CODE	DESCRIPTION	Õ	\boxtimes		PRICE
2-84-208	End nippers plastic 250 mm	Х	6	3 2 5 3 5 6 2 8 4 2 0 8 4	

CARPENTER'S PINCERS



- · High alloy steel with precision broached jaws and cutting edges
- · Flat handle for comfortable use
- · Complies with ISO 9243 and DIN 5241 standards
- · Black lacquered polished head for long life

CODE	DESCRIPTION		\boxtimes		PRICE
2-84-183	Carpenter's Pincers 180 mm	Х	6	3 2 5 3 5 6 2 8 4 1 8 3 4	
2-84-184	Carpenter's Pincers 225 mm	Х	6	3 2 5 3 5 6 2 8 4 1 8 4 1	
2-84-185*	Carpenter's Pincers 250 mm	Х	6	3 2 5 3 5 6 2 8 4 1 8 5 8	

*Not in the Nordic assortment - special order required. Minimum order quantity applied.

HOLE PUNCH PLIERS



- · Hole punch: 2-3, 3-3, 5-4, 5-5
- Durable chrome finishing
- · Ergonomic handle
- · Locking trigger for safety

CODE	DESCRIPTION	៉	\boxtimes		PRICE
STHT0-75044	Hole Punch Pliers	Х	15	3 2 5 3 5 6 0 7 5 0 4 4 2	

AVIATION SNIPS

FATMAX® ERGO AVIATION SNIPS - 250 MM - LEFT CUTTING

STANLEY FATMAX



- · Improved Pivot Bolt Design for increased durability low profile
- Precision Cut Blade Markings for precise cuts
- Slim / Flush Hardware Allows for quick and easy access in and out of the work pouch/holster
- US ERGO Certified Handle
- · Improved Latch Design for quick, one-handed opening/closing
- · Cutting capacity: 18swg/1.2mm plain steel, 22swg/0.8mm stainless steel

CODE	DESCRIPTION	٥	\boxtimes		PRIC
FMHT73755-0	FATMAX Ergo Aviation Snips - 250mm Left Cutting	Х	4	3 2 5 3 5 6 0 7 3 7 5 5 9	

FATMAX® ERGO AVIATION SNIPS - 250 MM - STRAIGHT CUTTING

STANLEY FATMAX



- · Improved Pivot Bolt Design for increased durability low profile
- · Precision Cut Blade Markings for precise cuts
- · Slim / Flush Hardware Allows for quick and easy access in and out of the work pouch/holster
- · US ERGO Certified Handle
- · Improved Latch Design for quick, one-handed opening/closing
- · Cutting capacity: 18swg/1.2mm plain steel, 22swg/0.8mm stainless steel

CODE	DESCRIPTION	٥	\boxtimes		PRICE
FMHT73756-0	FATMAX Ergo Aviation Snips - 250 mm Straight Cutting	Х	4	3 2 5 3 5 6 0 7 3 7 5 6 6	

FATMAX® ERGO AVIATION SNIPS - 250 MM - RIGHT CUTTING

STANLEY.



- · Improved Pivot Bolt Design for increased durability low profile
- Precision Cut Blade Markings for precise cuts
- Slim / Flush Hardware Allows for quick and easy access in and out of the work pouch/holster
- **US ERGO Certified Handle**
- · Improved Latch Design for quick, one-handed opening/closing
- · Cutting capacity: 18swg/1.2mm plain steel, 22swg/0.8mm stainless steel

CODE	DESCRIPTION	<u>_</u>	\boxtimes		PRICE
FMHT73557-0	FATMAX Ergo Aviation Snips - 250mm Right Cutting	Х	4	3 2 5 3 5 6 0 7 3 5 5 7 9	

STANLEY® FATMAX® AVIATION SNIPS STRAIGHT CUT COMPOUND ACTION

STANLEY FATMAX

- Excellent for cutting aluminium, vinyl siding, screening, cardboard, leather and copper
- · Exceeds ANSI standards for cutting performance and durability
- · High leverage, compound cutting design cuts up to 18 guage steel
- \cdot Made from forged alloy steel for strength and durability
- $\boldsymbol{\cdot}$ Patented hinge plate for easy product function identification
- · Permanent identification plate for the direction of cutting
- · Serated cutting edges prevent slippage when cutting
- · Twin spiral spring for increased longevity



FATMAX® AVIATION SNIPS COMPOUND ACTION - LEFT & RIGHT CUT

STANLEY FATMAX



- Excellent for cutting aluminium, vinyl siding, screening, cardboard, leather and copper
- · Exceeds ANSI standards for cutting performance and durability
- · High leverage, compound cutting design cuts up to 18 guage steel
- · Made from forged alloy steel for strength and durability
- · Patented hinge plate for easy product function identification
- $\boldsymbol{\cdot}$ Permanent identification plate for the direction of cutting
- $\cdot \ \textbf{Serated cutting edges prevent slippage when cutting}$
- · Twin spiral spring for increased longevity

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
2-14-562	FATMAX Aviation Snips Compound action - Left	Х	6	3 2 5 3 5 6 2 1 4 5 6 2 8	
2-14-564	FATMAX Aviation Snips Compound action - Right	Х	6	3 2 5 3 5 6 2 1 4 5 6 4 2	

STANLEY® FATMAX® MAXSTEEL™ AVIATION SNIPS

STANLEY.



- · Bi-material easy grip handles
- · Double pivot action for high cutting power
- · Cuts up to 18 gauge mild steel 0.7 to 1.2mm
- · Also suitable for cutting aluminum, UPVC sheet, wire mesh, leather, copper and plastic
- · One handed automatic latch release
- · Made from forged alloy steel for strength and durability
- · Meets or exceeds ANSI standards
- · Serated cutting edges prevent slippage when cutting


CODE	DESCRIPTION		\boxtimes		PRICE
2-14-567	FATMAX® MaxSteel™ Aviation Snips Left	Х	6	3 2 5 3 5 6 2 1 4 5 6 7 3	
2-14-568	FATMAX® MaxSteel™ Aviation Snips Right	Х	6	3 2 5 3 5 6 2 1 4 5 6 8 0	

33!

BOLT CUTTERS

BOLT CUTTERS - TUBULAR HANDLES






- · Strong & durable material: forged molybdenum steel
- · Maximum cutting capacity: 10 mm at 160 kg/mm²
- · GSA AA-3047 compliant
- · Ergonomic handles
- · Adjustable jaws (sold separately)
- · Supplied with technical info card

CODE	DESCRIPTION	<u>_</u>	\boxtimes		PRIC	
I-17-750*	Bolt cutters 350 mm / 14" tubular handles	-	1	3 2 5 3 5 6 1 1 7 7 5 0 7		
I-17-751*	Bolt cutters 450 mm / 18" tubular handles	-	1	3 2 5 3 5 6 1 1 7 7 5 1 4		
I-17-752*	Bolt cutters 600 mm / 24" tubular handles	-	1	3 2 5 3 5 6 1 1 7 7 5 2 1		
I-17-753*	Bolt cutters 750 mm / 30" tubular handles	-	1	3 2 5 3 5 6 1 1 7 7 5 3 8		
I-17-754*	Bolt cutters 900 mm / 36" tubular handles	-	1	3 2 5 3 5 6 1 1 7 7 5 4 5		
I-17-755*	Bolt cutters 1050 mm / 42" tubular handles	-	1	3 2 5 3 5 6 1 1 7 7 5 5 2		
*Not in the Nordia accortment, special order required. Minimum order quantity applied						

*Not in the Nordic assortment - special order required. Minimum order quantity applied

BOLT CUTTERS - FORGED HANDLES



- · Strong & durable material: forged molybdenum steel
- · Maximum cutting capacity: 10 mm at 160 kg/mm²
- · GSA AA-3047 compliant
- · Ergonomic handles
- · Adjustable jaws (sold separately)
- · Supplied with technical info card

CODE	DESCRIPTION	<u>_</u>	\boxtimes		PRICE
1-95-564	Bolt cutters 450mm / 18" forged handles	-	1	3 2 5 3 5 6 1 9 5 5 6 4 8	
1-95-565	Bolt cutters 600mm / 24" forged handles	-	1	3 2 5 3 5 6 1 9 5 5 6 5 5	
1-95-566	Bolt cutters 750 mm / 30" forged handles	-	1	3 2 5 3 5 6 1 9 5 5 6 6 2	
1-95-567	Bolt cutters 900 mm / 36" forged handles	-	1	3 2 5 3 5 6 1 9 5 5 6 7 9	

REPLACEMENT JAWS FOR BOLT CUTTERS



CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
1-17-756*	Replacement jaws for 1-17-750 (350mm)	-	1	3 2 5 3 5 6 1 1 7 7 5 6 9	
1-17-757*	Spare jaws for 1-17-151 and 1-95-564 (450m)	-	1	3 2 5 3 5 6 1 1 7 7 5 7 6	
1-17-758*	Spare jaws for 1-17-152 and 1-95-565 (600mm)	-	1	3 2 5 3 5 6 1 1 7 7 5 8 3	
1-17-759*	Spare jaws for 1-17-753 and 1-95-566 (750mm)	-	1	3 2 5 3 5 6 1 1 7 7 5 9 0	
1-17-760*	Spare jaws for 1-17-754 and 1-95-567 (900mm)	-	1	3 2 5 3 5 6 1 1 7 7 6 0 6	
1-95-569*	Spare jaws for 1-17-755 (1050mm)	-	1	3 2 5 3 5 6 1 9 5 5 6 9 3	

*Not in the Nordic assortment - special order required. Minimum order quantity applied.

THE MEASURE OF A PRO™

 \sim




FASTENING TOOLS


Ease of use is rule number one in fastening. STANLEY® fastening tools are filled with features that make them a snap to operate. Our staple guns have easy-to-squeeze triggers and comfortable handles to reduce hand fatigue. Our tackers feature shock-absorbing handles. Our glue guns are trigger fed. And we lengthened the handles on our riveters so they'd require less force to engage. We even made se lecting and storing fasteners hassle-free with colorcoded packaging for accurate identification in the store and water-resistant cases for durability on the work site.



STAPLES AND NAILS

STAPLES AND NAILS





PRACTICAL INFO

CHOOSE THE RIGHT STAPLER AND TACKER







MANUAL STAPLE GUN

Top performance for most fastening applications

- Shoot a variety of staple sizes and formats, including cable staples and brads
- Fast and accurate fastening in most applications
- TIP 1: Choose the best staple type for the job. If you want to remove it later select the shortest that is suitable, if it is to be permanent select a longer staple. Set the power to hi or lo setting and test on a scrap piece.
- TIP 2: If the staples are to be visible it is good practice to try to keep them in alignment and an equal distance apart for accurate spacing it's a good idea to make a gauge.
- TIP 3: If you are stapling fragile materials that have a distinct structure like wood veneer, always position the staple across the grain for greater strength. With sor thin materials, even on low power, the staple may tend to cut through and become ineffective. Change to a broad crown staple or add a piece of stronger material between the staple crown and the work piece.
- TIP 4: When work is completed fi re off one fi nal staple and hold the handle in the closed position and place the wire loop over the plastic hook on the handle to hold the handle in the closed position for storage.

HAMMER TACKER

For heavy duty applications and fast stapling

 Fixing sheet materials such as insulation and waterproof membranes to wood Ideal for flooring, roofing and pallet labelling

ELECTRICAL STAPLE GUN

Ideal for heavy duty applications in MDF and Plywood. Electric staples provide constant firing power.

- Renovation & woodworking
- Installation and repair of fences

STAPLE GUNS

6-TR35 JUNIOR STAPLE GUN



- · Compact & light with plastic housing
- \cdot "Easy Squeeze" mechanism for 25% easier use
- · Staple re-load window allows you to re-load staples when needed
- · Anti-blocking function
- · Integrated gauge for precise alignment of the tacker to the material
- · Suitable for type A staples: 6, 8 and 10 mm

co	DE	DESCRIPTION	<u></u>	\boxtimes		PRICE
6-1	FR35	6-TR35 Junior Staple gun	Х	6	3 2 5 3 5 6 6 0 5 6 3 8 8	



6-TR40 STAPLE GUN

NIEUW



- Fasy to onerate
- · Staple re-load window allows you to re-load staples when needed
- · Easy to load
- · Built-in staple remover
- · Small and compact convenient to store
- · Suitable for type A staples: 6, 8 and 10 mm

CODE	DESCRIPTION	0	\boxtimes		PRICE
6-TR40	6-TR45 Staple gun	Х	6	3 2 5 3 5 6 6 0 5 6 5 3 1	



6-TR45 BASIC STAPLE GUN



- · For occasional hobby use
- · Robust steel design
- \cdot Easy and fast loading
- · Lock down handle for easier storage
- \cdot Suitable for type A staples: 6, 8 and 10 mm

CODE	DESCRIPTION		\boxtimes		PRICE
6-TR45	6-TR45 Basic Staple gun	Х	4	3 2 5 3 5 6 6 0 5 0 4 5 4	



6-TR150L LIGHT STAPLE GUN FOR STAPLES AND NAILS



- · For general applications
- · Versatile deployment options
- · Robust aluminum housing
- · Light weight, high load capacity
- · Lock down handle- for easy and compacy storage
- · Easy and fast loading
- · Suitable for type A staples: 6, 8, 10, 12 and 14 mm
- · Suitable for type J nails: 12 and 15 mm

CODE	DESCRIPTION	Ô	\boxtimes		PRICE
6-TR150L	6-TR150L Light Staple gun for stapling and nails	Х	6	3 2 5 3 5 6 6 0 6 0 5 1 4	





6-TR120 LIGHT STAPLE GUN 3 IN 1



- · Staple re-load window allows you to re-load staples when needed
- · Anti-blocking function
- · Easy and fast loading
- · Lockable
- · Ergonomic handle
- · Suitable for type A staples: 6, 8 and 10 mm
- · Suitable for type H staples: 6, 8 and 10 mm
- · Suitable for type J nails: 10 mm
- · Supplied with staples: 500× staples type A 10 mm

CODE	DESCRIPTION	٥	\boxtimes		PRICE
STHT6-70410	6-TR120 Light Staple gun 3in1	Х	5	3 2 5 3 5 6 6 7 0 4 1 0 4	







FATMAX® 6-TR400 STAPLE GUN 4 IN 1





- · Plastic housing with metal magazine
- · Easy and fast loading bottom Loading
- · Ergonomic handle and staple indicator
- · Suitable for type A staples: 6, 8, 10, 12 and 14 mm
- · Suitable for type 7 staples: 10, 11, 12 and 14 mm
- · Suitable for type J nails: 15 mm
- · Supplied with starter pack of staples, nails & staples

CODE	DESCRIPTION	<u>-</u>	\boxtimes		PRICE
FMHT6-70411	FATMAX 6-TR400 Light Staple gun 4in1	Х	5	3 2 5 3 5 6 6 7 0 4 1 1 1	







6-TR110 STAPLE GUN SHARP SHOOTER



- · Robust steel construction
- · Staple re-load window allows you to re-load staples when needed
- · Easy to load
- · Lock down handle- for easy and compacy storage
- · Suitable for type G staples: 6, 8, 10, 12 and 14 mm heavy duty applications

CODE	DESCRIPTION		\boxtimes		PRICE
6-TR110	6-TR110 Staple gun Sharp Shooter	Х	6	3 2 5 3 5 6 6 0 5 5 5 7 2	



6-TR150HL HEAVY DUTY STAPLE GUN



- · For general applications
- · Light weight, high load capacity
- · Height/depth adjustment
- · Lock down handle- for easy and compacy storage
- · Easy and fast loading
- · Robust aluminum housing
- · Suitable for type G staples: 6, 8, 10, 12 and 14 mm heavy duty applications

CODE	DESCRIPTION	٥	\boxtimes		PRICE
6-TR150HL	6-TR150HL Heavy Duty Staple gun	Х	6	3 2 5 3 5 6 6 0 5 8 4 2 9	



6-CT-10X STAPLE GUN FOR CABLES AND WIRING



- · Fixing cables and wiring
- · Robust aircraft aluminum cast housing combines lightweight handling with lasting durability
- · Easy and fast loading
- \cdot Lock down handle- for easy and compacy storage
- Suitable for type 7 staples: 10, 11, 12 and 14 mm
- · Suitable for type CT300 staples: 8, 10 and 12 mm

CODE	DESCRIPTION	<u>_</u>	\boxtimes		PRICE
6-CT-10X	6-CT-10X Staple gun for power lines	Х	6	3 2 5 3 5 6 6 0 5 1 1 0 9	





FATMAX® STAPLE GUN REVERSE SQUEEZE

STANLEY FATMAX



- \cdot Reverse Squeeze: By applying the force of the handle straight above the workarea
- · Ergonomic trigger: 25% easier to use
- · Refill from the bottom: easy to refill staples and nails
- · Staple indicator: visibility when refilling is required
- · Nylon composite housing
- · For ultimate lightweight durability
- · Suitable for G staples: 6, 8, 10, 12 and 14 mm
- · Suitable for type J nails: 12 and 15 mm

CODE	DESCRIPTION		\boxtimes		PRICE
FMHT0-80551	FATMAX Staple gun Reverse Squeeze	-	4	3 2 5 3 5 6 0 8 0 5 5 1 7	





0-TR250 HEAVY DUTY STAPLE GUN FOR STAPLES AND NAILS



- · Height/depth adjustment
- Light weight, high load capacity
- · Easy and fast loading
- · Lock down handle- for easy and compacy storage
- · Professional quality
- · Robust aluminum housing
- · Suitable for type G staples: 6, 8, 10, 12 and 14 mm heavy duty applications
- · Suitable for type J nails: 12 and 15 mm

CODE	DESCRIPTION	٥	\boxtimes		PRICE
STHT72674-9	0-TR250 Heavy Duty Staple gun + 3000pcs G-staples 10mm	blister	6	3253569726745	
0-TR250*	0-TR250 Heavy Duty Staple gun for staples and nails	Х	6	3 2 5 3 5 6 0 0 5 0 0 7 8	





FATMAX® 6-TR350 HEAVY DUTY STAPLE GUN 2 IN 1



- · Light weight die cast
- · Soft grip handle for extra comfort
- · Anti-blocking function
- · Lockable
- · Easiest to squeeze
- · Suitable for type G staples: 6, 8, 10, 12 and 14 mm heavy duty applications
- · Suitable for type J nails: 12 and 15 mm

CODE	DESCRIPTION	٥	\boxtimes		PRICE
6-TR350	FATMAX 6-TR350 Heavy Duty Staple gun 2in1	-	4	3 2 5 3 5 6 6 7 0 4 1 3 5	





FATMAX® 6-TR75 STAPLE GUN 6-IN-1

STANLEY FATMAX.



- · Suitable for 6 types of staples/nails
- · Easy and fast loading
- · Anti-blocking function
- · Staple Indicator allows visibility of when reload is needed
- · Height/depth adjustment
- · Suitable for type A and G staples: 6, 8, 10, 12 and 14 mm light and heavy duty applications
- · Suitable for type H staples: 6, 8 and 10 mm
- · Suitable for type 7 staples: 12 and 14 mm
- · Suitable for type J nails: 15 mm
- · Supplied with starter pack of nails and staples

CODE	DESCRIPTION	<u>_</u>	\boxtimes		PRICE
FMHT6-70868	FATMAX 6-TR75 Staple gun 6in1	-	5	3 2 5 3 5 6 6 7 0 8 6 8 3	











FATMAX® STAPLE GUN 4-IN-1

STANLEY FATMAX



- · Lightweight
- · Nylon composite housing for ultimate durability
- · "Easy Squeeze" mechanism for 25% easier use
- · Comfortable grip
- · Refill from the bottom: easy refilling of staples
- · Reversible belt clip
- · Staple Indicator allows visibility of when reload is needed
- · Suitable for type A staples: 6, 8, 10, 12 and 14 mm
- · Suitable for type G staples: 6, 8, 10, 12 and 14 mm
- · Suitable for type 7 staples: 12 and 14 mm
- · Suitable for type J nails: 15mm 18G

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
FMHT0-80550	FATMAX 4in1 Tacker	Х	4	3 2 5 3 5 6 0 8 0 5 5 0 0	









FATMAX® LIGHTWEIGHT 3-STICK HAMMER TACKER + 1000 STAPLES

STANLEY FATMAX.



- · Reliable and easy to use thanks to the Auto-Lock / Anti Jam technology
- · Lightweight Nylon-Composite housing for better durability · Comfortable grip
- · Refill from the bottom: easy refilling of staples
- · Suitable for type G staples: 8-12 mm
- · Supplied with 1000 G staples: 10 mm

CODE	DESCRIPTION		\boxtimes		PRIC
FMHT81394-9	FATMAX 3 Stick Lightweight Hammer Tacker + 1000 staples	Х	4	3 2 5 3 5 6 0 8 1 3 9 4 9	



6-PHT150 HAMMER TACKER



- \cdot For fast installation of carpeting, roofing materials or insulation
- · Robust steel housing
- · Fits 2 sticks of staples to reduce re-load times
- · Ergonomic handle
- · Easy and fast loading
- · Suitable for type G staples: 6, 8 and 10 mm

CODE	DESCRIPTION	٥	\boxtimes		PRIC
6-PHT150	6-PHT150 Hammer tacker	Х	6	3 2 5 3 5 6 6 0 5 1 5 0 5	



FATMAX® ELECTRIC STAPLE GUN 5-IN-1





- · Integrated Wire Guide: Ensures that the legs of the staples go around the wire, not through it
- · Staples are refilled from the bottom: makes refilling and clearing easy
- · Multitacking: suitable for most professional fastening applications
- · Suitable for type G staples: 6, 8, 10, 12 and 14 mm heavy duty applications
- · Suitable for type 7 Staples: 10, 11, 12 and 14 mm
- · Suitable for type CT300 staples: 8, 10 and 12 mm
- · Suitable for type J nails: 12 and 15 mm

CODE	DESCRIPTION	0	\boxtimes		PRICE
FMHT6-75934	FATMAX Electric Staple gun 5in1	-	4	3 2 5 3 5 6 6 7 5 9 3 4 0	









6-TRE540 ELECTRIC STAPLE GUN 2-IN-1

- · Safety switch
- Suitable for type A staples: 6, 8, 10, 12 and 14 mm
- · Suitable for type J nails: 12 and 15 mm

CODE	DESCRIPTION	٥	\boxtimes		PRICE
STHT6-70414	6-TRE540 Electric Staple gun 2in1	-	5	3 2 5 3 5 6 6 7 0 4 1 4 2	





6-TRE550 ELECTRIC STAPLE GUN



- · For general applications
- · Suitable for corner applications
- · Ergonomic handle
- · Easy and fast loading
- · Cable length: 2.4m
- · Suitable for type G staples: 6, 8, 10, 12 and 14 mm
- · Suitable for type J nails: 12 and 15 mm

CODE	DESCRIPTION	0	\boxtimes		PRICE
6-TRE550	6-TRE550 Electric Staple gun	Х	2	3 2 5 3 5 6 6 0 5 8 5 8 0	





6-TRE650 ELECTRIC NAIL GUN



- · Hi/Lo adjustment for wide range of applications
- · Safety button
- · Non-marring tips helps prevent damage
- · Soft handle
- · Easy to load anti-lock mechanism and Staple re-load window allows you to re-load staples when needed
- · Wire 2.4m long

CODE	DESCRIPTION	ð	\boxtimes		PRICE
6-TRE650*	6-TRE650 Electric Nail Gun	Х	2	3 2 5 3 5 6 6 0 5 5 8 5 5	





PRACTICAL INFO

CHOOSE THE RIGHT STAPLES





LIGHT, FINE DUTY

STAPLES

TYPE 13 / 15 / 19



HEAVY DUTY STAPLES

TYPE 4 / 11 / 140

LIGHT DUTY STAPLES

TYPE 3 / 53 / 530



Furniture Upholstery, Vinyl,

and trim, Picture frames,

Automotive upholstery, Labeling





Furniture framework, Roof shingles, House manufacturing, Packaging



Paper / Carton

11.4 mm

0.76 mm

0.51 mm

Leg length 6-14 mm





Paper / Carton





Roofing

Garden



Isolating



Carpeting




Upholstery



10.6 mm 0.76 mm 0.51 mm Leg length 6-10 mm



10.6 mm 1.27 mm 0.51 mm Leg length 6-14 mm



- · Crown width 11.4 mm
- · Wire Width 0.76mm
- · Wire thickness 0.51mm
- · galvanized

CODE	DESCRIPTION		\boxtimes		PRICE
1-TRA204-5T	Staples 6 mm Type A - 5000 pcs	Х	6	3 2 5 3 5 6 1 0 5 8 7 2 1	
1-TRA205-5T*	Staples 8 mm Type A - 5000 pcs	Х	6	3 2 5 3 5 6 1 0 5 8 7 3 8	
1-TRA206-5T	Staples 10 mm Type A - 5000 pcs	Х	6	3 2 5 3 5 6 1 0 5 8 7 4 5	
1-TRA202T	Staples 4 mm Type A - 1000 pcs	Х	7	3 2 5 3 5 6 1 0 5 5 0 9 6	
1-TRA204T	Staples 6 mm Type A - 1000 pcs	Х	7	3 2 5 3 5 6 1 0 5 3 8 8 7	
1-TRA205T	Staples 8 mm Type A - 1000 pcs	Х	6	3 2 5 3 5 6 1 0 5 3 8 9 4	
1-TRA206T	Staples 10 mm Type A - 1000 pcs	Х	5	3 2 5 3 5 6 1 0 5 4 1 0 5	
1-TRA208T	Staples 12 mm Type A - 1000 pcs	Х	4	3 2 5 3 5 6 1 0 5 5 1 4 0	
1-TRA209T	Staples 14 mm Type A - 1000 pcs	Х	4	3 2 5 3 5 6 1 0 5 5 1 9 5	

*Not in the Nordic assortment - special order required. Minimum order quantity applied.

STAPLES TYPE A






ROUND CROWN STAPLE

TYPE CT100



Round cables: network, speaker, etc.








FLAT CROWN STAPLE


TYPE CT300




Flat cables: low voltage, etc.



Cables





NAILS

TYPE 8 / 300




Woodworking: baseboards, door jambs, etc.



Woodworking



STAPLES TYPE G



- · Crown width 10.6 mm
- · Wire width 1.27mm
- · Wire thickness 0.51mm
- · galvanized

CODE	DESCRIPTION		\boxtimes		PRICE
1-TRA704-5T	Staples 6 mm Type G - 5000 pcs	Х	6	3 2 5 3 5 6 1 0 5 2 6 7 5	
1-TRA705-5T	Staples 8 mm Type G - 5000 pcs	Х	6	3 2 5 3 5 6 1 0 5 8 2 6 4	
1-TRA706-5T	Staples 10 mm Type G - 5000 pcs	Х	6	3 2 5 3 5 6 1 0 5 0 6 5 7	
1-TRA708-5T	Staples 12 mm Type G - 5000 pcs	Х	6	3 2 5 3 5 6 1 0 5 0 8 5 5	
1-TRA709-5T	Staples 14 mm Type G - 5000 pcs	Х	6	3 2 5 3 5 6 1 0 5 8 2 7 1	
1-TRA704T	Staples 6 mm Type G - 1000 pcs	Х	7	3 2 5 3 5 6 1 0 5 4 1 9 8	
1-TRA705T	Staples 8 mm Type G - 1000 pcs	Х	6	3 2 5 3 5 6 1 0 5 4 2 7 3	
1-TRA706T	Staples 10 mm Type G - 1000 pcs	Х	5	3 2 5 3 5 6 1 0 5 4 2 8 0	
1-TRA708T	Staples 12 mm Type G - 1000 pcs	Х	4	3 2 5 3 5 6 1 0 5 4 2 9 7	
1-TRA709T	Staples 14 mm Type G - 1000 pcs	Х	4	3 2 5 3 5 6 1 0 5 4 3 0 3	
STHT74749-0*	Staple mix 6, 10 and 12mm Type G - 2000 pieces	Х	4	3 2 5 3 5 6 0 7 4 7 4 9 7	
*Not in the No	rdic assortment - special order red	quired.	Minin	num order quantity applied.	

STAPLES TYPE H



- · Crown width 10.6 mm
- · Wire width 0.76mm
- · Wire thickness 0.51mm
- · galvanized

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
1-TRR134T	Staples 6 mm Type H - 1000 pcs	Х	7	3 2 5 3 5 6 1 0 6 0 2 4 3	
1-TRR135T	Staples 8 mm Type H - 1000 pcs	Х	6	3 2 5 3 5 6 1 0 6 0 2 5 0	
1-TRR136T	Staples 10 mm Type H - 1000 pcs	Х	5	3 2 5 3 5 6 1 0 6 0 2 6 7	

BOLT CUTTERS

STAPLES TYPE 7



- · Crown width 8 mm
- · Wire width 1.25mm
- · Wire thickness 0.60mm
- · galvanized

CODE	DESCRIPTION	스	\boxtimes		PRICE
1-CT106T	Staples 10 mm Type 7 - 1000 pcs	Х	6	3 2 5 3 5 6 1 0 5 8 4 7 9	
1-CT107T*	Staples 11 mm Type 7 - 1000 pcs	Х	6	3 2 5 3 5 6 1 0 5 8 4 8 6	
1-CT108T	Staples 12 mm Type 7 - 1000 pcs	Х	4	3 2 5 3 5 6 1 0 5 8 4 9 3	
1-CT109T	Staples 14 mm Type 7 - 1000 pcs	Х	4	3 2 5 3 5 6 1 0 5 1 6 9 2	

*Not in the Nordic assortment - special order required. Minimum order quantity applied.

STAPLES TYPE CT



· galvanized

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
1-CT305T	Staples 8 mm Type CT - 1000 pcs	Х	6	3 2 5 3 5 6 1 0 5 8 5 6 1	
1-CT306T	Staples 10 mm Type CT - 1000 pcs	Х	5	3 2 5 3 5 6 1 0 5 8 5 9 2	
1-CT308T	Staples 12 mm Type CT - 1000 pcs	Х	4	3 2 5 3 5 6 1 0 5 8 6 0 8	

NAILS TYPE J



· galvanized

CODE	DESCRIPTION	<u>_</u>	\boxtimes		PRICE
1-SWK-BN050T	Nails 12 mm - 1000 pcs	Х	10	3 2 5 3 5 6 1 0 5 1 7 4 6	
1-SWK-BN0625T	Nails 15 mm - 1000 pcs	Х	10	3 2 5 3 5 6 1 0 5 8 3 7 0	
1-SWKBN075T*	Nails 20 mm Type J - 1000 pcs	Х	10	3 2 5 3 5 6 1 0 5 1 7 6 0	
1-SWKBN100T	Nails 25 mm Type J - 1000 pcs	Х	10	3 2 5 3 5 6 1 0 5 8 3 9 4	
1-SWKBN1187T*	Nails 30 mm Type J - 1000 pcs	Х	10	3 2 5 3 5 6 1 0 5 1 7 7 7	
STHT70500-0*	Nails 32 mm Type J - 1000 pcs	Х	10	3 2 5 3 5 6 0 7 0 5 0 0 8	

*Not in the Nordic assortment - special order required. Minimum order quantity applied.

RIVETERS

6-MR100 CONTRACTOR GRADE RIVETER



- · 4 nose pieces & wrench store in handle for versatility and convenient
- · Accepts aluminium, steel & stainless steel rivets for wide range of applications

· Contract q	<u>rade - neavy duty, long las</u>	tinq			
CODE	DESCRIPTION		\boxtimes		PRICE
6-MR100	Contractor Grade Riveter MR100	Х	4	3 2 5 3 5 6 6 0 5 3 0 0 4	

6-MR77 SWIVEL HEAD RIVETER



- · Head rotates 360° for use at any angle
- · Long handles make riveters easy to squeeze
- · 4 nose pieces & wrench store in handle for versatility and convenient storage

CODE	DESCRIPTION DESCRIPTION		<u> </u>		PRIC
6-MR77	Swivel Head Riveter MR77	Х	5	3 2 5 3 5 6 6 0 5 2 4 2 7	

6-MR55 RIGHT ANGLE RIVETER



- \cdot 4 nose pieces & wrench store in handle for versatility and convenient storage
- · Long handles make riveters easy to squeeze
- · Rugged steel construction for long-lasting durability

CODE	DESCRIPTION	٥	\boxtimes		PRICE
6-MR55	Right Angle Riveter MR55	Х	5	3 2 5 3 5 6 6 0 5 1 5 5 0	

MR55 HEAVY DUTY RIVETER



- · Heay duty riveter with spring loaded handle4 interchangeable nozzles: diameters 2 -3-4-5
- · Ejection of the rivet shank
- · Nose at 90°
- · Nozzle spanner included

CODE	DESCRIPTION		\boxtimes		PRICE
0-69-804	MR55 RIVETER H/DUTY (CLAM)	Х	5	3253560698041	

MR33 MEDIUM DUTY RIVETER



- · Three mm and four mm fixed rivets
- · Long handle makes riveter easy to squeeze

CODE	DESCRIPTION				PRICE
0-69-833	MR33 Medium Duty Riveter	Χ !	5	3253560698331	


ALUMINIUM RIVETS



CODE	DESCRIPTION	ò	\boxtimes		PRICE
1-PAA42T	Aluminium rivets 3 × 3mm	Х	10	3 2 5 3 5 6 1 0 5 0 9 6 1	
1-PAA44T	Aluminium rivets 3 × 7mm	Х	10	3 2 5 3 5 6 1 0 5 2 4 4 6	
1-PAA48T	Aluminium rivets 3 × 12mm	Х	10	3 2 5 3 5 6 1 0 5 1 4 8 7	
1-PAA52T	Aluminium rivets 4 × 3mm	Х	10	3 2 5 3 5 6 1 0 5 0 5 2 7	
1-PAA54T	Aluminium rivets 4 × 7mm	Х	10	3 2 5 3 5 6 1 0 5 1 5 4 8	
1-PAA58T	Aluminium rivets 4 × 12mm	Х	10	3 2 5 3 5 6 1 0 5 2 5 8 3	
1-PAA62T	Aluminium rivets 5 × 3mm	Х	10	3 2 5 3 5 6 1 0 5 2 6 2 0	
1-PAA64T	Aluminium rivets 5 × 7mm	Х	10	3 2 5 3 5 6 1 0 5 2 6 4 4	
1-PAA66T	Aluminium rivets 5 × 9mm	Х	10	3 2 5 3 5 6 1 0 5 1 6 6 1	

GLUE GUNS

6-GR15 MINI GLUE GUN



· Suitable for mini glue sticks

· Fold-out support

· Only suitable for 1-GS10DT glue sticks

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
6-GR15	Mini Glue Gun GR15	Х	4	3 2 5 3 5 6 6 0 5 0 1 5 7	



6-GR25 GLUE GUN

- \cdot Suitable for high and low temperature bonding applications
- · Handy temperature selection button
- · Suitable for standard glue sticks
- · Heats up quickly and glues within 60 seconds
- · Fold-out support



CODE	DESCRIPTION				PRICE
6-GR25	Glue gun GR25	Χ	4	3 2 5 3 5 6 6 0 5 0 2 5 6	

6-GR50 FAST GLUE GUN



- · Short warm-up time: 1 min. 40 sec.
- · Ceramic heater
- · Electronic temperature control switch
- \cdot 90 to 150 W both during heating and gluing
- · Headpiece included
- · Glue consumption: 450gr/h
- · Fold-out support

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
STHT6-70417	6-GR50 Fast Glue Gun	Х	5	3 2 5 3 5 6 6 7 0 4 1 7 3	

6-GR90R CORDLESS GLUE GUN



- · Suitable for all glue sticks
- · Up to 12 minutes of wireless operation
- · 25 W
- · Interchangeable nozzle
- · Temperature range: 180°-210°
- · Glue consumption: 720gr/h
- · Fold-out support

CODE	DESCRIPTION	Ò	\boxtimes		PRICE
STHT6-70416	6-GR90R Cordless Glue Gun	Х	5	3 2 5 3 5 6 6 7 0 4 1 6 6	

FATMAX® 6-GR100R GLUE GUN





- · Short warm-up time: 1 min.
- · 100 to 200 W both during heating and gluing
- · Standby mode:
- after 30 minutes of inactivity the heating stops.
- reheats to 190° in 30 sec when activated.
- · Temperature indication by means of LED lights: red 170°, green 170° & ready for use
- · Ceramic heater
- · Glue consumption: 1100 to 1500gr/h
- · Supplied with 18 glue sticks: 6× DualMelt, 6× All Applications and 6× Extra

CODE	DESCRIPTION	٥	\boxtimes		PRICE
FMHT6-70418	FATMAX 6-GR100R Glue Gun	-	5	3 2 5 3 5 6 6 7 0 4 1 8 0	


DUAL MELT GLUE CARTRIDGE



- \cdot Excellent for bonding heat sensitive materials, as well as general applications
- · 1-GS10DT only suitable for mini glue gun 6-GR15
- · Other glue sticks suitable for all devices (except mini glue gun 6-GR15)

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
1-GS10DT	Mini glue stick 7mm × 100mm - 24 pcs	х	5	3 2 5 3 5 6 1 0 5 1 4 0 1	
1-GS15DT	Glue stick 11.5mm × 100mm - 6 pcs	Х	5	3 2 5 3 5 6 1 0 5 1 4 9 4	
1-GS20DT	Glue stick 11.5mm × 100mm - 24 pcs	Х	5	3 2 5 3 5 6 1 0 5 1 4 1 8	
1-GS25DT	Glue stick 11.5mm × 250mm - 12 pcs	Х	1	3 2 5 3 5 6 1 0 5 2 1 2 5	

HOT MELT ALL PURPOSE STANDARD CLEAR GLUE STICKS





HOT MELT ALL PURPOSE STANDARD CLEAR GLUE STICKS



· For sticking on wood, leather, fabrics, cork, plastic materials, faience and

cardboard					
CODE	DESCRIPTION		\boxtimes		PRIC
STHT1-70431	Dual Melt Glue Cartridge 11.3mm × 254mm - 1kg	Х	5	3 2 5 3 5 6 1 7 0 4 3 1 4	
STHT1-70432	Dual Melt All Purpose Glue Cartridge 11.3mm × 254mm - 24 pcs	Х	5	3 2 5 3 5 6 1 7 0 4 3 2 1	

SUPER STRENGTH STANDARD GLUE STICKS



CODE	DESCRIPTION	<u></u>			PRICE
STHT1-70438	Dual Melt Amber Super Strong Glue Cartridge 11.3mm × 101mm - 6 pcs	Х	5	3 2 5 3 5 6 1 7 0 4 3 8 3	



PLUMBING TOOLS

STANLEY® plumbing tools feature the torque, grip, and range of motion to get you through installations and repairs from large to small and simple to complex.

TOOLS FOR PLUMBING

ADJUSTABLE PIPE CUTTER



- · Versatile Cuts pipes
- · Capacity: Ø 3 22 mm (70-447) and Ø 3 30 mm (70-448)
- · Adjusting wheels ensure an accurate and straight cutting result.
- · Replaceable cutting wheel
- · 70-448: spare wheel in handle

CODE	DESCRIPTION		\boxtimes		PRICE
0-70-447	Adjustable Pipe Cutter (3mm - 22mm)	Х	24	3 2 5 3 5 6 0 7 0 4 4 7 6	
0-70-448	Adjustable Pipe Cutter (3mm - 30mm)	х	6	3 2 5 3 5 6 0 7 0 4 4 8 3	

PLASTIC PIPE CUTTER



- \cdot High precision stainless steel blade
- · Ergonomic handle for maximum power transfer
- · Versatile cutter for use with various materials

CODE	DESCRIPTION		\boxtimes		PRICE
0-70-450	Plastic Pipe Cutter 28 mm	Х	24	3 2 5 3 5 6 0 7 0 4 5 0 6	

FIXED BASIN WRENCH



- · Durable steel handle
- \cdot Long reach for easy access behind the bowl
- \cdot Fixed 1/2" BSP and 3/4" BSP ends

CODE	DESCRIPTION	<u>_</u>	\boxtimes		PRICE
0-70-454	Fixed Basin Wrench	Х	24	3 2 5 3 5 6 0 7 0 4 5 4 4	

ADJUSTABLE BASIN WRENCH



- · For Tightening tap or 'back' nuts on basinss
- · Knurled hook for position grip
- · Reversible direction to tighten or/and loosen
- · Long reach for easy access behind bowl
- · Capacity: 13 38mm

CODE	DESCRIPTION	<u></u>			PRICE
0-70-453	Adjustable Basin Wrench	Х	24	3 2 5 3 5 6 0 7 0 4 5 3 7	

MINI PIPE BENDER



- · Die cast body for strength · Bends 6/8/10 mm Microbore Copper
- $\cdot \ \text{Knurled non slip grips}$
- · Clear markings for accurate bend angles

CODE	DESCRIPTION	Ó	\boxtimes		PRICE
0-70-451	Mini Pipe Bender (6 - 8 - 10 mm)	Х	24	3 2 5 3 5 6 0 7 0 4 5 1 3	

PIPE BENDER



- \cdot Durable steel arms and case hardened rollers
- \cdot Precision formers and guides for crease free bends
- · Long arms for high gearing
- Vice grip are for use on workbench
 Bends 12, 15 and 22mm copper

CODE	DESCRIPTION		\boxtimes		PRICE
0-70-452	Pipe bender (15 - 22 mm)	Х	2	3 2 5 3 5 6 0 7 0 4 5 2 0	



THE MEASURE OF A PRO™



DRYWALL TOOLS

Install, repair, and secure walls and ceilings in any building with STANLEY® drywall tools. Trust your tools to get the job done.



BERNHALP THEPOLS

PANEL CARRIER



- · Helps transport building boards and other flat materials with ease
- Capacity 90 kg
- · Ergonomic lifting handle
- \cdot Helps transport building boards and other flat materials with ease
- · One person can carry large materials with better balance and control
- · Synthetic, light, resistant body that does not damage the board

CODE	DESCRIPTION	Ö	\boxtimes		PRICE
1-93-301	Panel carrier	-	6	3 2 5 3 5 6 1 9 3 3 0 1 1	

WALL BOARDS CARRIER



- · Bi-Material Handle for comfort and protection
- · Makes carrying drywall and other boards easier
- · Sold in pairs

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
STHT1-05868	Plate carrier (2 pieces)	-	4	3 2 5 3 5 6 1 0 5 8 6 8 4	

TELESCOPIC SUPPORT



- · Heavy duty ribbed aluminum body stays flat and rigid
- · Height adjustable from 1140 mm 2895 mm
- · Efficient clamp holds panels securely in place
- · Capacity: 13 kg
- Diameter : Outside: 31 mm, Middle: 28 mm, Inside: 10 mm

CODE	DESCRIPTION	٥	\boxtimes		PRICE
STHT1-05932	Telescopic Support	-	2	3 2 5 3 5 6 1 0 5 9 3 2 2	

METRIC T-SQUARE



- · Notched head to cut a 1220 mm sheet in one swoop
- · Durable blade springs straight no matter how you flex
- · 2" blade to cut both sides of an outlet box without moving square

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
STHT1-05894	Metric T-Square	-	2	3 2 5 3 5 6 1 0 5 8 9 4 3	

DRYWALL STRIPPER



- · Two cutting blades allow the end user to cut both sides of the material at once
- · Bi-Material Handle for comfort and protection
 - · Adjustable Cutting Depth
 - Replacement blades available
 - Special dry wall stripper to cut plasterboards of 9.5 to 15 mm in thickness

CODE	DESCRIPTION		\boxtimes		PRICE
STHT1-16069	Drywall stripper	-	4	3 2 5 3 5 6 1 1 1 6 0 6 9 1	

SPARE WHEEL DRYWALL STRIPPER



· Diameter: 3.8mm

CODE	DESCRIPTION				PRICE
STHT0-16131	Spare wheel for STHT1-16069	Х	12	3 2 5 3 5 6 0 1 6 1 3 1 6	

CIRCLE CUTTER



- \cdot Precision calibrated for accuracy
- · Cut clean holes with a diameter of 25 mm 400 mm
- · Pin adjusts up and down
- · Easy side to side adjustment

CODE	DESCRIPTION		\boxtimes		PRICE
STHT1-05878	Circle cutter	-	4	3 2 5 3 5 6 1 0 5 8 7 8 3	

CHAMFERING TOOL



- · Stamped base reduces chatter, resulting in a smooth cut
- \cdot Allows end users to create strong well fitting joints
- \cdot To use with standard utility blades for convenience
- · Quick & easy blade adjuster for versatility
- · Supplied with STANLEY® Carbide spare blade

CODE	DESCRIPTION	<u></u>			PRICE
STHT1-05937	Chamfer tool	-	4	3 2 5 3 5 6 1 0 5 9 3 7 7	

PUNCH LOCK RIVETER



- \cdot To fasten metal pieces without screws or nails
- · For C-shaped pieces with max. 1.2 mm metal (2× 0.6 mm)
- · Minimal hand force required thanks to the optimal power transmission
- · Special, extremely strong type of steel, oil-hardened and tempered
- · One-handed operation for greater ease of use

CODE	DESCRIPTION	©	\boxtimes		PRICE
15-261*	connecting rod	-	1	5 0 0 0 3 6 6 1 5 2 6 1 5	

^{*}Not in the Nordic assortment - special order required. Minimum order quantity applied.

STUD CRIMPER



- \cdot Ensures that metal profiles are permanently joined in a U-shape, with max. 1.2 mm metal (2× 0.6 mm)
- · Minimal hand force required thanks to the optimal power transmission
- · Special, extremely strong type of steel, oil-hardened and tempered
- · One-handed operation for greater ease of use

CODE	DESCRIPTION		\boxtimes		PRICE
15-273	Stud crimper	-	1	5 0 0 0 3 6 6 1 5 2 7 3 8	

CORNER BEAD CLINCHER



- \cdot Sets corner beads with one blow
- · No nails or srews needed
- · Rubber headed mallet sold seperately

CODE	DESCRIPTION	<u>_</u>	\boxtimes		PRICE
STHT1-16132	Corner bead clincher 29 mm × 29 mm	-	2	3 2 5 3 5 6 1 1 6 1 3 2 2	

RUBBER MALLET FOR CLINCHER



CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
STHT1-57100	Rubber Hammer 650gr	-	4	3 2 5 3 5 6 1 5 7 1 0 0 8	

DRYWALL SCREW ADAPTER PH2

- · Designed to drive screws into drywall boards to the desired depth
- \cdot Suitable for any 10mm or 8mm drill bit



PHZ

MAGNETIC BIT HOLDER

- · Adapter sinks screws to the proper depth
- · Steel ring protects drywall
- · Magnetic tip holds screws in place
- · Suitable for any 10mm or 8mm drill bit



· Suitable for any formin or online utili bit					
CODE	DESCRIPTION		\boxtimes		PRICE
STHT0-05926	Magnetic Bit Holder	Х	6	3 2 5 3 5 6 0 0 5 9 2 6 2	

JOINTING COMPOUND MIX

- · Hexagonal Rod is chuckable in a standard drill 8 or 10 mm
- \cdot Perfecting for mixing compound, paint and other materials
- · Mixer has wings and a protective extension so they do not come in contact with the bucket
- · Available in 2 sizes



CODE	DESCRIPTION		\boxtimes		PRICE
STHT2-28042*	Jointing Compound Mix 80 mm	-	12	3 2 5 3 5 6 2 2 8 0 4 2 8	
STHT2-28043*	Jointing Compound Mix 100 mm	-	6	3 2 5 3 5 6 2 2 8 0 4 3 5	
*Not in the Nordic assortment - special order required. Minimum order quantity applied.					

MUD PAN STAINLESS STEEL

- · Tapered design fits comfortably in your hand
- · Durable and easy to clean stainless steel

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
STHT0-05867*	Stainless Steel Mud Pan	-	6	3 2 5 3 5 6 0 0 5 8 6 7 8	

^{*}Not in the Nordic assortment - special order required. Minimum order quantity applied.



NARROW SPREADING KNIVES



- · Stainless steel blade
- · Bi-material handle
- · Hole in the handle for easy hanging of the tool

CODE	DESCRIPTION		\boxtimes		PRIC
STHT0-05934	Narrow spreading knife 300 mm \times 45 mm	Х	4	3 2 5 3 5 6 0 0 5 9 3 4 7	
STHT0-05936*	Narrow spreading knife 500 mm \times 45 mm	Х	4	3 2 5 3 5 6 0 0 5 9 3 6 1	

^{*}Not in the Nordic assortment - special order required. Minimum order quantity applied.

TAPPING KNIVES



- · Smooth zinc alloy cap for durability
- · Blade that tapers from handle to tip for added flexibility
- · Stainless steel blade prevents rust and increases durability
- · Hole in the handle for easy hanging of the tool

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
STHT0-05895	Tapping knife 200 mm	-	4	3 2 5 3 5 6 0 0 5 8 9 5 1	
STHT0-05776*	Tapping knife 300 mm	-	4	3 2 5 3 5 6 0 0 5 7 7 6 3	

JOINT KNIVES



- · Smooth zinc alloy cap for durability
- · Blade tapered from handle to tip provides flexibility
- · Stainless steel blade prevents rust and increases durability
- Hole in the handle for easy hanging of the tool
- · Also available with a PH2 Phillips bit on the end of the handle (STHT0-28000, -28034 and -28041)

CODE	DESCRIPTION		\boxtimes		PRICE
STHT0-05786*	Joint knife 100 mm	-	6	3 2 5 3 5 6 0 0 5 7 8 6 2	
STHT0-05799*	Joint knife 125 mm	-	6	3 2 5 3 5 6 0 0 5 7 9 9 2	
STHT0-05864*	Joint knife 150 mm	-	6	3 2 5 3 5 6 0 0 5 8 6 4 7	
*Not in the No	rdic assortment - special order re	quired.	Minin	num order quantity applied.	

JOINT KNIVES WITH BIT PH2



- · Smooth zinc alloy cap for durability
- · Blade tapered from handle to tip provides flexibility
- · Stainless steel blade prevents rust and increases durability
- · Hole in the handle for easy hanging of the tool
- · Also available without a PH2 Phillips bit on the end of the handle (STHT0-0578, -05799 et -05864)

CODE	DESCRIPTION	6	\boxtimes		PRICE
STHT0-28000*	Joint knife with bit PH2 100 mm	-	6	3 2 5 3 5 6 0 2 8 0 0 0 0	
STHT0-28034	Joint knife with bit PH2 125 mm	-	6	3 2 5 3 5 6 0 2 8 0 3 4 5	
STHT0-28041	Joint knife with bit PH2 150 mm	-	6	3 2 5 3 5 6 0 2 8 0 4 1 3	

^{*}Not in the Nordic assortment - special order required. Minimum order quantity applied.

DRYWALL TROWEL



- · Smooth zinc alloy cap for durability
- · Bi-material handle for comfort and protection
- · Blade tapered from handle to tip provides flexibility
- · Stainless steel blade prevents rust and increases durability
- · Hole in the handle for easy hanging of the tool

CODE	DESCRIPTION		\boxtimes		PRICE
STHT0-26089*	point joint knife	-	6	3 2 5 3 5 6 0 2 6 0 8 9 7	

^{*}Not in the Nordic assortment - special order required. Minimum order quantity applied.

INNER CORNER TROWEL



- · Blade tapered from handle to tip provides flexibility
- · Stainless steel blade prevents rust and increases durability
- · Bi-material handle for comfort and protection
- · Hole in the handle for easy hanging of the tool

CODE	DESCRIPTION	<u>_</u>	\boxtimes		PRICE
STHT0-05777*	Inner corner trowel	-	4	3 2 5 3 5 6 0 0 5 7 7 7 0	

^{*}Not in the Nordic assortment - special order required. Minimum order quantity applied.

OUTSIDE CORNER TROWEL



- · Blade tapered from handle to tip provides flexibility
- · Stainless steel blade prevents rust and increases durability
- · Bi-material handle for comfort and protection
- · Hole in the handle for easy hanging of the tool

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
STHT0-05622*	Outside corner trowel	-	4	3 2 5 3 5 6 0 0 5 6 2 2 3	

^{*}Not in the Nordic assortment - special order required. Minimum order quantity applied.

FINISHING TROWEL



- · Slightly curved blade that allows the user to create perfect joints
- · Strong and light instrument for easy and durable use
- · Bi-material handle for added comfort and protection

CODE	DESCRIPTION		\boxtimes		PRIC
STHT0-05900*	Finishing trowel 320 mm × 130 mm	-	6	3 2 5 3 5 6 0 0 5 9 0 0 2	

^{*}Not in the Nordic assortment - special order required. Minimum order quantity applied.

FINISHING TROWEL - ROUNDED CORNERS



- \cdot Slightly curved blade that allows the user to create perfect joints
- · Strong and light instrument for easy and durable use
- · Bi-material handle for added comfort and protection

CODE	DESCRIPTION		\boxtimes		PRICE
STHT0-05898*	Finishing dust - Rounded Corners 280 mm × 130 mm	-	6	3 2 5 3 5 6 0 0 5 8 9 8 2	
STHT0-05899*	Finishing trowel - Rounded Corners 320 mm × 130 mm	-	6	3 2 5 3 5 6 0 0 5 8 9 9 9	

^{*}Not in the Nordic assortment - special order required. Minimum order quantity applied.

HAND SANDING BLOCK



- \cdot Heavy-duty ribbed aluminum body stays flat and rigid
- · Efficient clamp design to hold paper or screen firmly in place
- · 230 mm × 80.4 mm block suitable for most types of sandpaper

CODE	DESCRIPTION	٥	\boxtimes		PRICE
STHT0-05927	Hand sanding block	-	4	3 2 5 3 5 6 0 0 5 9 2 7 9	

POLE ULTILTY SANDER ALUMINUM



- \cdot Heavy duty ribbed aluminium body stays flat and rigid with wooden handle.
- The efficient clamp design holds paper or screen firmly in place.
- · Accepts most sandpapers sandpaper size: 300 x 105 mm · Length: 1300 mm

CODE	DESCRIPTION	Ô	\boxtimes		PRICE
STHT0-05928	Sanding block with aluminum handle	-	4	3 2 5 3 5 6 0 0 5 9 2 8 6	

SANDPAPER 80G - 10 PCS





CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
STHT0-05929	Sandpaper K 80 - 10 pcs - for STHT0-05928	Х	12	3 2 5 3 5 6 0 0 5 9 2 9 3	

SANDPAPER 120G - 10 PCS



CODE	DESCRIPTION	<u>_</u>	\boxtimes		PRICE
STHT0-05930	Sandpaper K 120 - 10 pcs - STHT0-05928	Х	12	3 2 5 3 5 6 0 0 5 9 3 0 9	





WORK LIGHTS

STANLEY® work lights and LED lamps, with or without a bluethooth connection for operation via smartphone.

WORKLIGHTS / FLASHLIGHTS

FATMAX® HEADLAMP 200LM

STANLEY FATMAX



- · Powerful LED Light
- · Activation via on/off button or via the motion sensor
- · Lumens: Low 50 / High 200
- · Duration of use: up to 24 hours
- IP 54 dust and water resistant
- · Adjustable headband
- · Adjustable head
- · Fits in a pocket compact
- · Supplied with 3× AAA batteries

CODE	DESCRIPTION		\boxtimes		PRICE
FMHT81509-0	FATMAX Headlamp	Х	2	3 2 5 3 5 6 0 8 1 5 0 9 7	

FATMAX® ALUMINUM FLASHLIGHTS

STANLEY FATMAX



- · Light intensity 70 lumens
- · Shock resistant lens
- · Waterproof
- · Charging time 8h (only for 1-95-154) · Battery life 2h (only for 1-95-154)
- · Supplied with NiMH rechargeable battery and charger (only 1-95-154)
- · 3xAAA batteries (only for 1-95-152)

CODE	DESCRIPTION		\boxtimes		PRICE
1-95-152	FATMAX Aluminum Flashlight 3xAAA	Х	6	3253561951527	
1-95-154*	FATMAX Aluminum Flashlight Rechargeable	Х	6	3 2 5 3 5 6 1 9 5 1 5 4 1	

FATMAX® PEN FLASHLIGHT 100LM

STANLEY FATMAX




- · Powerful LED light (COB Chip-on-board technology
- · Lumens: 100
- · Distance radius: 66 m
- · Adjustable radius
- · Operating time up to 10 hours
- · IP 54 dust and water resistant
- · Trouser clip
- · Fits in a pocket compact
- · Thin and easy to shine in narrow spaces
- · Supplied with 2× AAA batteries

CODE	DESCRIPTION		\times		PRICE
FMHT81510-0*	FATMAX Pen Flashlight	Х	12	3 2 5 3 5 6 0 8 1 5 1 0 3	

^{*}Not in the Nordic assortment - special order required. Minimum order quantity applied.

FATMAX® FLASHLIGHT 350LM

STANLEY. FATMAX.



- · Lumens: Low 175 / High 350
- · Adjustable radius
- · Distance radius: 75 225 m
- · Operating time: 20 hours
- · IP 44 dust and water resistant
- · Lanyard
- \cdot Fits in a pocket compact
- · Long reach beam (75 m wide beam / 225 m narrow beam)
- · Supplied with 4× AAA batteries

CODE	DESCRIPTION		\boxtimes		PRICE
FMHT81511-0	FATMAX Flashlight 350LM	Х	6	3 2 5 3 5 6 0 8 1 5 1 1 0	



FATMAX® RECHARGEABLE CONSTRUCTION WORKLIGHT 1000LM

STANLEY FATMAX



- · Compact, powerful LED Light (COB Chip-on-board technology
- 5 m cable
- · Corded & cordless use
- · Lumens: Low 500 / High 1000
- Operating time: 9 / 10 hours
- · IP 67 dust and water resistant
- · 180° rotating support
- Detachable 2×4 clamp with magnets
- · Can be mounted on a tripod (not included)

CODE	DESCRIPTION	٥	\boxtimes		PRICE
FMHT81507-1	FATMAX Rechargeable Construction Spotlight 1000LM	Х	4	3 2 5 3 5 6 1 8 1 5 0 7 2	

FATMAX® BLUETOOTH® CONSTRUCTION WORKLIGHT 3000LM

STANLEY FATMAX




- · Powerful LED Light (COB Chip-on-board technology
- · 5 m cable
- · Lumens: Low 1500 / High 3000
- · IP 67 dust and water resistant
- · 180° rotating support
- · Detachable 2×4 clamp with magnets
- · Bluetooth® connection
- \cdot 5 independent spots on the same phone
- · Can be mounted on a tripod (not included)

CODE	DESCRIPTION	<u>©</u>	\boxtimes		PRICE
FMHT81508-1*	FATMAX Bluetooth Construction spot 3000LM	Х	3	3 2 5 3 5 6 1 8 1 5 0 8 9	

^{*}Not in the Nordic assortment - special order required. Minimum order quantity applied.


MAXLIFE FLASHLIGHT LED TRIPOD



- · Lumens: 20
- · Integrated folding tripod
- \cdot 3 positions to turn on the flashlight
- · Battery indicator
- Works with 3, 6 or 9 AA batteries (batteries not included)







STORAGE SOLUTIONS

The diverse STANLEY® storage box line-up includes heavy-duty toolboxes which can be customised using the foam insert, drawer units for accessories and small parts, as well as a handy caddy for small storage sets and larger storage boxes for tools.

No matter what kit you take on a job, you'll need to have your accessories to hand including all your screws, clips, connectors, cables and more. The STANLEY® organisers let you keep everything in its place with tough clear case lids for fast selection and removable storage cups for added flexibility.


A COMPLETE STORAGE RANGE

A range of possibilities

STANLEY offers a complete range of tool trolleys for the construction sites, with a capacity of 50 to 190 liters and with a frame in polypropylene and metal. All high-quality and robust storage systems, suitable for professional use. Different storage options: toolboxes, boxes for power tools and organizers with different compartments. Large choice of sizes, colours, materials (bimaterial or not), with or without different compartments, with metal or synthetic closing hooks, etc.



 178



ROLLING WORKSHOPS

STANLEY® FATMAX® ROLLING WORKSHOP CANTILEVER - METAL/PLASTIC

STANLEY FATMAX



- · 20" Detachable metal plastic Toolbox with removable tray
- · Large metal rust proof latches with padlock eye
- · 2 Deep 4" drawer with ball bearing slides
- Large metal storage bin that provides extra large capacity of portable tool storage
- · Heavy duty 7" wheels
- · Cantilever' system for instant access to all storage area's
- · Telescopic handle and large wheels
- · Outer Dimensions (cm W×D×H): 56.8 × 38.9 × 89.3
- · Inner Dimension (cm W×D×H) Base: 48 × 24 × 34

Drawer: 48.5 × 24 × 9.5 20" toolbox: 48 × 23 × 26

CODE	DESCRIPTION	<u>_</u>	\boxtimes		PRICE
1-95-622	FATMAX Rolling Workshop Metall/Plastic	-	1	3 2 5 3 5 6 1 9 5 6 2 2 5	

STANLEY® ROLLING WORKSHOP CANTILEVER METAL/PLASTIC



- \cdot 20" Detachable metal plastic Toolbox with removable tray
- Large metal rust proof latches with padlock eye
- · Deep 4" drawer with ball bearing slides
- Large metal storage bin that provides extra large capacity of portable tool storage
- · Cantilever' system for instant access to all storage area's
- · Telescopic handle and large wheels
- · Outer Dimensions (cm W×D×H): $56.8 \times 38.9 \times 73$
- · Inner Dimension (cm W×D×H) 20" toolbox: 48 × 23 × 26

Middle toolbox/Organiser: $48.5 \times 24 \times 9.5$ Base/Deep bin: $48 \times 24 \times 34$

CODE	DESCRIPTION	<u>_</u>	\boxtimes		PRICE
1-95-621	Rolling Workshop Metall/Plastic	-	1	3 2 5 3 5 6 1 9 5 6 2 1 8	

STANLEY® FATMAX® ROLLING WORKSHOP CANTILEVER

STANLEY FATMAX



- · 3 in 1 extendable
- \cdot Extendable handle and robust wheels
- · 2 side handles
- · Automatic handles extendable parts
- · Easy to unlock to slide open
- · Toolbox lid includes integrated V-groove for work with lumbers and pipes
- · Organizer with removable dividers
- Outer Dimensions (cm W×D×H): $55 \times 41.2 \times 73.3$
- · Inner Dimension (cm W×D×H) Top toolbox: $48 \times 23 \times 26$

Middle organiser (x4): 10 x 27 x 11 Base toolbox: 45 × 25.5 × 37.5

CODE	DESCRIPTION	<u>_</u>	\boxtimes		PRICE
1-94-210	FATMAX Rolling Workshop	-	1	3 2 5 3 5 6 1 9 4 2 1 0 5	

STANLEY® ROLLING WORKSHOP MODULAR 3 IN 1



- Aluminum telescopic back handle for easy elevation; handle can be lowered for storage
- · Heavy duty 7" wheels for easy on-site maneuverability
- Heavy duty ball baring slides for the drawers- quality drawer sliding system with better gripz and locking mechanism
- · On top 19" toolbox
- Portable detachable containers with handle
- \cdot Outer Dimensions (cm W×D×H): 48.8 × 34.8 × 86.5
- · Inner Dimension (cm W×D×H) Toolbox: 44 × 21 × 14.5

Small drawer: $34 \times 20 \times 4.5$ Big drawer: $32.5 \times 19.5 \times 11.6$ Tilt bin: $36 \times 20 \times 33$

CODE	DESCRIPTION	Ō	\boxtimes		PRICE
1-79-206	Rolling Workshop 3in1	-	2	3 2 5 3 5 6 1 7 9 2 0 6 9	

STANLEY® QUICKLINK ROLLING WORKSHOP 3 IN 1



- · Full tower load capacity: 45kg / 80 liters
- · Wide telescopic handle for extra comfort
- Easy attachment and detachment of the modules thanks to the Auto-Lock system
- · Heavy duty 7" wheels for extra durability
- · Front metal latches
- · Modular Rolling Workshop
- · Outer dimensions (cm W×D×H): 55 × 40 × 74
- · Inner dimensions (cm W×D×H) Shallow toolbox: $46 \times 26 \times 9.5$ Deep toolbox: $46 \times 26 \times 20.5$ Deep open bin: $45 \times 26 \times 35$

CODE	DESCRIPTION	ò	\boxtimes		PRICE
STST83319-1	Quicklink Rolling Workshop 3in1	-	1	3 2 5 3 5 6 1 8 3 3 1 9 9	

STANLEY® MODULAR ROLLING WORKSHOP WITH TOP ORGANISER 2 IN 1



- · Modularity Pro detachable Toolbox with detachable suitcase
- \cdot Clear lid suitcase for full visibility and easy access to small parts
- · Detachable tote Toolbox time saving
- · Ball bearing slides for durable drawers and smooth operation
- · Maneuverability durable 7" wheels
- Outer Dimensions (cm W×D×H): $56.7 \times 38.2 \times 76.4$

CODE	DESCRIPTION		\boxtimes		PRICE
STST1-79231	Modular Rolling Workshop 2in1	-	2	3 2 5 3 5 6 1 7 9 2 3 1 1	

STANLEY® ROLLING WORKSHOP ESSENTIAL 3 IN 1



- Three toolboxes in one: Separates into three individual Toolboxes in a matter of seconds.
- · Telescopic handle
- · Durable 7" wheels
- · Front metal latches and padlock loop
- Outer Dimensions (cm W×D×H): $47.5 \times 28.3 \times 63$
- · Inner Dimension (cm W×D×H) Base: 38 × 22.5 × 26.5

Drawer: 42 × 21.5 × 12 Case: 41 × 23 × 19.5

CODE	DESCRIPTION		\boxtimes		PRICE
STST1-80151	Rolling Workshop Essential 3in1	-	2	3 2 5 3 5 6 1 8 0 1 5 1 8	

STANLEY® ROLLING WORKSHOP



- · Detachable top Toolbox unit with small parts storage on top
- Detachable mid section for small parts and accessories
- · Bottom bin with large 7" wheels
- \cdot Pull handle on top allows to conveniently maneuver
- · Large metal latches connecting the units
- Huge storage volume for power tools, hand tools small parts and accessories
- · Removable tray for essential tools
- \cdot 1-70-326 Outer Dimension (cm W×D×H): 47 × 29.5 × 61.9 Inner Dimension (cm W×D×H) Base: 41 × 24.5 × 33

Organizer: 43 × 24 × 5.8

Organizer: 43 × 24 × 5.8 Suitcase: 41 × 25 × 18

 \cdot 1-70-327 Outer Dimension (cm W×D×H): 47 × 29.5 × 57.3

Inner Dimension (cm W×D×H) Base: $41 \times 24.5 \times 33$

Suitcase: 41 × 25 × 18

CODE	DESCRIPTION		\boxtimes		PRICE
1-70-326	Mobile Work Center 3in1	-	2	3 2 5 3 5 6 1 7 0 3 2 6 3	
1-70-327	Mobile Work Center 2in1	-	2	3 2 5 3 5 6 1 7 0 3 2 7 0	

STANLEY® ROLLING WORKSHOP 2 IN 1



- · 2in1 quickly split into separate boxes
- · Extra spacious Toolbox with removable tray
- Central organizer carousel and lid organizers
- · Volume: 25L
- · Capacity: 17kg
- · Foldable handle
- · Heavy duty wheels
- · Durable 1 piece plastic construction
- · Nickel plated metal latches
- · Large metal latches on the sides with eve for padlock
- · Outer dimensions (cm W×D×H): 47 × 29.5 × 61.9
- · Inner Dimension (cm W×D×H) Base: 40 × 24 × 30

Organizer (×2): 16.5 × 7 × 5
Suitcase: 45 × 26 × 19.5

CODE	DESCRIPTION		\boxtimes		PRICE
1-93-968	Mobile Work Center 2in1	-	2	3 2 5 3 5 6 1 9 3 9 6 8 6	

STANLEY® FATMAX® MOBILE JOB CHEST 240L

STANLEY FATMAX.



- · Large job chest with a capacity of 240 litres
- Innovative top aluminum rails (attachment points)
- · Dust and water resistant: IP65
- · Heavy-duty 7" rubber wheels with a extra-wide bi-material telescopic handle for greater comfort and maneuverability
- · Padlock loop and heavy duty metal latches and hinges for added durability
- · Outer dimensions (cm W×D×H): 99 × 59 × 62
- · Inner dimensions (cm W×D×H): $84 \times 46 \times 51$

CODE	DESCRIPTION	٥	\boxtimes		PRICE
FMST1-75531	FATMAX Mobile job chest 240L	-	2	3 2 5 3 5 6 1 7 5 5 3 1 6	

STANLEY® FATMAX® MOBILE JOB CHEST 113L





- · Removable vertical tool organizer/divider
- · Level and saw lock in mechanism - Keeps tools accessible yet safely secured inside
- · All round water seal Keeps valuable contents safe
- · Heavy duty wheels For mobility on rough surfaces, stairs
- \cdot Portable tray For hand tools and small parts
- · Integrated Lock + Keys - Keeps your tools protected
- · Integrated V Groove For any on site sawing needs
- · Telescopic handle Slides in for storage
- · Back end handle Enables conveniently lifting onto vehicle by 2 people
- · Outer Dimensions (cm W×D×H): 91 × 51.6 × 43.1
- · Inner Dimension (cm W×D×H): 72 × 37.5 × 28.5

CODE	DESCRIPTION	<u>_</u>	\boxtimes		PRICE
1-94-850	FATMAX Mobile Job chest 113L	-	1	3 2 5 3 5 6 1 9 4 8 5 0 3	
				0 200001 040000	

STANLEY® MOBILE JOB CHEST 190L



- · Integrated key lock for added security
- · Wide telescopic steel handle with soft grip
- · Removable tote tray fits neatly into the telescopic handle
- · Heavy duty wheels
- · Butterfly screws on top lid for attaching level, hand saw and other accessories
- · Extra large rust resistant metal latches and padlock loop for security
- · Outer Dimensions (cm W×D×H): 94.6 × 58.7 × 57.8

· Inner dimensions (cm W×D×H): 87 × 48 × 52							
CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE		
1-93-278	Mobile Job chest 190L	-	2	3 2 5 3 5 6 1 9 3 2 7 8 6			

STANLEY® FATMAX® MOBILE JOB CHEST 90L

STANLEY FATMAX.



- · Vertical storage divider: Ideal for storing smaller hand tools, such as Knives and screwdrivers
- · Strong metal latches & hinges for extra durability
- · Integrated V-groove: Located on the lid, suitable for sawing pipes and lumber
- · Telescopic handle for easy transportation
- · Outer Dimensions (cm W×D×H): 74.7 × 51.5 × 42.8
- · Inner dimensions (cm W×D×H): $61 \times 38.5 \times 33.5$

CODE	DESCRIPTION		\boxtimes		PRICE
FMST1-73601	FATMAX Mobile job chest 90L	-	1	3 2 5 3 5 6 1 7 3 6 0 1 8	

STANLEY® MOBILE JOB CHEST 91L



- · Wide telescopic steel handle with soft grip, suitable for use with gloved hands.
- · Removable tote tray fits neatly into the telescopic handle
- · Heavy duty road tested wheels
- · Butterfly screws on top lid for attaching level, hand saw and other accessories
- · Extra large rust resistant metal latches, durable and long lasting with padlock eves for security
- Maximum storage and easy transportation for larger tools, general equipment and workshop materials
- Outer dimensions (cm W×D×H): $74 \times 42 \times 47.5$
- · Inner dimensions (cm W×D×H): 68 × 36.5 × 43.5

CODE	DESCRIPTION		\boxtimes		PRICE
I-92-978	Mobile job chest 91L	-	2	3 2 5 3 5 6 1 9 2 9 7 8 6	<u> </u>

STANLEY® MOBILE JOB CHEST ESSENTIAL 50L



- · Wide telescopic plastic handle
- · Removable internal tray
- · Heavy duty wheels
- Integrated V-groove: Located on the lid, suitable for sawing pipes and lumber
- · Metal rust-proof latches for extra durability
- · Padlock eye for extra security
- Outer dimensions (cm W×D×H): $67 \times 40.5 \times 34.5$
- · Inner dimensions (cm W×D×H): $54 \times 30 \times 27.5$

CODE	DESCRIPTION	<u>_</u>	\boxtimes		PRICE
STST1-80150	Rolling Workshop Essential 50L	-	2	3 2 5 3 5 6 1 8 0 1 5 0 1	

STANLEY® ROLLING WORKSHOP 58L



- Removable organizer: Easy to remove and have all small parts organized and accessible
- · Power tool easily accessible from portable tray or bottom bin
- Integrated V-groove: Located on the lid, suitable for sawing pipes and
- \cdot 2/3 size portable tray allows for storage of larger/longer tools
- Outer dimensions (cm W×D×H): 62 × 37.5 × 42.5
- · Inner dimensions (cm W×D×H): $57 \times 31 \times 29$

CODE	DESCRIPTION	٥	\boxtimes		PRICE
1-97-503	Rolling Workshop 53L	-	2	3 2 5 3 5 6 1 9 7 5 0 3 5	



TOOLBOXES

STANLEY® FATMAX® STRUCTURAL FOAM TOOLBOX - 28"

STANLEY FATMAX



- · All round water seal for ultimate protection of equipment
- · Constructed of structural foam for extra strength (IP53)
- · Extra large storage capacity maximum volume utility (32L)
- · Integrated V-Groove on top lid for sawing work needed, suitable for working with pipes and lumber
- · 1-93-935 Outer Dimension (cm W×D×H): 71 × 29.4 × 32 Inner Dimension (cm W×D×H): 60 × 24.5 × 21.5
- · 1-94-749 Outer Dimensions (cm W×D×H): 58 × 26.9 × 30.8

Inner Dimensions (cm W×D×H): $46.5 \times 23 \times 19.1$

CODE	DESCRIPTION	<u>©</u>	\boxtimes		PRICE
1-93-935	FATMAX Toolbox Heavy Duty 28"	-	3	3 2 5 3 5 6 1 9 3 9 3 5 8	
1-94-749	FATMAX Toolbox Heavy Duty 23"	-	3	3 2 5 3 5 6 1 9 4 7 4 9 0	

STANLEY® FATMAX® TOOLBOX ON WHEELS - 28"

STANLEY FATMAX



- · Ergonomic heavy weight mobility
- · All round water seal for ultimate protection of equipment
- · Ergonomic recessed incorporated in the body for hand carrying heavy tools
- · Metal telescopic pull/push handle and wheels
- · Portable tote tray so no need to carry all in toolbox
- · Large metal rust proof latches with padlock loop
- · Integrated V-groove for work with lumbers and pipes
- · Outer dimensions (cm W×D×H): $71 \times 30 \times 32$
- Inner Dimension (cm W×D×H): $60.2 \times 21.5 \times 22.7$

CODE	DESCRIPTION	٥	\boxtimes		PRICE
FMST1-75761	FATMAX Toolbox with wheels 28"	-	3	3 2 5 3 5 6 1 7 5 7 6 1 7	

STANLEY® FATMAX® WATERPROOF TOOLBOX CANTILEVER 18"







- High performance seal for dust and water protection (IP53 water resistance) Long lasting and reliable product
- · Plastic slides and robust metal latches
- · Tool organization dividers (top and bottom drawers are the same)
- · Dust and water resistant: IP53
- \cdot Outer dimensions (cm W×D×H): 46 × 23.5 × 31.5
- · Inner Dimension (cm W×D×H): 37.5 × 22.5 × 11.3

CODE	DESCRIPTION		\boxtimes		PRICE
FMST1-71219	FATMAX Waterproof toolbox Cantilever 18"	-	3	3 2 5 3 5 6 1 7 7 1 2 1 9 7	

STANLEY® FATMAX® TOOLBOX METALL/PLASTIC

STANLEY FATMAX.

- · Ergonomic bi-material handle
- · Innovative vertical storage unit for better organisation
- · Large metal rust proof latches with padlock eye keep tools safe
- · Portable tray is designed to carry tools and small parts
- · Integrated V-groove for work with lumbers and pipes
- · Combines the benefits of plastic with the sturdiness of metal for ultimate protection of equipment stored inside
- · 1-95-615 Outer Dimension (cm W×D×H): 50 × 29.7 × 29.3 Inner Dimension (cm $W \times D \times H$): $48 \times 24 \times 23$
- · 1-95-616 Outer Dimension (cm W×D×H): 58 × 29.7 × 29.3
 - Inner Dimension (cm W×D×H): $56 \times 23 \times 24$
- · 1-95-617 Outer Dimension (cm W×D×H): 66.6 × 29.7 × 29.3 Inner Dimension (cm W×D×H): 64 × 23 × 24



CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
1-95-615	FATMAX Toolbox Metall/ Plastic 20"	-	3	3 2 5 3 5 6 1 9 5 6 1 5 7	
1-95-616	FATMAX Toolbox Metall/ Plastic 23"	-	3	3 2 5 3 5 6 1 9 5 6 1 6 4	
1-95-617	FATMAX Toolbox Metall/ Plastic 26"	-	3	3 2 5 3 5 6 1 9 5 6 1 7 1	

STANLEY® TOOLBOX - PLASTIC & GALVANIZED METAL

- · Ergonomic bi-material handle
- · Large metal rust proof latches with padlock eye keep tools safe
- · Portable tray designed to carry tools and small parts
- · Integrated V-groove for work with lumbers and pipes
- · Combines the benefits of plastic with the sturdiness of metal
- · 1-95-612 Outer Dimension (cm W×D×H): 50 × 29.7 × 22.2 Inner Dimension (cm W×D×H): $48 \times 24 \times 18$
- \cdot 1-95-613 Outer Dimension (cm W×D×H): 58 × 29.7 × 22.2
- Inner Dimension (cm W×D×H): $56 \times 23 \times 18$
- \cdot 1-95-614 Outer Dimension (cm W×D×H): 66.6 × 29.7 × 22.2

Inner Dimension (cm W×D×H): $63.5 \times 22.5 \times 17.2$



ODE	DESCRIPTION		\boxtimes		PRICE
-95-612	Toolbox Metall/Plastic 20"	-	4	3 2 5 3 5 6 1 9 5 6 1 2 6	
-95-613	Toolbox Metall/Plastic 23"	-	4	3 2 5 3 5 6 1 9 5 6 1 3 3	
-95-614	Toolbox Metall/Plastic 26"	-	4	3 2 5 3 5 6 1 9 5 6 1 4 0	

STANLEY® TOOLBOX - PLASTIC & GALVANIZED METAL



- · Ergonomic bi-material handle
- · Large metal rust proof latches with padlock eye keep tools safe
- · Portable tray designed to carry tools and small parts
- · Integrated V-groove for work with lumbers and pipes
- · Combines the benefits of plastic with the sturdiness of metal
- Combines the benefits of plastic with the sturdiness of metal • 1-95-618 Outer Dimension (cm W×D×H): 50 × 29.7 × 22.2
- Inner Dimension (cm W×D×H): 48 × 24 × 18
- \cdot 1-95-619 Outer Dimensions (cm W×D×H): 58 × 29.7 × 22.2 Inner Dimensions (cm W×D×H): 56 × 23 × 18
- \cdot 1-95-620 Outer Dimension (cm W×D×H): 66.6 × 29.7 × 22.2 Inner Dimension (cm W×D×H): 63.5 × 22.5 × 17.2

CODE	DESCRIPTION	٥	\boxtimes		PRICE
1-95-618	Toolbox Metall/Plastic Galva 20"	-	4	3 2 5 3 5 6 1 9 5 6 1 8 8	
1-95-619	Toolbox Metall/Plastic Galva 23"	-	4	3 2 5 3 5 6 1 9 5 6 1 9 5	
1-95-620	Toolbox Metall/Plastic Galva 26"	-	4	3 2 5 3 5 6 1 9 5 6 2 0 1	

STANLEY® TOOLBOX - PLASTIC & GALVANIZED METAL - WITH DRAWER 20"



- · Metal galvanized body and plastic frame
- Portable tote tray 3/4 length design to allow storage of large tools
- · Large metal rust proof latches with padlock eye
- \cdot Ergonomic bi-material handle for carrying heavy loadsIntegrated V-grooves on top lid suitable for pipes and lumber
- Deep 4" drawer for small parts organization or for power tool storage
- \cdot Ball bearing slides for heavy loads
- \cdot Outer Dimensions (cm W×D×H): 54.5 × 29.5 × 28
- · Inner Dimension (cm W×D×H): $48.2 \times 23.7 \times 13.7$

CODE	DESCRIPTION	<u>_</u>	\boxtimes		PRICE
1-95-829	Toolbox Metall/Plastic with drawer 20"	-	2	3 2 5 3 5 6 1 9 5 8 2 9 8	

STANLEY® TOOLBOX - PLASTIC & GALVANIZED METAL - WITH DRAWER 20"



- · Metal galvanized body and plastic frame
- · Portable tote tray 3/4 length design to allow storage of large tools
- · Large metal rust proof latches with padlock eye
- Ergonomic bi-material handle for carrying heavy loadsIntegrated V-grooves on top lid - suitable for pipes and lumber
- Deep 4" drawer for small parts organization or for power tool storage
- · Ball bearing slides for heavy loads
- · Outer Dimensions (cm W×D×H): 54.5 × 33.5 × 28
- · Inner Dimension (cm W×D×H): 48.2 × 23.7 × 13.7

CODE	DESCRIPTION	٥	\boxtimes		PRICE
1-95-830*	Toolbox Galva Metall/Plastic with drawer 20"	-	2	3 2 5 3 5 6 1 9 5 8 3 0 4	
*Not in the	Nordic assortment - special order r	equired.	Minir	num order quantity applied.	

STANLEY® METAL CANTILEVER TOOLBOX - 18"



- · Electo-powder coating to resist scratch and solvent markings
- Heavy duty metal for body construction and handle to provide ultimate durability
- · Double latch for greater strength tray swing out for easy tool access
- · Double handle for more comfort
- · Outer Dimensions (cm W×D×H): $45 \times 20.8 \times 20.8$

CODE	DESCRIPTION		\boxtimes		PRICE
1-94-738	Toolbox Metal Cantilever 5 drawers	-	1	3 2 5 3 5 6 1 9 4 7 3 8 4	

STANLEY® TOOLBOX WITH CASE & OPEN TOTE 24"



- · Heavy duty anti-rust metal latches on top case and metal hinges for extra strength and durability
- · Outer dimensions (cm W×D×H): $67 \times 29 \times 32$
- · Inner Dimension (cm W×D×H): 56.5 × 22.5 × 17



STANLEY® TOOLBOX WITH ORGANIZER & OPEN TOTE 24"



- Toolbox with a removable organizer combines maximum tool storage with onsite maneuverability
- · Heavy duty design, robust structure and structural foam look
- Long metal carry handle for the Tote for easy and better grip locks in place for carrying; tilts down for storage
- \cdot Outer dimensions (cm W×D×H): 67 × 25 × 32
- · Inner Dimension (cm W×D×H): $56.5 \times 22.5 \times 17$

CODE	DESCRIPTION	<u>_</u>	\boxtimes		PRICE
1-97-514	Toolbox with organizer & tote 24"	-	3	3 2 5 3 5 6 1 9 7 5 1 4 1	

STANLEY® TOOLBOX WITH ORGANIZER & OPEN TOTE 19"



- Toolbox with a removable organizer combines maximum tool storage with onsite maneuverability
- · Heavy duty design, robust structure and structural foam look
- Long metal carry handle for the Tote for easy and better grip locks in place for carrying; tilts down for storage
- Can be combined with Rolling Workshop 1-79-206
- · Outer Dimensions (cm W×D×H): 55.6 × 24.9 × 32
- · Inner Dimension (cm W×D×H): $47 \times 22.5 \times 16.7$

CODE	DESCRIPTION		\boxtimes		PRICE
STST1-70317*	Toolbox with organizer & tote 19"	-	3	3 2 5 3 5 6 1 7 0 3 1 7 1	

^{*}Not in the Nordic assortment - special order required. Minimum order quantity applied

STANLEY® FATMAX® TOOLBOX

STANLEY FATMAX



- Unique tray design with removable cup compartments in various sizes and long space suitable for hand tools and accessories
- Long aluminium handle for a better grip which makes it easy and comfortable to carry and lift
- · Cantilever sliding tray creates a two level work station
- Dust and water protection: IP 54
- FMST1-75792 Outer Dimension (cm W×D×H): 51.5 × 27.5 × 30 Inner Dimension (cm W×D×H): 45 × 23.5 × 19.2
- FMST1-75791 Outer Dimension (cm W×D×H): 67 × 27.5 × 30 Inner Dimension (cm W×D×H): 59.5 × 23 × 19.4

CODE	DESCRIPTION	<u>_</u>	\boxtimes		PRICE
FMST1-75792	FATMAX Pro Aluminum Cantilever Toolbox 20"	-	3	3 2 5 3 5 6 1 7 5 7 9 2 1	
FMST1-75791	FATMAX Pro Aluminum Cantilever Toolbox 26"	-	3	3 2 5 3 5 6 1 7 5 7 9 1 4	

STANLEY® TOOLBOX ONELATCH 24"



- · 2/3 removable tray, allows enough space for larger tool to be stored underneath
- 24" tool box with one hand operation latch, allows easy opening when other hand is occupied
- · Extra width soft grip handle on top for easy lifting
- · Toolbox lid includes integrated V-groove for work with lumbers and pipes
- · Outer Dimensions (cm W×D×H): $60.3 \times 28.7 \times 28.2$

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
1-97-510	Toolbox onelatch 24"	-	3	3 2 5 3 5 6 1 9 7 5 1 0 3	

STANLEY® TOOLBOX ONELATCH WITH DRAWER 19"



- · 19" toolbox with One-latch operation
- Ball baring slides drawer: versatile organization for various sizes of tools and small parts
- · Heavy duty design for extra strength and durability
- · Extra width soft grip handle on top for easy lifting
- \cdot 2/3 removable tray allows enough space for large tools to be stored underneath
- · V-Groove on top lid for on-site sawing needs
- · Integrated padlock eye for securing tools and contents
- · Outer Dimensions (cm W×D×H): 48.3 × 27.9 × 28.7
- · Inner Dimension (cm W×D×H) Suitcase: 48.3 × 27.9 × 28.7

Drawer: 45 × 34 × 20

				·· 	
CODE	DESCRIPTION	<u>_</u>	\boxtimes		PRICE
1-70-316	Toolbox onelatch with Drawer 19"	-	3	3 2 5 3 5 6 1 7 0 3 1 6 4	

STANLEY® TOOLBOX WITH ORGANIZER CLICK & CONNECT



- · Unique design that perfectly fits home surrounding
- Special proportions: size ,shape and proportions for easy access to tools and power tools
- Removable latches enable easy connecting and detaching, and full visibility and accessibility
- · Removable dividers enable personal customization and organization of tools
- · Lid organizers for small accessories, drills and bits storage
- · STST1-71962 Outer Dimension (cm W×D×H): 50.5 × 24.5 × 31

CODE	DESCRIPTION		\times		PRICE
STST1-71962*	toolbox with organizer Click & Connect	-	2	3 2 5 3 5 6 1 7 1 9 6 2 2	
*Not in the No	rdic assortment - special order re	equired.	Minir		

STANLEY® TOOL BOXES WITH METAL LATCHES



- · Good solution the DIY'er or hobbyist
- $\cdot \ \textbf{Metal latches, professional quality/strength} \\$
- $\boldsymbol{\cdot}$ Storage tray for smaller items more frequently used
- · Internal Tote Tray

CODE	DESCRIPTION		\boxtimes		PRICE
1-92-064	Tool Box with Metal Latches 12,5"	-	6	3253561920646	
1-92-065	Tool Box with Metal Latches 16"	-	6	3253561920653	
1-92-066	Tool Box with Metal Latches 19"	-	6	3253561920660	
1-92-067	Tool Box with Metal Latches 24"	-	6	3253561920677	

STANLEY® TOOLBOX 19"



- · Keep everything to hand with the STANLEY® Cantilever Tool Box which features 3 levels of storage for hassle free access to your tools and accessories. The Tool Box has 2 internal trays which are designed for easy organisation of smaller hand tools as well as 2 lid organiser compartments, ideal for storing small fixings and accessories. Complete with a pull handle for easy closure of the tool box, as well metal latches for durability. The STANLEY® 3-Level Cantilever Tool Box is finished with a textured carry handle for comfort and easy transportation.
- · Outer dimensions (cm W×D×H): 49 × 25.5 × 28.5 (closed)
- · Inner Dimension (cm W×D×H): $43.5 \times 21.4 \times 11$



CODE	DESCRIPTION	Ó	\boxtimes		PRICE
STST83397-1	Toolbox Cantilever Essential 19"	-	2	3 2 5 3 5 6 1 8 3 3 9 7 7	

STANLEY® TOOLBOX ESSENTIAL WITH REMOVABLE ORGANISERS



- · Ideal for storing smaller hand tools and features two removable organizers for quick and easy access to small materials and accessories
- · Equipped with a removable tray for storing small parts
- · Metal rustproof latch for durability
- · Lockable with padlock (not included)
- \cdot STST75785-1 Outer Dimension (cm W×D×H): $40.6 \times 19.5 \times 20.5$

Inner Dimension (cm $W \times D \times H$): 37 × 15 × 15

· STST75787-1 Outer Dimension (cm W×D×H): 48.2 × 25 × 25.4

Inner Dimension (cm $W \times D \times H$): $43 \times 18 \times 20$



CODE	DESCRIPTION		\boxtimes		PRIC
STST75785-1	Toolbox Essential 16" removable organizers	-	6	3 2 5 3 5 6 1 7 5 7 8 5 3	
STST75787-1	Toolbox Essential 19" removable organizers	-	6	3 2 5 3 5 6 1 7 5 7 8 7 7	

STANLEY® TOOLBOX ONE-TOUCH



- · Toolbox with ONE HAND OPERATION latch allows easy opening when other hand is occupied
- · Lid with organizers
- · Wide soft grip handle
- · Removable Internal tray
- · 1-79-216 Outer Dimension (cm W×D×H): 39.4 × 16.2 × 22
- Inner Dimension (cm W×D×H): $36.5 \times 15 \times 11.7$
- \cdot 1-79-217 Outer Dimension (cm W×D×H): 48.6 × 23.6 × 26.6
- Inner Dimension (cm W×D×H): $46.5 \times 20.5 \times 22.6$ \cdot 1-79-218 Outer Dimension (cm W×D×H): 59.5 × 26 × 28.1

Inner Dimension (cm W×D×H): $56 \times 23 \times 20$

CODE	DESCRIPTION	<u></u>	\bowtie		PRICE
1-79-216	Toolbox One-Touch 16"	-	6	3 2 5 3 5 6 1 7 9 2 1 6 8	
1-79-217	Toolbox One-Touch 19"	-	6	3 2 5 3 5 6 1 7 9 2 1 7 5	
1-79-218	Toolbox One-Touch 24"	-	3	3 2 5 3 5 6 1 7 9 2 1 8 2	

STANLEY® TOOLBOX ESSENTIAL



- · Organizer for small parts
- · Metal or plastic latches lock guarantee, enables smooth closing and opening
- · Removable Internal tray

CODE	DESCRIPTION		\times		PRICE
STST1-75514	Toolbox Essential 12.5" - plastic latches	-	6	3253561755149	
STST1-75515	Toolbox Essential 12.5" - metal latches	-	6	3 2 5 3 5 6 1 7 5 5 1 5 6	
STST1-75517	Toolbox Essential 16" - plastic latches	-	6	3253561755170	
STST1-75518	Toolbox Essential 16" - metal latches	-	6	3 2 5 3 5 6 1 7 5 5 1 8 7	
STST1-75520	Toolbox Essential 19" - plastic latches	-	6	3253561755200	
STST1-75521	Toolbox Essential 19" - metal latches	-	6	3 2 5 3 5 6 1 7 5 5 2 1 7	
STST82976-1	Toolbox Essential 26" - metal latches	-	3	3 2 5 3 5 6 1 8 2 9 7 6 5	
STST1-75772	Toolbox Essential - bundle 19" - 12,5" -metal latches	-	6	3253561757723	

FATMAX® TOOLBOX - 3-IN-1 - STEP STOOL, TOOL BOX, AND TOTE - 25"

STANLEY FATMAX.



- · The STANLEY® FATMAX® 25" step stool toolbox provides a three-in-one solution: a toolbox, a step stool and a raised tote
- · 30kg tool box load capacity for well-organized storage of small power tools and hand tools
- · The tool box features an ergonomic carry handle for easy transportation
- · 45cm working height and 150kg standing load capacity (Conforms to EN14183 step stool standards)
- · The product features an integrated tote with dual use side latches. These latches clip the tote to the step stool to provide elevated height
- · Outer Dimensions (cm W×D×H): 64 × 29.6 × 28.7
- · Inner Dimension (cm W×D×H): $56 \times 26.5 \times 20$
- · Work surface dimensions (cm): 53×25

CODE DES	ESCRIPTION		\boxtimes		PRICE
	ATMAX 3in1 Toolbox with Step ool 25"	-	2	3 2 5 3 5 6 1 8 3 3 1 5 1	

STORAGE TRAY



- · Comfort handle structure
- · Large open tote tray suitable for portable storage
- · Maximum visibility and accessibility
- · Outer Dimensions (cm W×D×H): 49.7 × 33.6 × 19.4
- · Inner Dimension (cm W×D×H): 40 × 10 × 13.3 (×2)

CODE	DESCRIPTION	<u>_</u>	\boxtimes		PRICE
STST1-72359	Storage Tray	-	6	3 2 5 3 5 6 1 7 2 3 5 9 9	

TECHNICIANS CASES

STANLEY® FATMAX® TECHNICIAN CASE





- · Enabling full visibility and accessibility
- · Removable dividers for flexible customization & organization 1 long divider 4 short dividers 3 cups & covers
- · Supporting legs for stability (no tipping over)
- · Thick rubber coated handle for superior grip
- · Tough metal latches
- Outer Dimensions (cm W×D×H): $50.1 \times 20.3 \times 40.5$
- · Inner Dimension (cm W×D×H): $47 \times 31.3 \times 11.3$

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
FMST1-71943	FATMAX Technicians Case - not filled	-	1	3 2 5 3 5 6 1 7 1 9 4 3 1	

FATMAX® TECHNICIANS CASE WITH WHEELS

STANLEY FATMAX



- · Accordion structure
- · Enabling full visibility and accessibility
- · Ergonomic tall aluminum telescopic handle and bearing skating wheels for smooth and easy mobility
- · Glass fiber reinforced PP body and lid for durability
- · Removable dividers for flexible customization & organization 1 long divider 4 short dividers 3 cups & covers
- Supporting legs for stability (no tipping over)
 Thick rubber coated handle for superior grip
- · Tough metal latches
- \cdot Outer Dimensions (cm W×D×H): 54.3 × 40.5 × 24
- Inner Dimension (cm W×D×H): $47 \times 31.3 \times 11.3$

CODE	DESCRIPTION	Ō	\boxtimes		PRICE
FMST1-72383	FATMAX Technicians Suitcase with wheels - not filled	-	1	3 2 5 3 5 6 1 7 2 3 8 3 4	



STANLEY® FATMAX® QUICK-ACCESS BACKPACK

STANLEY FATMAX



- \cdot Large open compartment for quick tool access intended for long tools/
- organisers/power tools/kit boxes
- Tool back pack– workstation with 4 compartments combines high strong flexible high quality tarpaulin with 600D
- · Multiple pockets and tool holders for a wide variety of tools
- · Rigid, water-proof plastic bottom
- · Padded shoulder straps for heavy load carriage
- · Ergonomic padded back with air mesh
- · Laptop padded compartment
- · Personal belongings compartment or all essentials: wallet, keys, cell phone
- · Dimensions (cm W×D×H): 36 × 23 × 47

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
FMST1-80144	FATMAX Backpack Quick Access	-	4	3 2 5 3 5 6 1 8 0 1 4 4 0	

STANLEY® FATMAX® BACKPACK WITH/WITHOUT WHEELS



- · 600 x 600 durable denier fabric
- · Easy access to personal items stored in a different compartment
- · Dual zipper closure enables opening from every end
- Front see through compartment and multiple loops for extra loads enables quick access needs
- · Loops provide additional fastening options
- · Removable divider with multiple pockets for a wide variety of tools
- · Rigid form that can stand in an open position enabling access to all tools
- · Carrying capacity: 25kg
- · Transporting handle used during rolling carriage of tools
- · 1-79-215 dimensions (cm W×D×H): 36 × 21 × 54
- · 1-95-611 dimensions (cm W×D×H): 36 × 21 × 49.5

CODE	DESCRIPTION	Ō	\boxtimes		PRICE
1-79-215	FATMAX Tool backpack with wheels	-	2	3 2 5 3 5 6 1 7 9 2 1 5 1	
1-95-611	FATMAX Tool backpack without wheels	-	2	3 2 5 3 5 6 1 9 5 6 1 1 9	

STANLEY® BACKPACK WITH/WITHOUT WHEELS



- · Transport heavy loads on wheels using the telescopic handle or carry comfortably on your back using the two ergonomic shoulder straps
- Made from 600-denier fabric for long lasting durability
- · Two ergonomic, padded shoulder straps spread the weight distribution
- · Wide opening zip design for easy access
- · Removable tool divider system
- · Side pockets for convenient access
- · Comfortable telescopic handle for use on wheels
- \cdot STST83307-1 dimensions (cm W×D×H): 34 × 20 × 57
- \cdot STST1-72335 dimensions (cm W×D×H): 30.5 × 18.5 × 47.5

CODE	DESCRIPTION	<u>_</u>	\boxtimes		PRICE
STST83307-1	Tool backpack with wheels	-	4	3 2 5 3 5 6 1 8 3 3 0 7 6	
STST1-72335	Tool backpack without wheels	-	4	3 2 5 3 5 6 1 7 2 3 3 5 3	

STANLEY® FATMAX® LAPTOP BAG

STANLEY FATMAX



- · Waterproof bottom
- · 600 × 600 denier
- · Front opening for easy access to tools
- · Protected compartment for laptop, tablet or documents
- · Inner and outer pockets for maximum storage capacity
- · Padded shoulder straps
- · Ergonomic handle
- Can be combined with the FATMAX tool bag on wheels thanks to the handy strap on the back
- Dimensions (cm W×D×H): $42.5 \times 15 \times 32$

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
FMST1-80149	FATMAX Laptop Bag	-	4	3 2 5 3 5 6 1 8 0 1 4 9 5	

STANLEY® FATMAX® QUICK-ACCESS TOTE 20"

STANLEY FATMAX



- · Open tool tote with a compartment pocket on the outside
- · Robust, steel handle and padded shoulder strap
- \cdot 600 × 600 denier in combination with tarpaulin
- · Waterproof bottom
- · Dimensions (cm W×D×H): 50 × 30 × 36

CODE	DESCRIPTION		\boxtimes		PRICE
FMST1-80146	FATMAX Open Tote Quick Access	-	4	3 2 5 3 5 6 1 8 0 1 4 6 4	

STANLEY® FATMAX® TOOL BAG QUICK ACCESS

STANLEY FATMAX



- · Tool bag with 3 large compartments
- $\boldsymbol{\cdot}$ Inner and outer pockets for maximum storage capacity
- · 600 × 600 denier in combination with tarpaulin
- · Padded shoulder strap
- · Waterproof bottom
- · 1-97-518 or 1-97-517 fits inside the bag
- · Dimensions (cm W×D×H): $48.3 \times 28.5 \times 35$

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
FMST1-80147	FATMAX Tool Bag Quick Access	-	4	3 2 5 3 5 6 1 8 0 1 4 7 1	

STANLEY® FATMAX® TOOL BAG WITH WHEELS

STANLEY FATMAX



- · Telescopic handle and wheels
- · Large storage capacity (xL)
- · Inner and outer pockets for maximum storage capacity
- · Removable tool carrier
- · 600×600 denier
- Dimensions (cm W×D×H): $45 \times 25.5 \times 33$

CODE	DESCRIPTION		\boxtimes		PRICE
FMST1-80148	FATMAX Tool Bag with Wheels	-	2	3 2 5 3 5 6 1 8 0 1 4 8 8	

STANLEY® FATMAX® DOUBLE-SIDED TOOL BAG

STANLEY FATMAX



- \cdot Extra Sturdily, double-sided construction for quick and easy access to tools and small parts
- · Two deep compartments with large storage space for power tools
- · Features multiple internal and external compartments Supplied with
- shoulder strap for maximum comfort
- Dimensions (cm W×D×H): 43 × 28 × 31

CODE	DESCRIPTION	<u></u>	\boxtimes	IIIII	PRICE
FMST1-73607	FATMAX Double Sided Tool Bag	-	4	3 2 5 3 5 6 1 7 3 6 0 7 0	

STANLEY® FATMAX® LARGE TOOL BAG ON WHEELS

STANLEY. FATMAX



- Extra large tool bag with wheels, telescopic handle, separate storage compartments for power tools, hand tools and accessories
- · Sturdily 600 × 600 denier fabric
- · Large zippered opening for easy access
- · Handy storage compartment reachable from the outside
- Dimensions (cm W×D×H): 70 × 31.8 × 30.5

CODE	DESCRIPTION	٥	\boxtimes		PRICE
FMST82706-1	FATMAX Large Tool Bag on Wheels	-	2	3 2 5 3 5 6 1 8 2 7 0 6 8	

FATMAX® LARGE TOOL BAG 18"

STANLEY



- · Made from durable materials for maximum wear protection
- · Polypropylene base for protection against moisture and dirt
- · Large opening and handy compartments
- · Vertical compartments for quick access to all tools and small parts
- · Ergonomic design with comfortable shoulder strap and rubber handle
- · Made from durable materials for maximum wear protection
- Large capacity round opening offers more storage options than traditional tool bags
- · Ergonomic design with comfortable shoulder strap and rubber handle
- · Carrying capacity: 25kg
- Dimensions (cm W×D×H): $50 \times 23 \times 27$

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
FMST1-71180	FATMAX Large Tool Bag 18"	-	2	3 2 5 3 5 6 1 7 1 1 8 0 0	

FATMAX® ROUND TOOL BAG 18"

STANLEY FATMAX



- · Made from durable materials for maximum wear protection
- Large capacity round opening offers more storage options than traditional tool bags
- · Vertical compartments for quick access to all tools and small parts
- · Ergonomic design with comfortable shoulder strap and rubber handle
- · Carrying capacity: 25kg
- Dimensions (cm W×D×H): 50 × 26 × 31

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
FMST1-70749	FATMAX Round Tool Bag 18"	-	2	3 2 5 3 5 6 1 7 0 7 4 9 0	

FATMAX® PLUMBERS BAG 19"

STANLEY.



- · Can be fully unfolded
- $\boldsymbol{\cdot}$ Double opening for separate access to materials and tools
- · Durable protective material for sides anti moisture and dirty surfaces
- · Suitable for storing pipe cutters, pipe benders, wrenches, etc.
- $\boldsymbol{\cdot}$ Outer and inner pockets for neatly storing tools
- · Vertical compartments for quick access to all tools and small parts
- · Polypropylene base for protection against moisture and dirt
- · Comfortable shoulder strap
- · Carrying capacity: 25kg
- \cdot Dimensions (cm W×D×H): 48.5 × 24 × 30

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
FMST1-70719	FATMAX Plumbers bag	-	2	3 2 5 3 5 6 1 7 0 7 1 9 3	

FATMAX® TOOL ORGANIZER





- Ergonomic bag with shoulder strap and two handles that can be attached together in one rigid rubber handle
- · Reinforced frame and plastic supports: protection against moisture
- · Velcro on both sides to keep the bag open: tools 100% visible
- · Contrasting background
- · Carrying capacity: 20kg
- · Dimensions (cm W×D×H): 49 × 23 × 27

CODE	DESCRIPTION		\boxtimes		PRICE
1-94-231	FATMAX Organizer Bag	-	2	3 2 5 3 5 6 1 9 4 2 3 1 0	

FATMAX® TOOL BAG

STANLEY FATMAX



- · Large handles for comfortable grip
- · Heavy duty shoulder strap
- Reinforced handle attachment points
- · Handy zipper
- Reinforced corners and other critical points
- Inner and outer pockets and elastic bands for maximum storage capacity
- Carrying capacity: 25kg
- Dimensions (cm W×D×H): 46 × 21 × 31

CODE	DESCRIPTION	\bigcirc	\boxtimes		PRICE
1-93-950	FATMAX Tool Bag 18"	-	4	3 2 5 3 5 6 1 9 3 9 5 0 1	

FATMAX® OPEN TOTE 18"

STANLEY. FATMAX



- · Robust steel handle with rubber grip
- · Heavy duty shoulder strap
- · Saw compartments with adhesive tape closure
- · Non-slip rubber holder for spirit level
- · Large side pocket for extension cable
- · Closed compartments for bits & bitsholders
- Elastics for maximum organization
- · Tape measure holder steel
- · Carrying capacity: 25kg
- Dimensions (cm W×D×H): 47 × 20 × 34.5

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
1-93-951	FATMAX Open Tote 18"	-	4	3 2 5 3 5 6 1 9 3 9 5 1 8	

FATMAX® OPEN TOOL BAG 20"

STANLEY FATMAX



- · Inner and outer pockets for maximum storage capacity
- · Made from tough 600 denier and ballistic nylon fabric
- · Outside pocket with zipper
- · Spacious Sturdily polypropylene frame
- · Fold-away handle over the full length of the bag
- · Carrying capacity: 25kg
- · Dimensions (cm W×D×H): 49 × 25 × 29.5

CODE	DESCRIPTION	<u>_</u>	\boxtimes		PRICE
1-79-213	FATMAX Open Tool Bag FP - lockable	-	4	3 2 5 3 5 6 1 7 9 2 1 3 7	

FATMAX® TECHNICIAN TOTE 10"

STANLEY FATMAX



- · Ergonomic rubber handle
- · Heavy duty shoulder strap
- · Removable divider with tool holders and belt clip
- · Inner and outer pockets for maximum storage capacity
- · Steel holders for insulating tape and tape measure
- · Closed compartments for bit holders
- · Carrying capacity: 25kg
- Dimensions (cm W×D×H): 26 × 26 × 26

CODE	DESCRIPTION		\boxtimes		PRICE
1-93-952	FATMAX Technician Tote 10"	-	4	3 2 5 3 5 6 1 9 3 9 5 2 5	

STANLEY® FATMAX® SOFT TOOL ORGANISER

STANLEY FATMAX

NEW



- · Soft Tool Organiser features multiple layers of pockets for maximum organisation and easy access to tools
- Rigid waterproof plastic base: Enables the bag to stand on its own and protects the bag contents from dirt and moisture
- Base is compatible with STANLEY® FATMAX® Power Tool Accessory cases
 & PRO-STACK
- · Integrated tape holder
- · Padded shoulder strap
- · Integrated hammer compartment
- · Carrying capacity: 18kg

CODE	DESCRIPTION		\boxtimes		PRICE
FMST17624-1	STANLEY® FATMAX® Soft Tool Organiser	-	4	3 2 5 3 5 6 1 1 7 6 2 4 1	

TOOL BAG WITH WHEELS 18"



- · 600×600 denier fabric
- · Sturdily frame
- $\cdot \, \text{Telescopic handle and wheels} \\$
- · Inner and outer pockets
- · Removable partition
- Dimensions (cm W×D×H): $44.5 \times 25.5 \times 42$

CODE	DESCRIPTION	٥	\boxtimes		PRICE
1-97-515	Tool Bag with Wheels 18"	-	2	3 2 5 3 5 6 1 9 7 5 1 5 8	

OPEN TOOL TOTE 16"



- · Sturdily 600 × 600 denier fabric
- · Open structure
- · Adjustable shoulder strap
- Reinforced plastic bottom
- · Several inner and outer pockets
- · Sturdily handle
- · Dimensions (cm W×D×H): 42 × 22 × 26.5

CODE	DESCRIPTION	٥	\boxtimes		PRICE
1-96-182	Open Tool Tote 16"	-	4	3 2 5 3 5 6 1 9 6 1 8 2 3	

STANLEY® ESSENTIAL RIGID MULTIPURPOSE TOOL BAG 16"



- · Sturdily 600 × 600 denier fabric
- Several inner and outer pockets
- · Adjustable shoulder strap Reinforced plastic bottom
- · Reinforced corners
- · Transparent document holder
- Dimensions (cm W×D×H): $43 \times 25 \times 26$

CODE	DESCRIPTION	Ō	\boxtimes		PRICE
1-96-193	Sturdily Tool Bag 16"	-	4	3 2 5 3 5 6 1 9 6 1 9 3 9	

STANLEY® TOOL BAG 300 MM



- · Reinforced plastic bottom
- · 8 inner pockets and 2 outer pockets
- Sturdily 600 × 600 denier fabric
- · Dimensions (cm W×D×H): $30 \times 13 \times 25$

CODE	DESCRIPTION		\boxtimes		PRICE
1-93-330*	Tool bag 300 mm	-	2	3 2 5 3 5 6 1 9 3 3 3 0 1	

*Not in the Nordic assortment - special order required. Minimum order quantity applied.

STANLEY® TOOL BAG 16"



- · Reinforced plastic bottom
- · Several inner and outer pockets
- · Sturdily 600 × 600 denier fabric
- · Dimensions (cm W×D×H): $43 \times 23.5 \times 27.5$

CODE	DESCRIPTION		\boxtimes		PRICE
1-96-183	Tool bag 16"	-	4	3 2 5 3 5 6 1 9 6 1 8 3 0	

STANLEY® OPEN TOOL BAG 12"



- · Open design for easy access to all tools
- · Vertical compartments for maximum organization
- · Small compartments for screwdriver bits and other small parts
- · Dimensions (cm W×D×H): $30 \times 18 \times 25$

CODE	DESCRIPTION	<u>©</u>	\boxtimes		PRICE
STST1-70718	Open Tool Bag 12"	-	4	3 2 5 3 5 6 1 7 0 7 1 8 6	

STANLEY® OPEN TOTE 18"



- · 600 x 600 denier fabric, hardwearing, strong and durable
- · Adjustable shoulder strap
- Covered front pocket provides secure storage of small parts or personal items
- · Internal and external pockets provides maximum organization
- · Open bulky structure design allows easy access and visibility to tools
- · Strong metal handle for easy grip
- · Side straps for level holder

CODE	DESCRIPTION		\boxtimes		PRIC
STST1-70712	Tool pouch	-	12	3 2 5 3 5 6 1 9 3 6 0 1 2	

STANLEY® TOOL POUCH



- · Strong, durable
- · 12 compartments
- · Dimensions (cm W×D×H): $64.5 \times 38.5 \times 0.5$

CODE	DESCRIPTION	Ö	\boxtimes		PRICE
1-93-601*	Tool pouch	-	12	3 2 5 3 5 6 1 9 3 6 0 1 2	

*Not in the Nordic assortment - special order required. Minimum order quantity applied.

STANLEY® PERSONAL BELT BAG



- · Sturdily 600 × 600 denier fabric
- $\cdot \ \textbf{Large zippered storage space}$
- \cdot Handy storage bag for personal items & mobile phone pocket
- · Dimensions (cm W×D×H): $24 \times 6 \times 15.5$

CODE	DESCRIPTION		\boxtimes		PRIC
1-96-179	Personal Tool Bag	-	4	3 2 5 3 5 6 1 9 6 1 7 9 3	

TOOL BELTS

STANLEY® FATMAX® TOOL VEST

STANLEY FATMAX



- · Compartments for storing hand tools
- · Adjustable shoulder straps for maximum comfort
- · Breathable fabric for maximum comfort
- · One size adjustable reflector strips for safety
- · One size fits all, thanks to the fully adjustable side straps
- · Dimensions (cm W×D×H): $47 \times 7 \times 58$

CODE	DESCRIPTION		\boxtimes		PRICE
FMST1-71181	FATMAX Tool Vest	-	2	3 2 5 3 5 6 1 7 1 1 8 1 7	

STANLEY® FATMAX® KNIFE HOLSTER

STANLEY FATMAX



- · Cut proof plastic interior to resist wear and punctures
- · Trouser clip
- · 600 denier polyester for long life
- · Heavy-duty stitching to perform under heavy usage
- · Pocket for 10 pack blades for convenience
- · Strong belt clip for attachment
- · Pouch fits all Stanley Knives

CODE	DESCRIPTION	<u>_</u>	\boxtimes		PRICE
0-10-028	FATMAX Knife Holster	Х	6	3 253560 100285	

STANLEY® TOOL BELT



- · Made from durable quality leather
- · Stitched hems
- · Reinforcing rivets that are covered to prevent damage to clothes
- · 4 large and 6 small bags
- · 2 hammer holders and 1 measuring tape holder
- · Fully adjustable strap
- · Dimensions (cm W×D×H): 53.34 × 38.1 × 38.1

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
STST1-80113	Double Tool Belt	Х	2	3 2 5 3 5 6 1 8 0 1 1 3 6	

STANLEY® SINGLE TOOL BELT WITH HAMMER HOLDER



- · Made from durable quality leather
- · Various pouches and holders for ease of use
- · Reinforcing rivets for more durability
- Wide belt slot
- · Hammer holder
- · Dimensions (cm W×D×H): 40.64 × 33.02 × 27.94

CODE	DESCRIPTION	<u>_</u>	\boxtimes		PRICE
STST1-80114	Single Tool Belt with Hammer Holder	-	2	3 2 5 3 5 6 1 8 0 1 1 4 3	

STANLEY® SINGLE TOOL BELT



- · Made from durable quality leather
- \cdot Various pouches and holders for ease of use
- · Reinforcing rivets for more durability
- · Wide slot for belt
- · Metal tape measure holder
- Dimensions (cm W×D×H): 40.64 × 33.02 × 27.94

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
STST1-80116	Single Tool Belt	-	2	3 2 5 3 5 6 1 8 0 1 1 6 7	

STANLEY® STANLEY® HAMMER HOLSTER



- · Made from durable quality leather
- · Hammer holder suitable for different types and weights
- · Reinforcing rivets for greater durability
- Dimensions (cm W×D×H): $57.15 \times 38.1 \times 45.72$

CODE	DESCRIPTION	ò	\boxtimes		PRICE
STST1-80117	hammer holster	-	20	3 2 5 3 5 6 1 8 0 1 1 7 4	

STANLEY® DRILL HOLDER



- · Made from durable quality leather
- · Suitable for left and right handed users
- · Leather strap keeps device in place
- · Different pouches for drills and bits
- Dimensions (cm W×D×H): 53.34 × 38.1 × 38.1

CODE	DESCRIPTION	٥	\boxtimes		PRICE
STST1-80118	Drill holder	-	2	3 2 5 3 5 6 1 8 0 1 1 8 1	

STANLEY® BELT



- · Made from durable quality leather
- · One size fits all
- · Durable metal closure
- \cdot Dimensions (cm W×D×H): 57.15 × 38.1 × 45.72

CODE	DESCRIPTION		\boxtimes		PRICE
STST1-80119	Belt	Х	6	3 2 5 3 5 6 1 8 0 1 1 9 8	

STANLEY® TOOL BELT



- · Sturdily 600 × 600 denier fabric
- · Various pouches & tool holders (hammer holder & tape measure holder)
- · Padded
- · Belt included
- · Dimensions (cm W×D×H): $60 \times 7.5 \times 25.5$

CODE	DESCRIPTION	<u>_</u>	\boxtimes		PRICE
1-96-178	Tool belt	-	4	3 2 5 3 5 6 1 9 6 1 7 8 6	

STANLEY® TOOL POUCH



- · Sturdily 600 × 600 denier fabric
- · Various pouches & tool holders (hammer holder)
- · Padded
- \cdot Dimensions (cm W×D×H): 24 × 6 × 15.5

CODE	DESCRIPTION		\boxtimes		PRICE
1-96-181	Tool Pouch	-	4	3 2 5 3 5 6 1 9 6 1 8 1 6	

STANLEY® TOOL/PEN POUCH



- · Sturdily 600 × 600 denier fabric
- · Two side pockets for convenient tool storage
- · Large center pocket
- · Ideal for pens
- · Dimensions (cm W×D×H): 16 × 11 × 24

CODE	DESCRIPTION		\boxtimes		PRICE
1-93-329*	Tool/Pen Pouch	Χ	12	3 2 5 3 5 6 1 9 3 3 2 9 5	

^{*}Not in the Nordic assortment - special order required. Minimum order quantity applied.

KNEE PADS

STANLEY® FATMAX® KNEE PADS HARD SHELL

STANLEY FATMAX



- \cdot A non-slip layer allows for better traction and durability when in use
- · Ideal for protecting the knees when participating in framing, carpentry, automotive or general construction work
- · 600 Denier fabric
- · High density foam padding for added comfort
- · Dual elastic adjustable straps along with swivelling buckles for comfort and
- Dimensions (cm W×D×H): $23.5 \times 5 \times 16$

CODE	DESCRIPTION	٥	\boxtimes		PRICE
FMST82961-1	FATMAX Knee Pads Hard Shell	Х	4	3 2 5 3 5 6 1 8 2 9 6 1 1	

FATMAX® KNEE PADS SOFT FLOORING

STANLEY FATMAX



- \cdot A non-slip layer allows for better traction and durability when in use
- · Dual elastic adjustable straps with swivelling buckles and latches for comfort and adjustability
- · Thick layer of EVA high density foam padding for added comfort
- 1680 Denier fabric provides added strength and abrasion resistance to the
- Dimensions (cm W×D×H): 22 × 7.5 × 19

CODE	DESCRIPTION		\boxtimes		PRICE
FMST82962-1	FATMAX Kneepads Soft	Х	4	3 2 5 3 5 6 1 8 2 9 6 2 8	

STANLEY® FATMAX® SEMI-HARD THERMOFORMED KNEE PADS WITH GEL


STANLEY FATMAX





- · The semi-rigid construction offers improved protection
- · Extra wide single neoprene strap for added comfort and a secure fit
- · Easy to grasp pull tabs allow easy adjustment to the knee pads even whilst wearing gloves
- · Thick layer of EVA high density foam padding
- · 1680 Denier fabric
- \cdot The semi-rigid flat cap with TPE offers the ultimate protection and slip prevention(only for FMST82960-1)
- · Dimensions (cm W×D×H): $24 \times 7 \times 17.5$

DESCRIPTION	<u></u>	\times		PRIC
FATMAX Knee Pads Thermoformed Gel	Х	2	3 2 5 3 5 6 1 8 2 9 5 9 8	
DESCRIPTION	ے	\boxtimes		PRIC
	FATMAX Knee Pads Thermoformed Gel	FATMAX Knee Pads Thermoformed Gel X	FATMAX Knee Pads Thermoformed Gel X 2	FATMAX Knee Pads x 2





CUSTOMIZE YOUR PRO-STACK SYSTEM

TOOL CASES FATMAX® PRO-STACK

Designed for you. The PRO-STACK modular storage cases offer you all the options, tailored for your task. Your PRO-STACK is the ideal partner to complete your tasks quickly and professionally - with an eye for robustness and user-friendliness. Each case is equipped with a sturdy coupling system to connect or disconnect the cases quickly and easily. This way you can put together your ideal combination yourself. Add the organizer for the small items and a wheel base for easy transport.

Secure storage space for small parts, accessories, hand tools and machines.



handle, compatible with all cases for extra

mobility.

PRO-STACK

Cases with foam insert, removable dividers - depending on the model.



Robust construction with metal hinges and



rstak



















TOOLBOXS FATMAX® PRO-STACK

STANLEY® FATMAX® PRO-STACK™ COMBO

STANLEY FATMAX.



- · Ideal for storing power tools, hand tools, small parts and accessories Durable side latches allow for connectivity to multiple PRO-STACK™
- · Features a tool box with a customisable foam insert to fit around your power tools as well as 2 additional drawers with removable dividers for the smart storage of small parts and accessories
- · Anti-rust metal latches and hinges for added durability
- · Carry handle for comfort and easy transportation
- · Padlock eye for security on site or in your workshop or garage
- · Load capacity: 30kg Shallow box, 7,5 kg Drawers
- · Volume: 21,6L
- · Foam insert included
- · Outer Dimensions (cm W×D×H): $44 \times 33.3 \times 18.3$
- \cdot Inner Dimension (cm W×D×H): 36.5 × 27 × 10.5

CODE	DESCRIPTION		\boxtimes		PRICE
FMST1-71981	STANLEY® FATMAX® PRO- STACK COMBO KIT	-	4	3 2 5 3 5 6 1 7 1 9 8 1 3	

STANLEY® FATMAX® PRO-STACK™ ORGANISER TOP SHALLOW BOX

STANLEY FATMAX.



- · Ideal for storing small parts, hand tools and power tools
- · Durable side latches allow for connectivity to multiple PRO-STACK™
- · Integrated shallow organiser perfect for storing small parts and accessories
- · Anti-rust metal latches and hinges for added durability
- · Carry handle for comfort and easy transportation
- · Padlock eye for security on site or in your workshop or garage
- · Load capacity: 30kg
- · Volume: 14L
- · Outer Dimensions (cm W×D×H): 44 × 33.3 × 18.3
- · Inner Dimension (cm W×D×H): $36.5 \times 27 \times 10.5$

CODE	DESCRIPTION	<u>_</u>	\boxtimes		PRICE
FMST1-71967	STANLEY® FATMAX® PRO- STACK™ ORGANISER TOP SHALLOW BOX	-	4	3 2 5 3 5 6 1 7 1 9 6 7 7	

STANLEY® FATMAX® PRO-STACK™ CLIPBOARD

STANLEY FATMAX.



- · Ideal work surface for site plans and documents
- · Clip to other modules and carry your essential tools and important documents, all together
- · Internal clipboard and storage ideal for storing personal documents, tablets and devices
- · Integral LED work light for improved visibility in all working conditions
- · Rubber bumpers for long lasting durability

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
FMST82721-1	STANLEY® FATMAX® PRO- STACK™ CLIPBOARD	-	4	3 2 5 3 5 6 1 8 2 7 2 1 1	

STANLEY® FATMAX® PRO-STACK™ SHALLOW BOX

STANLEY.



- · Ideal for storing hand tools and smaller power tools
- Durable side latches allow for connectivity to multiple PRO-STACK™ modules
- FMST1-71966 includes foam insert ideal for customising the inside of your tool box to fit around your power tools and accessories
- · Anti-rust metal latches and hinges for added durability
- · Carry handle for comfort and easy transportation
- · Padlock eye for security on site or in your workshop or garage
- · Foam insert included
- · Load capacity: 30kg
- · Volume: 14L
- \cdot Outer Dimensions (cm W×D×H): 44 × 33.3 × 16.2
- · Inner dimensions (cm W×D×H): $36 \times 27 \times 10.4$

CODE	DESCRIPTION	<u>_</u>	\boxtimes		PRICE
FMST1-71966	STANLEY® FATMAX® PRO- STACK™ SHALLOW BOX	-	4	3 2 5 3 5 6 1 7 1 9 6 6 0	

STANLEY® FATMAX® PRO-STACK™ DEEP DRAWER





- \cdot 4 small and 2 large removeable cups for use in or outside of the organiser
- \cdot Insert the cups to store small parts and accessories or remove to store hand tools and smaller power tools
- Durable side latches allow for connectivity to multiple PRO-STACK™ modules
- · Carry handle for comfort and easy transportation
- · Load capacity: 7.5kg per drawer
- · Volume: 9.5L
- · Outer dimensions (cm W×D×H): $43 \times 31.5 \times 17.5$
- · Inner Dimension (cm W×D×H): $34.5 \times 25.4 \times 9.8$

CODE	DESCRIPTION	٥	\boxtimes		PRICE
FMST1-71968	STANLEY® FATMAX® PRO- STACK™ DEEP DRAWER	-	4	3 2 5 3 5 6 1 7 1 9 6 8 4	

STANLEY® FATMAX® PRO-STACK™ 2 DRAWERS



- · Ideal for storing small parts and accessories
- Durable side latches allow for connectivity to multiple PRO-STACK™ modules
- Features 2 drawers with removable dividers for the smart storage of parts and accessories
- · Carry handle for comfort and easy transportation
- · Load capacity: 7,5 kg per drawer
- · Volume: 8L
- \cdot Outer dimensions (cm W×D×H): 43 × 31.5 × 17.5
- · Inner Dimension (cm W×D×H): $34.7 \times 25.4 \times 4.5$ (×2)

CODE	DESCRIPTION		\boxtimes		PRICE
FMST1-71969	STANLEY® FATMAX® PRO- STACK™ 2 DRAWERS	-	4	3 2 5 3 5 6 1 7 1 9 6 9 1	

STANLEY® FATMAX® PRO-STACK™ ORGANISER

STANLEY FATMAX



- · Ideal for the smart storage of small parts, components and accessories.
- Durable side latches allow for connectivity to multiple PRO-STACK™ modules
- Includes 10 removable and stackable storage cups which can be used either integrally or stacked together for use outside the organiser
- Strong, transparent lid provides clear and un-obstructed visibility of organiser contents
- · Anti-rust metal latches and hinges for added durability
- · Carry handle for comfort and easy transportation.
- · Padlock eye for security on site or in your workshop or garage
- · Also available as a twin pack FMST82967-9
- · Load capacity: 20kg
- · Volume: 7.8L
- · Outer Dimensions (cm W×D×H): $44 \times 33.3 \times 11.9$
- · Inner Dimension (cm W×D×H): $42.1 \times 28.5 \times 6.5$

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
FMST82967-1	STANLEY® FATMAX® PRO- STACK™ ORGANISER	-	4	3 2 5 3 5 6 1 8 2 9 6 7 3	

STANLEY® FATMAX® PRO-STACK™ OPEN TOTE

STANLEY FATMAX



- · Ideal for storing your power tools, hand tools and longer tools such as levels
- Durable side latches allow for connectivity to multiple PRO-STACK™ modules
- · Large opening for easy access to tote contents
- · Folding handle for comfort and easy transportation.
- · Carrying capacity: 20kg
- · Outer dimensions (cm W×D×H): 44 × 32 × 27.5
- · Inner Dimension (cm W×D×H): $36.5 \times 29.0 \times 26.5$

CODE	DESCRIPTION	<u>_</u>	\boxtimes		PRICE
FMST1-75794	STANLEY® FATMAX® PRO- STACK™ OPEN TOTE	-	4	3 2 5 3 5 6 1 7 5 7 9 4 5	

STANLEY® FATMAX® PRO-STACK™ DEEP BOX

STANLEY FATMAX



- · The perfect storage solution for larger power tools
- Durable side latches allow for connectivity to multiple PRO-STACK™ modules
- \cdot Integral removeable storage tray for hand tools and small parts
- \cdot Tray can also be removed to accommodate larger power tools
- · Anti-rust metal latches and hinges for added durability
- · Carry handle for comfort and easy transportation
- · Padlock eye for security on site or in your workshop or garage
- · Load capacity 30kg
- · Volume: 22L
- · Outer Dimensions (cm W×D×H): $44 \times 33.3 \times 30.2$
- · Inner Dimension (cm W×D×H): $42.0 \times 27.0 \times 24.7$

CODE	DESCRIPTION		\boxtimes		PRICE
FMST1-71971	FATMAX PRO-STACK VI Deep Toolbox	-	2	3 2 5 3 5 6 1 7 1 9 7 1 4	

STANLEY® FATMAX® PRO-STACK™ ORGANISER TOP DEEP BOX

STANLEY.



- The perfect storage solution for small parts, hand tools and power tools
- Durable side latches allow for connectivity to multiple PRO-STACK™ modules
- · Integrated shallow organiser perfect for storing small parts and acessories
- · Anti-rust metal latches and hinges for added durability
- · Carry handle for comfort and easy transportation
- · Padlock eye for security on site or in your workshop or garage
- · Capacity: 20kg
- Outer Dimensions (cm W×D×H): 44.2 × 33.8 × 32.3
- · Inner Dimension (cm W×D×H): 42.0 × 27.0 × 24.7

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
FMST1-75796	FATMAX PRO-STACK Deep Toolbox - Long Handle	-	2	3 2 5 3 5 6 1 7 5 7 9 6 9	

STANLEY® FATMAX® PRO-STACK™ MOBILE STORAGE





- · Bi-material telescopic handle
- · Durable 7" wheels for mobility
- Durable side latches allow for connectivity to multiple PRO-STACK™ modules
- · Smooth opening thanks to specific sliding system of the handle
- · The perfect storage solution for small parts, hand tools and power tools
- Modular and stackable easy to adjust thanks to the lateral fixing elements
- · Anti-rust metal latches and hinges for added durability
- · Capacity: 50kg
- Outer dimensions (cm W×D×H): $51.2 \times 43.5 \times 100$ handle up / 63.5 handle down / 38 height case
- · Inner dimensions (cm W×D×H): $44 \times 31 \times 31.4$

CODE	DESCRIPTION	٥	\boxtimes		PRICE
FMST1-75753	STANLEY® FATMAX® PRO- STACK™ MOBILE STORAGE	-	2	3 2 5 3 5 6 1 7 5 7 5 3 2	

STANLEY® FATMAX® PRO-STACK™ CART





- · Provides the ideal solution for manoeuvring
- · PRO-STACK™ modules around the job site
- · Durable side latches allow for connectivity to multiple
- · PRO-STACK™ modules
- Robust lockable castors for added safety as well as smooth mobility even on rough surfaces
- · Load capacity: 100kg
- Dimensions (cm W×D×H): 48.6 × 43.6 × 18.1

CODE	DESCRIPTION		\boxtimes		PRICE
FMST1-71972	STANLEY® FATMAX® PRO- STACK™ CART	-	2	3 2 5 3 5 6 1 7 1 9 7 2 1	



STANLEY FATMAX



- · Load capacity 100k
- \cdot 360° rotating front wheels (Ø 75 mm) with brake
- · Extra large rear wheels (Ø 180 mm)
- · Foldable
- · Aluminum telescopic handle
- Durable side latches allow for connectivity to multiple PRO-STACK™ modules
- Dimensions (cm W×D×H): 54.6 × 59 × 104.3

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
FMST1-72363	STANLEY® FATMAX® PRO- STACK™ TROLLEY	-	2	3 2 5 3 5 6 1 7 2 3 6 3 6	

STANLEY® FATMAX® PRO-STACK™ FOAM INSERT

STANLEY FATMAX



- Ideal for customising the inside of your tool box to fit around your power tools and accessories
- · Compatible with:
- · FMST1-71966 Shallow Box
- FMST1-71981 Combo
- · Dimensions (cm W×D×H): $43 \times 30 \times 7$

CODE	DESCRIPTION	<u>_</u>	\boxtimes		PRICE
FMST1-72365	STANLEY® FATMAX® PRO- STACK™ FOAM INSERT	Х	2	3 2 5 3 5 6 1 7 2 3 6 5 0	

STANLEY® FATMAX® PRO-STACK™ SOFT TOTE

STANLEY.



- \cdot Ideal for storing and transporting power tools and hand tools
- \cdot Connect to multiple PRO-STACK $^{\text{TM}}$ modules for a versatile storage solution
- · Aluminium carry handle for comfort and easy transportation
- \cdot Tool loops for storing long items, such as levels
- Internal dividers for maximum organisation of screwdrivers, pliers and other hand tools
- \cdot Front zip compartment for storing personal belongings
- \cdot 600 denier fabric for resistance to wear and tear
- · Carrying capacity: 25kg
- \cdot Dimensions (cm W×D×H): 45 × 25 × 35

CODE	DESCRIPTION	Ô	\boxtimes		PRICE
FMST17626-1	STANLEY® FATMAX® PRO- STACK™ SOFT TOTE	-	4	3 2 5 3 5 6 1 1 7 6 2 6 5	

STANLEY® FATMAX® PRO-STACK™ SOFT BAG

STANLEY FATMAX.



- · Ideal for storing and transporting power tools and hand tools.
- · Connect to multiple PRO-STACK™ modules for a versatile storage solution
- · Carry handle for comfort and easy transportation
- · Multiple pockets for maximum organisation of screwdrivers, pliers and other hand tools
- · Tool loops for storing long items, such as levels
- · Front zip compartment for storing personal belongings
- · Card holder for easy identification
- · 600 denier fabric for resistance to wear and tear
- · Carrying capacity: 25kg
- · Dimensions (cm W×D×H): 45 × 25 × 30

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
FMST17627-1	STANLEY® FATMAX® PRO- STACK™ SOFT BAG	-	4	3 2 5 3 5 6 1 1 7 6 2 7 2	

STANLEY® FATMAX® PRO-STACK™ 3 MODULE MOBILE STORAGE TOWER

STANLEY FATMAX



- · Contains:
- · FMST1-75502 FATMAX PRO-STACK (No Foam) Shallow Box
- · FMST1-71971 FATMAX PRO-STACK Deep Box
- · FMST1-75753 FATMAX PRO-STACK Mobile Storage Box

CODE	DESCRIPTION	<u></u>			PRICE
FMST75753-9	STANLEY® FATMAX® PRO- STACK™ 3 Module Mobile Storage Tower	-	4	3253569757534	

STANLEY® FATMAX® PRO-STACK™ 5 MODULE TOWER

STANLEY FATMAX



- · Contains:
- · FMST1-71972 PRO-STACK Cart
- · FMST1-75502 PRO-STACK Shallow Box (No Foam)
- · FMST1-71968 PRO-STACK Deep Drawer
- FMST1-71970 PRO-STACK Organiser
- · FMST1-71971 PRO-STACK Deep Box

CODE	DESCRIPTION	٥			PRICE
FMST1-80107	STANLEY® FATMAX® PRO- STACK™ 5 Module Mobile Storage Tower	-	4	3253561801075	

FATMAX® PRO-STACK® KITS

STANLEY® FATMAX® PRO-STACK SOCKET SET 1/2" 26 PCS

STANLEY FATMAX



- · Transparent lid for full visibility
- · Durable, robust design
- · Contents:

1× 1/2" 120T bi-material ratchet

12× 1/2" sockets (6-points profile): 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18

- 19 - 20 - 21 - 22 - 23 - 24 - 27 - 30 - 32 - 34 mm

2× 1/2" extensions: 3" - 10"

1× 1/2" Universal joint

1× 1/2" 3-WAY Adapter for Sliding T-handle

- Can be combined with PRO-STACK and TSTAK
- · Size: large

CODE	DESCRIPTION		\boxtimes		PRICE
FMMT98103-1	FATMAX PRO-STACK Socket set 1/2" 26 pcs	-	2	3 2 5 3 5 6 1 9 8 1 0 3 6	

STANLEY® FATMAX® PRO-STACK SOCKET SET 1/4" 37 PCS

STANLEY FATMAX



- · Transparent lid for full visibility
- · Durable, robust design
- · Content:

1× 1/4" Ratchet wrench

11× 1/4" sockets (6-points profile): 5 - 5.5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14

1× 1/4" socket holder

30× 1/4" bits: Pozidriv: 1 - 2 - 3

Phillips: 1 - 2 - 3 Hex: 3 - 4 - 5 - 5,5 - 6- 7

Slotted: 3 - 4 - 5 - 6 - 7 - 8

Tamperproof torx: 10 - 15 - 20 - 25 - 27 - 30

· Can be combined with PRO-STACK and TSTAK

CODE	DESCRIPTION		\times		PRICE
FMMT19101-0	FATMAX PRO-STACK Socket set 1/4" 37 pcs	-	2	3 2 5 3 5 6 1 9 8 1 0 3 6	

STANLEY® FATMAX® PRO-STACK SOCKET SET 3/8" 18 PCS

STANLEY FATMAX



- · Transparent lid for full visibility
- · Durable, robust design
- · Contents:

1× 3/8" 120T bi-material ratchet

15× 1/4" sockets (6-points profile): 5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 -

16 - 17 - 18 - 19 mm

1× 1/4" extensions: 3"

1× 1/4" Universal joint

· Can be combined with PRO-STACK and TSTAK

· Size: medium

CODE	DESCRIPTION		\boxtimes		PRIC
FMMT98102-0	FATMAX PRO-STACK Socket set 3/8" 18 pcs	Х	5	3 2 5 3 5 6 0 9 8 1 0 2 0	

STANLEY® FATMAX® PRO-STACK SOCKET SET 1/4" 48 PCS

STANLEY FATMAX



- · Transparent lid for full visibility
- · Durable, robust design
- · Contents:
- 1× 1/4" 120T bi-material ratchet
- 12× 1/4" sockets (6-points profile): 4 5 5.5 6 7 8 9 10 11 12 13 14
- 2× 1/4" extensions: 3" 6"
- 1× 1/4" bit holder
- 1× 1/4" Universal joint
- 1× 1/4" spinner
- 30× 1/4" bits
- bined with PRO-STACK and TSTAK

•	Can	be	com

CODE	DESCRIPTION	٥	\boxtimes		PRICE
FMMT98101-0	FATMAX PRO-STACK Socket set 1/4" 48 pcs	Х	5	3 253560 981013	

STANLEY® FATMAX® PRO-STACK COMBINATION WRENCH SET 12 PCS





- · Durable, robust design
- · Contents:

12x Anti-slip combination wrenches: 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 -

- · Can be combined with PRO-STACK and TSTAK
- · Size: medium

CODE	DESCRIPTION	٥	\boxtimes		PRICE
FMMT98104-0	FATMAX PRO-STACK Combination spanner set 12 pcs	Х	4	3 2 5 3 5 6 0 9 8 1 0 4 4	

ORGANISERS

FATMAX® PROFESSIONAL ORGANIZER WATERPROOF (DEEP)

STANLEY FATMAX



- · 10 removable trays for small parts
- Unbreakable lid keeps all parts in place
- · Stackable & lockable for transport
- · Dust and water resistant: IP53
- · Compatible with 1-97-517, 1-97-518, 1-97-521, 1-97-519, FMST1-75779, FMST1-75781, FMST81077-1
- · Metal latches
- · Outer Dimensions (cm W×D×H): $43.2 \times 33 \times 10.9$
- · Inner Dimension (cm W×D×H): $40.5 \times 30 \times 9.2$

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
1-97-518	FATMAX Professional Organizer Waterproof (deep)	-	3	3 2 5 3 5 6 1 9 7 5 1 8 9	

FATMAX® PROFESSIONAL ORGANIZER (DEEP)

STANLEY FATMAX



- · 10 removable trays for small parts
- · Unbreakable lid keeps all parts in place
- · Stackable & lockable for transport
- · Compatible with 1-97-517, 1-97-518, 1-97-521, 1-97-519, FMST1-75779, FMST1-75781, FMST81077-1
- · Plastic latches
- · Outer Dimensions (cm W×D×H): $43.2 \times 33 \times 10.9$
- Inner Dimension (cm W×D×H): $40.5 \times 30 \times 9.2$

CODE	DESCRIPTION	<u>_</u>	\boxtimes		PRICE
1-97-521	FATMAX Professional Organizer (deep)	-	3	3 2 5 3 5 6 1 9 7 5 2 1 9	

FATMAX® PROFESSIONAL ORGANIZER WATERPROOF (SHALLOW)

STARLEY FATMAX.



- · 10 removable trays for small parts
- Unbreakable lid keeps all parts in place
- · Stackable & lockable for transport
- · Dust and water resistant: IP53
- · Compatible with 1-97-517, 1-97-518, 1-97-521, 1-97-519, FMST1-75779, FMST1-75781, FMST81077-1
- · Metal latches
- · Outer Dimensions (cm W×D×H): 43.2 × 33 × 6.4
- · Inner Dimension (cm W×D×H): $40.5 \times 30 \times 5.5$

CODE	DESCRIPTION	<u>_</u>	\boxtimes		PRICE
1-97-517	FATMAX Professional Organizer Waterproof (shallow)	-	5	3 2 5 3 5 6 1 9 7 5 1 7 2	

FATMAX® PROFESSIONAL ORGANIZER (SHALLOW)

STANLEY.



- · 10 removable trays for small parts
- · Unbreakable lid keeps all parts in place
- · Stackable & lockable for transport
- · Compatible with 1-97-517, 1-97-518, 1-97-521, 1-97-519, FMST1-75779, FMST1-75781, FMST81077-1
- · Metal latches
- · Outer Dimensions (cm W×D×H): $43.2 \times 33 \times 6.4$
- · Inner Dimension (cm W×D×H): $40.5 \times 30 \times 5.5$

CODE	DESCRIPTION	<u>_</u>	\boxtimes		PRICE
1-97-519	FATMAX Professional Organizer (shallow)	-	5	3 2 5 3 5 6 1 9 7 5 1 9 6	

STANLEY® FATMAX® ORGANIZER SHALLOW 1/3

STANLEY FATMAX

- \cdot Durable and transparent polycarbonate lid
- · Stackable thanks to side locking
- · Compatible with all other FATMAX® organizers
- · Dust and water resistant: IP53
- · 8 removable trays
- · Compatible with 1-97-517, 1-97-518, 1-97-521, 1-97-519, FMST1-75779, FMST1-75781, FMST81077-1
- · Outer Dimensions (cm W×D×H): $43.2 \times 15.2 \times 6.4$
- · Inner Dimension (cm W×D×H): $40.5 \times 11.0 \times 5.3$

CODE	DESCRIPTION		\boxtimes		PRICE
FMST1-75781	FATMAX Organizer Shallow 1/3	-	4	3 2 5 3 5 6 1 7 5 7 8 1 5	

FATMAX® ORGANIZER WATERPROOF (SMALL)





- · 6 removable trays
- · Durable, transparent, watertight lid
- · Stackable
- · Convenient to stack 2 organizers for transport
- Outer Dimensions (cm W×D×H): $24.5 \times 35.6 \times 10.9$
- · Inner Dimension (cm W×D×H): 22.5 × 24.5 × 9.2+ 4.5 4.5 × 5.5 (×2)

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
FMST1-72378	FATMAX Small Organiser	-	4	3 2 5 3 5 6 1 7 2 3 7 8 0	

STANLEY® FATMAX® FLIP BIN ORGANIZER





- · 12 removable compartments
- · Translucent, resistant and tough polycarbonate lids
- · Locking mechanism for all containers
- · Side locks the rotating tray is Compatible with FATMAX® organizers
- · Extra locking for stacking
- · Wall mounted
- · Ergonomic handle for easy carrying comfort
- · Maximum capacity: 7kg
- · Compatible with 1-97-517, 1-97-518, 1-97-521, 1-97-519, FMST1-75779, FMST1-75781, FMST81077-1
- \cdot Outer Dimensions (cm W×D×H): 45 × 35.6 × 10.8
- · Inner Dimension (cm W×D×H): 9 × 6 × 8 for each pocket

CODE	DESCRIPTION		\boxtimes		PRICE
FMST81077-1	FATMAX Flip Bin Organizer	-	4	3 2 5 3 5 6 1 8 1 0 7 7 0	

FATMAX® ORGANIZER SHALLOW 2/3






- · Durable, unbreakable, transparent polycarbonate lid
- · Stackable thanks to side locking
- · Compatible with all other FATMAX® organizers
- · Dust and water resistant: IP53
- · 16 removable trays
- · Compatible with 1-97-517, 1-97-518, 1-97-521, 1-97-519, FMST1-75779, FMST1-75781, FMST81077-1
- Outer Dimensions (cm W×D×H): $43.2 \times 26.7 \times 6.4$
- · Inner Dimension (cm W×D×H): $40.5 \times 23.7 \times 5.3$

CODE	DESCRIPTION	٥	\boxtimes		PRIC
FMST1-75779	FATMAX Organizer Shallow 2/3	-	6	3 2 5 3 5 6 1 7 5 7 7 9 2	

STANLEY® ORGANIZER PRO 8 COMPARTMENTS (DEEP)




- · Transparent lid made of hard polycarbonate
- · Lid keeps parts in place in compartments
- · Outer Dimensions (cm W×D×H): $42.3 \times 33.3 \times 10.1$
- · Inner dimensions (cm W×D×H): $40 \times 30 \times 9.6$

CODE	DESCRIPTION		\boxtimes		PRICE
1-92-749	Organizer Pro 8-compartments	-	10	3 2 5 3 5 6 1 9 2 7 4 9 2	



STANLEY® ORGANIZER PRO 25 COMPARTMENTS



- · 25 removable, small compartments
- · Comfortable handle
- · Transparent lid made of hard polycarbonate
- · Lid keeps parts in place in compartments
- · Outer Dimensions (cm W×D×H): 42.2 × 33.4 × 5.2
- · Inner Dimension (cm W×D×H): $40.5 \times 30 \times 4.5$

CODE	DESCRIPTION	<u>©</u>	\boxtimes		PRICE
1-92-748	Organizer Pro 25-compartments	-	20	3 2 5 3 5 6 1 9 2 7 4 8 5	



STANLEY® SORTMASTER™ ORGANIZER



- · Handy for storing tools, even hammers, and small parts
- · Well locking lid
- · Lid structure keeps all small parts in place
- · Outer Dimensions (cm W×D×H): 44.2 × 32.7 × 9.2
- · Inner Dimension (cm W×D×H): $41 \times 30 \times 8$

CODE	DESCRIPTION	٥	\boxtimes		PRICE
1-94-745	Sort Master Organizer	-	4	3 2 5 3 5 6 1 9 4 7 4 5 2	



STANLEY® SORTMASTER™ ORGANIZER JUNIOR

- · Organizer with removable dividers up to 512 configurations possible
- \cdot Lid structure keeps small parts in place
- · Stackable organizer (for transport up to 3 in 1)
- · Can be combined with 1-97-483, STST1-75540
- \cdot Outer Dimensions (cm W×D×H): 37.5 × 29 × 6.7
- · Inner Dimension (cm W×D×H): $34.3 \times 26.4 \times 6$



CODE	DESCRIPTION		\boxtimes		PRICE
1-97-483	Sortmaster Organizer Junior	-	6	3 2 5 3 5 6 1 9 7 4 8 3 0	

STANLEY® ORGANIZER SORTLEVEL



- · Ergonomic handle
- · Fully Compatible with the SortMaster Junior
- · 12 storage compartments
- · Adjustable bottom level dividers
- · Transparent lid
- \cdot 2 levels functions as a toolbox and organizer
- · Can be combined with 1-97-483, STST1-75540
- · Outer dimensions (cm W×D×H): $40 \times 30 \times 13.7$
- · Inner Dimension (cm W×D×H): $33 \times 26 \times 7.8$

 $33 \times 24.2 \times 4.8$

CODE	DESCRIPTION	6	\boxtimes		PRICE
STST1-75540	Organizer Sortlevel	-	3	3 2 5 3 5 6 1 7 5 5 4 0 8	
		-			

STANLEY® SORTMASTER ORGANIZER - STACKABLE



- · Innovative stacking system
- · Lateral locking for safe stacking
- · Removable dividers to store handtools and small parts
- · Lid keeps small parts in place
- · Also available as a double-sided organizer (STST1-71197)
- · STST1-70720 outer dimension (cm W×D×H): 29.7 × 7.1 × 22.4 inner dimension (cm W×D×H): 26.5 × 19 × 5.9

CODE	DESCRIPTION	<u>_</u>	\boxtimes		PRICE
STST1-70720	SortMaster Organizer Light Stackable	-	6	3 2 5 3 5 6 1 7 0 7 2 0 9	
STST1-71197	SortMaster Organizer Light Stackable - double	-	12	3 2 5 3 5 6 1 7 1 1 9 7 8	

STANLEY® ORGANIZER CLASSIC



- · Convenient, lightweight plastic toolbox
- · Transparent lid
- · Comfortable handle
- · 1-92-762: Movable dividers for compartments size adjustment
- \cdot 1-92-761 outer dimensions (cm W×D×H): 34 × 5.7 × 26
- \cdot 1-92-762 outer dimensions (cm W×D×H): 43 × 9 × 32.5

CODE	DESCRIPTION		\boxtimes		PRICE
1-92-761	Organizer 14-compartments	-	8	3 2 5 3 5 6 1 9 2 7 6 1 4	
1-92-762	Organizer 25 compartments	-	8	3 2 5 3 5 6 1 9 2 7 6 2 1	

STANLEY® ORGANIZER 3 IN 1



- · Added value of 3 in 1, Hand tools, power tools and accessories 3 in1
- · Full opening structure simultaneous access to content of 3 storage parts at
- \cdot Movable dividers which provide high customization for small for small parts and larger hand tools and power tools
- · Inner Tote Built in tote for large hand tools organization
- · Robust built in handle unique carriage of tools in a secured closed case
- Outer Dimensions (cm W×D×H): 42.5 × 31.6 × 23.4
- · Inner Dimension (cm W×D×H): $41 \times 16 \times 9$

41 × 8 × 9 (×2) 13 × 4.5 × 9 (×2) 39 × 20 × 7

CODE	DESCRIPTION	&	\boxtimes		PRICE
STST1-71963	Organizer 3in1	-	4	3 2 5 3 5 6 1 7 1 9 6 3 9	

STANLEY® ESSENTIAL COMPARTMENT ORGANISER - BASIC



- · Transparent lid
- · Removable dividers to store both small and larger parts
- · Comfortable handle
- · Embossed ruler in the lid for quick and easy on-site measurements
- STST81679-1 outer dimension (cm W×D×H): 21 × 3.5 × 11.5 inner dimension (cm W×D×H): 20.3 × 9.6 × 2.5
- STST81680-1 outer dimension (cm W×D×H): 20.3 × 9.6 × 2.5
- inner dimension (cm W×D×H): 26.5 × 17.0 × 4.0
- STST81681-1 Outer Dimension (cm W×D×H): $35.7 \times 4.8 \times 22.9$ Inner Dimension (cm W×D×H): $34.7 \times 21.0 \times 4.5$

CODE	DESCRIPTION	Ō	\boxtimes		PRICE
STST81679-1	10 Compartment Organiser	-	36	3 2 5 3 5 6 1 8 1 6 7 9 6	
STST81680-1	17 Compartment Organiser	-	18	3 2 5 3 5 6 1 8 1 6 8 0 2	
STST81681-1	22 Compartment Organiser	-	8	3 2 5 3 5 6 1 8 1 6 8 1 9	

STANLEY® DRAWER UNITS ESSENTIAL



NEW

- · Organize small parts and accessories
- · Transparent removable drawers for easy access and clearly visible
- · Made of polypropylene for extra durability
- · Lightweight and compact
- · STST40710-1 outer size (cm W×D×H): 21.5 × 15.1 × 19
- \cdot STST40711-1 Outer Dimension (cm W×D×H): 23.7 × 18 × 30.2
- \cdot STST40712-1 Outer Dimension (cm W×D×H): 34.1 × 25 × 32.2

CODE	DESCRIPTION	Ō	\times		PRICE
STST40710-1	Drawer unit Small Essential	-	1	3 2 5 3 5 6 1 4 0 7 1 0 9	
STST40711-1	Drawer unit Medium Essential	-	1	3 2 5 3 5 6 1 4 0 7 1 1 6	
STST40712-1	Drawer unit Large Essential	-	1	3 2 5 3 5 6 1 4 0 7 1 2 3	

STANLEY® STORAGE BOX WITH COMPARTMENTS



- · Ideal for storing spare parts and accessories
- · Flexible, transparent polypropylene drawers
- · High-density polypropylene base structure
- · Can be wall-mounted
- · Combinable (1-93-981, -1-93-980, 1-93-978, 1-97-524 and 1-97-525) easily
- stackable to form a fully modular storage system
- \cdot 1-93-978 outer dimensions (cm W×D×H): 36.5 × 15.5 × 21.3
- \cdot 1-93-980 outer dimensions (cm W×D×H): 36.5 × 15.5 × 22.5
- \cdot 1-93-981 outer dimensions (cm W×D×H): 43.5 × 15.5 × 36.7

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
1-93-978	Storage box with drawers 9 compartments	-	10	3 2 5 3 5 6 1 9 3 9 7 8 5	
1-93-980	Storage box with drawers 30 compartments	-	10	3 2 5 3 5 6 1 9 3 9 8 0 8	
1-93-981	Storage box with drawers 39 compartments	-	6	3 2 5 3 5 6 1 9 3 9 8 1 5	
1-97-524	Dividers small - x10	-	750	3 2 5 3 5 6 1 9 7 5 2 4 0	
1-97-525	Dividers large - x10	-	250	3 2 5 3 5 6 1 9 7 5 2 5 7	

STANLEY® ESSENTIAL STORAGE BIN



- · Interlocking storage trays in 4 sizes
- · Ideal for storing small parts (industry, workshop or DIY)
- · 92-715/716: Stackable
- \cdot Dimensions (cm W×D×H):
- N°2: Outdoor 11.9 × 16.5 × 7.5 / Indoor 12.5 × 8 × 4 (Front) 12.5 × 8 × 7 (Rear) N°3: Outer 17.5 × 24 × 12.6 / Inner 12 × 20 × 6.2 (Front) 12 × 20 × 12.4 (Rear) N°4: Outer 23 × 32.9 × 15.5 / Inner 25.6 × 16 × 7.8 (Front) 25.6 × 16 × 5.3 (Rear) N°5: Outer 31.5 × 45 × 17.9 / Inner 42 × 26 × 8.5 (front) 42 × 26 × 16 (rear)
- · Available in black, red and blue

CODE	DESCRIPTION		\boxtimes		PRICE
STST82737-1	Storage bin No. 2 Blue	-	48	3 2 5 3 5 6 1 8 2 7 3 7 2	
STST82740-1	Storage bin No. 3 Blue	-	36	3 2 5 3 5 6 1 8 2 7 4 0 2	
STST82743-1	Storage bin No. 4 Blue	-	12	3 2 5 3 5 6 1 8 2 7 4 3 3	_
STST82746-1	Storage bin No. 5 Blue	-	8	3 2 5 3 5 6 1 8 2 7 4 6 4	
STST82736-1	Storage bin No. 2 Red	-	48	3 2 5 3 5 6 1 8 2 7 3 6 5	
STST82739-1	Storage bin No. 3 Red	-	36	3 2 5 3 5 6 1 8 2 7 3 9 6	_
STST82742-1	Storage bin No. 4 Red	-	12	3 2 5 3 5 6 1 8 2 7 4 2 6	
STST82745-1	Storage bin No. 5 Red	-	8	3 2 5 3 5 6 1 8 2 7 4 5 7	



WORKSHOP SOLUTIONS & WORK FACILITATION

An organized workshop is an efficient workshop. Outfit yours with tried and true STANLEY® workshop storage solutions.

Get sawing, scaffolding, and painting support. High-endurance STANLEY® sawhorses and workbenches are designed to hold up under worksite demands.

METAL CABINETS - READY TO ASSEMBLE

HIGH CUPBOARD 2 DOORS RTA



- · Heavy duty steel construction
- · Three adjustable shelves with a capacity of 68 kg
- · Lockable with key (2 keys included)
- · Four adjustable leveling feet: Ensure that the cabinet is set level, even on uneven floors
- · Total capacity: 295 kg
- · Dimensions (W×H×D): 93 × 183 × 46 cm
- · Weight: 46 kg

CODE	DESCRIPTION		\boxtimes		PRICE
STST97957-1	High cabinet 2 doors	-	1	3 2 5 3 5 6 1 9 7 9 5 7 6	

TOOL CABINET 26" RTA



- · Total load capacity: 297 kg
- · Drawers with load capacity up to 45 kg
- · 6 lockable drawers with ball bearings and soft close
- · Dimensions (W×H×D): 67.6 × 84.3 × 46 cm (wheels included)
- · Top surface equipped with rubber mat
- · 4"×2" lockable and swivel wheels
- \cdot Handle (mounted on the left or right)
- · Can be combined with the RTA system and TRACKWALL® system
- \cdot Supplied with Track Rail accessory (406 × 17 × 59 mm, capacity 10 kg) (left or right mounted)

CODE	DESCRIPTION		\boxtimes		PRICE
STST98182-1	Tool Cabinet 26" RTA	-	1	3 2 5 3 5 6 1 9 8 1 8 2 1	

WALL CABINET 2 DOORS RTA



- · Heavy duty steel construction
- · One shelf with a capacity of 22.5 kg
- · Lockable with key (2 keys included)
- · Can be mounted on all walls or the TRACKWALL® system
- · Total capacity: 45 kg
- · Dimensions (W×H×D): $76.5 \times 78.7 \times 30$ cm
- · Weight: 17 kg

CODE	DESCRIPTION		\boxtimes		PRICE
STST97598-1	Wall cabinet 2 doors	-	1	3 2 5 3 5 6 1 9 7 5 9 8 1	

WALL CABINET 1 DOOR RTA



- $\cdot \ \text{Heavy duty steel construction} \\$
- · Lockable with key (2 keys included)
- · Door with gas springs
- · Can be mounted on all walls or the TRACKWALL® system
- · Total capacity: 22 kg
- Dimensions (W×H×D): 77.5 × 50 × 30.5 cm
- · Weight: 12 kg

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
STST97599-1	Wall cabinet 1 door	-	1	3 2 5 3 5 6 1 9 7 5 9 9 8	

LOW CABINET 2 DOORS RTA



- · Heavy duty steel construction
- · One shelf with a capacity of 68 kg
- · Lockable with key (2 keys included)
- Rubber wood top thickness 20 mm
- · Total capacity: 250 kg
- Dimensions (W×H×D): 77.5 × 87 × 46 cm
- · Weight: 24.5 kg

CODE	DESCRIPTION	Ō	\boxtimes		PRICE
STST97595-1	Low Cabinet 2 doors	-	1	3 2 5 3 5 6 1 9 7 5 9 5 0	

WORKBENCH RTA



- · Carrying capacity up to 500 kg
- · 25mm thick rubberwood work surface
- · Robust steel frame, ready for assembly
- \cdot Place for low cabinet and/or Tool Cabinet of the RTA system
- \cdot Can be combined with the RTA system
- · Dimensions (W×H×D): 150 × 60 × 96 cm

CODE	DESCRIPTION	٥	\boxtimes		PRICE
STST97998-1	Workbench RTA	-	1	3 2 5 3 5 6 1 9 7 9 9 8 9	



TOOL CABINETS

TOOL CABINET WITH 7 DRAWERS



- · 2 medium and 5 shallow drawers for organizing your tools and accessories
- \cdot Durable worktop ideal for storing small parts and accessories
- · Worktop with integrated handles
- · Durable drawers with ball bearing slides, also for storing heavier tools
- · With non-slip drawer lining
- · Lockable with key on the side for safe storage of the tool
- · Lockable castors for easy mobility and safety
- · Made in France
- · Load capacity: 300kg total, 20kg per drawer
- · Dimensions: L73.5 × H89 × W51.5 cm

CODE	DESCRIPTION	<u>_</u>	\boxtimes		PRICE
STST74305-1	Tool Cabinet with 5 drawers	-	1	3253561743054	
STST74306-1	Tool Cabinet with 7 drawers	-	1	3 2 5 3 5 6 1 7 4 3 0 6 1	

TOOL CABINET 26" RTA

NEW



- · Total load capacity: 297 kg
- · Drawers with load capacity up to 45 kg
- · 6 lockable drawers with ball bearings and soft close
- · Dimensions (L×H×W): 67.6 × 84.3 × 46 cm (wheels included)
- · Top surface equipped with work mat
- · 4"×2" lockable and swivel wheels
- · Handle (mounted on the left or right)
- · Can be combined with the RTA system and TRACKWALL® system
- · Supplied with Track Rail accessory (406 × 17 × 59 mm, capacity 10 kg) (left or right mounted)

CODE	DESCRIPTION	٥	\boxtimes		PRICE
STST98182-1	Tool Cabinet 26" RTA	-	1	3 2 5 3 5 6 1 9 8 1 8 2 1	

TOOL CABINET 27"



- · 2 fixed, 2 swiveling casters with full breaking capabilities and chrome caster hub cap
- · Heavy duty ball baring slides for the drawers- quality drawer sliding system with better grip and locking mechanism
- · 23kg storage capacity
- · 6mm top mat on top of cabinet
- · 272kg caster capacity
- Dimenstions of caster; 127x50mm
- · Top drawer; 58x39x8cm
- · Other drawers; 58x39x14cm

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
STMT1-75063	Tool Cabinet 27"	-	1	3253561750632	
CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
STMT1-75062	Top Top Chest 22"	-	1	3253561750625	

TRACKWALL® HANGING SYSTEM

STANLEY TRACKWALL® KITS



- · Content STST22000-1:
- 2× TRACKWALL® wall panel
- 2× TRACKWALL® S hook
- 1× TRACKWALL® end cap 4 pieces
- 2× TRACKWALL® universal hook medium
- 1× TRACKWALL® universal hook large
- 1× TRACKWALL® hook for garden tools
- 1× TRACKWALL® hook assortment small 8 pcs

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
STST22000-1	STANLEY TRACKWALL Starter Set - 20 pcs	Х	1	3 2 5 3 5 6 1 2 2 0 0 0 5	
STST22001-1	STANLEY TRACKWALL Set - 12 pcs	Х	1	3253561220012	

Content STST22001-1:

1× TRACKWALL® wall panel

1× TRACKWALL® universal hook medium


1× TRACKWALL® hook assortment small 8 pcs

1× TRACKWALL® universal hook large

1× TRACKWALL® S hook

STANLEY TRACKWALL® WALL PANEL

- · Size: 121 × 2.5 × 14 cm
- · Weight: 1.6 kg
- · Capacity: 130 kg



STANLEY TRACKWALL® S HOOK



- · Ideal for hanging up tools such as brushes, shovels, etc...
- Easy to attach to the TRACKWALL® panel without tools
- · Capacity: 11 kg

CODE	DESCRIPTION		\boxtimes		PRICE
STST82605-1	STANLEY TRACKWALL S Hook	Х	24	3 2 5 3 5 6 1 8 2 6 0 5 4	

STANLEY TRACKWALL® DOUBLE HOOK



- · Ideal for hanging up all kinds of tools, but also for jackets or the like
- Easy to attach to the TRACKWALL® panel without tools
- · Capacity: 11 kg

CODE	DESCRIPTION		\boxtimes		PRICE
STST82606-1	STANLEY TRACKWALL Double Hook	Х	24	3 2 5 3 5 6 1 8 2 6 0 6 1	

STANLEY TRACKWALL® UNIVERSAL HOOK MEDIUM



- \cdot Ideal for hanging up all kinds of tools, but also for jackets or the like
- · Easy to attach to the TRACKWALL® panel without tools
- · Capacity: 22.5 kg

CODE	DESCRIPTION	Õ	\boxtimes		PRICE
STST82607-1	STANLEY TRACKWALL Universal Hook Medium	Х	24	3 2 5 3 5 6 1 8 2 6 0 7 8	

STANLEY TRACKWALL® UNIVERSAL HOOK LARGE



- · Ideal for hanging all kinds of larger tools such as leaf blowers, folding chairs, etc...
- · Easy to attach to the TRACKWALL® panel without tools
- · Capacity: 22.5 kg

CODE	DESCRIPTION	<u></u>	\boxtimes		PRIC
STST82608-1	STANLEY TRACKWALL Universal Hook Large	Х	24	3 2 5 3 5 6 1 8 2 6 0 8 5	

STANLEY TRACKWALL® GARDEN TOOL HOOK



- \cdot Specially designed to hang larger (garden) tools
- · Easy to attach to the TRACKWALL® panel without tools
- · Capacity: 22.5 kg

CODE	DESCRIPTION	Õ	\boxtimes		PRICE
STST82609-1	STANLEY TRACKWALL Hook for Garden Tools	Х	24	3 2 5 3 5 6 1 8 2 6 0 9 2	

STANLEY TRACKWALL® HOOK LARGE



- · Extra large hook, ideal for storing garden hose or extension cord
- · Easy to attach to the TRACKWALL® panel without tools
- · Capacity: 13.5 kg
- \cdot Dimensions: 19.5 × 21.5 × 13.5 cm

CODE	DESCRIPTION	<u>_</u>	\boxtimes		PRICE
STST82604-1	STANLEY TRACKWALL Hook Large	Х	24	3 2 5 3 5 6 1 8 2 6 0 4 7	

STANLEY TRACKWALL® LADDER HOOK



- · Ideal for hanging a ladder, horizontally (2 pieces) or vertically
- \cdot Easy to attach to the TRACKWALL® panel without tools
- · Special design makes it possible to secure the ladder with a rope/elastic
- · Capacity: 22.5 kg
- \cdot Dimensions: 10 × 24 × 33 cm

CODE	DESCRIPTION		\boxtimes		PRICE
STST82614-1	STANLEY TRACKWALL Ladder hook	Х	16	3 2 5 3 5 6 1 8 2 6 1 4 6	

STANLEY TRACKWALL® BASKET



- · Metal wire basket
- · Easy to attach to the TRACKWALL® panel without tools
- · Capacity: 16 kg
- · Weight: 0.58 kg
- · Dimensions: $28 \times 17 \times 16$ cm

CODE	DESCRIPTION		\boxtimes		PRICE
STST82603-1	STANLEY TRACKWALL Basket	Х	8	3 2 5 3 5 6 1 8 2 6 0 3 0	

STANLEY TRACKWALL® BICYCLE HOOK HORIZONTAL



- \cdot Ideal for hanging a bicycle (2 hooks), but also for hanging a garden hose or extension cord
- · Hook can be folded when not in use
- HOOK can be tolded when not in use
- · Easy to attach to the TRACKWALL® panel without tools
- · Capacity: 11 kg
- · Dimensions: $9 \times 40.5 \times 10$ cm

CODE	DESCRIPTION		\boxtimes		PRICE
STST82615-1	STANLEY TRACKWALL Bicycle Hook Horizontal	Х	24	3 2 5 3 5 6 1 8 2 6 1 5 3	

STANLEY TRACKWALL® BICYCLE HOOK VERTICAL



- · Ideal for hanging a bicycle in a vertical position
- \cdot Easy to attach to the TRACKWALL $^{\! \circ}$ panel without tools
- · Capacity: 16 kg
- \cdot Dimensions: 12 × 14 × 22.5 cm

CODE	DESCRIPTION		\boxtimes		PRICE
STST82616-1	STANLEY TRACKWALL Bicycle Hook Vertical	Х	24	3 2 5 3 5 6 1 8 2 6 1 6 0	

STANLEY TRACKWALL® HOOK ASSORTMENT SMALL - 8 PIECES



- \cdot Ideal for hanging small tools
- \cdot Assortment of small hooks
- · Easy to attach to the TRACKWALL® panel without tools
- · Capacity per hook: 2.5 kg

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICI
STST82617-1	STANLEY TRACKWALL Hook assortment small - 8 pcs	Х	24	3 2 5 3 5 6 1 8 2 6 1 7 7	

STANLEY TRACKWALL® SHELF CARRIER - 1 PIECE



- · 2 carriers for 1 shelf, 3 carriers can carry 2 shelves
- · Can also be used with 25.5 cm deep wooden shelf
- · Easy to attach to the TRACKWALL® panel without tools
- · Carrier for TRACKWALL® shelf
- · Capacity (per 2 hooks): 22.5 kg

CODE	DESCRIPTION	ð	\boxtimes		PRICE
STST82612-1	STANLEY TRACKWALL Shelf carrier - 1 piece	Х	24	3 2 5 3 5 6 1 8 2 6 1 2 2	

STANLEY TRACKWALL® WIRE SHELF



- · Dimensions: $57 \times 26 \times 3$ cm
- · To be used with the TRACKWALL® shelf supports (STST82612-1) (not included)
- \cdot 2 carriers for 1 shelf, 3 carriers can carry 2 shelves
- · Capacity: 22.5 kg

CODE	DESCRIPTION	ð	\boxtimes		PRICE
STST82613-1	STANLEY TRACKWALL Wire shelf	Х	16	3 2 5 3 5 6 1 8 2 6 1 3 9	

STANLEY TRACKWALL® CONNECTOR - 4 PCS



- · Contents: 4 pieces
- · Use these connectors to connect different TRACKWALL® wall panels
- \cdot 4 connectors can connect up to 5 panels


CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
STST82610-1	STANLEY TRACKWALL Connector - 4 pcs	Х	24	3 2 5 3 5 6 1 8 2 6 1 0 8	

STANLEY TRACKWALL® END CAP - PACK OF 4



- · Provides a neat finish to the ends of the TRACKWALL® wall panels
- · Content 4 pieces

CODE	DESCRIPTION	<u>_</u>	\boxtimes		PRICE
STST82611-1	STANLEY TRACKWALL End Cap - Pack of 4	Х	24	3 2 5 3 5 6 1 8 2 6 1 1 5	



SAWHORSES Optimal user comfort

We realize how important a good work surface is and therefore have a wide range of robust and easy to move sawhorses: from simple folding sawhorses, fully adjustable sawhorses in height and width, to telescopic sawhorses with individually adjustable legs.

WORKBENCHES & SAWHORSES

FATMAX® FOLDABLE WORKBENCH

STANLEY FATMAX



- · Fold-out metal legs
- · Easy to set up: flips open in seconds
- · Large work surface: 85 × 60cm
- · Compatible with different size hand clamps
- Suitable for horizontal and vertical clamping
- · Handle for easy transport and storage
- · Capacity: 450kg
- · Height: 80 cm

CODE	DESCRIPTION		\boxtimes		PRIC
FMST1-75672	FATMAX Foldable Workbench	-	2	3 2 5 3 5 6 1 7 5 6 7 2 6	

FOLDABLE WORKBENCH ESSENTIAL



- · Versatile, portable and large work surface
- Design worktop for use with clamps in different positions and for different applications
- · Foldable worktop for compact storage
- Integrated accessory tray for small parts and accessories
- · Automatic and durable worktop locking mechanism for extra safety
- With latches to connect several STANLEY® Foldable work tables together to increase the work surface
- · To be used in combination with STANLEY® metal sawhorse (STST81337-1) (same height)
- · Handle for easy transport
- · Load capacity: 320kg
- \cdot Dimensions: 85 × 30.3 × 16 cm folded, 85 × 59.3 × 73.9 cm open
- · Weight: 6.7kg

CODE	DESCRIPTION	٥	\boxtimes		PRICE
STST83492-1	Foldable Workbench Essential	-	2	3253561834929	

FATMAX® FOLDABLE SAWHORSE (PAIR)

STANLEY FATMAX



- · Suitable for use in combination with FATMAX® clamps
- · Fold-out handle
- Convenient to store or transport: foldable legs and side lock to transport both sawhorses together
- · Metal legs and frame for a robust and sturdy workbench
- · Rubber work surface prevents work material from sliding away
- Grooves holds timber in place 38 mm slots (x4)
- Capacity: 900kg (per pair)
- Dimensions (cm): 111.7 × 26 × 12 (folded) 111.7 × 82.8 × 12 (open)

CODE	DESCRIPTION	٥	\boxtimes		PRICE
FMST1-75763	FATMAX Foldable Sawhorse (pair)	-	2	3 2 5 3 5 6 1 7 5 7 6 3 1	

FOLDABLE SAWHORSE (PAIR)



- · Light and convenient for transportation
- · Compact 2 buildable sawhorses can be locked together
- · Shoulder belt
- · Aluminum legs
- · Capacity: 340 kg (per pair)
- · Dimensions (cm): $109 \times 20 \times 11$ (folded)

109 × 78 × 44 (open)

CODE	DESCRIPTION	<u>_</u>	\boxtimes		PRICE
1-97-475	Foldable sawhorse (pair)	-	2	3 2 5 3 5 6 1 9 7 4 7 5 5	

2-WAY ADJUSTABLE SAWHORSE (PAIR)



- · Adjustable height and width
- · Robust polypropylene structure
- · Innovative ergonomic adjustment mechanism: both height and width
- · Light weight for transportation
- · Work safely thanks to non-slip feet
- Equipped with a tool tray for storing hand tools
- · Capacity: 450 kg (per pair)
- · Dimensions (cm): 71 × 76.5 × 14.8 (folded)

71-115 × 76.5-89 × 42.5 (open)

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
STST1-70559	2-way adjustable sawhorse (pair)	-	2	3 2 5 3 5 6 1 7 0 5 5 9 5	

FOLDABLE V-GROOVE SAWHORSE (PAIR)



- · Robust design
- $\cdot \ \textbf{Light weight for transportation}$
- · Grooves holds timber in place 38 mm slots (x4)
- · Work safely thanks to non-slip feet
- $\cdot \ \textbf{Equipped with cable holder}$
- · Equipped with tool tray for storing hand tools
- · Capacity: 450 kg (per pair)
- Dimensions (cm): 69 × 81 × 11 (folded)

69 × 79.5 × 37 (open)

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
STST1-70713	Foldable saw book (pair)	-	4	3 2 5 3 5 6 1 7 0 7 1 3 1	

ESSENTIAL METAL SAWHORSE (PAIR)



- · Folding Legs Allows the trestle to be set up and folded quickly, is compact to store and easy to carry.
- · Metal legs sturdy and stable
- · Metal bar for clamping applications
- · Set of Two Allows two trestles to be carried with one hand
- · Non-slip rubber layer For friction on the surface during cutting
- · Capacity: 450 kg (per pair)
- · Dimensions (cm): $79.5 \times 21 \times 9.5$ (folded)

79.5 × 73.5 × 41.5 (open)

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
STST81337-1	Essential Metal Sawhorse (pair)	-	3	3 2 5 3 5 6 1 8 1 3 3 7 5	

FOLDABLE SAW BOOK JUNIOR (PAIR)



- · Lightweight Design: Folds completely flat for easy transport and storage
- Grooves holds timber in place 38 mm slots (x4)
- \cdot 2 units can be used as a portable work table
- Non-slip rubber feet keep the sawhorses stable
- · Capacity: 362 kg (per pair)
- · Dimensions (cm): $57.1 \times 81 \times 11$ (folded)

57.1 × 79.5 × 37 (open)

CODE	DESCRIPTION	٥	\boxtimes		PRICE
STST1-70355	Folding Sawhorse Junior (pair)	-	4	3 2 5 3 5 6 1 7 0 3 5 5 3	

FATMAX® EXTENDABLE METAL SAWHORSE (PAIR)





- · Adjustable height
- 4 metal legs for extra heavy load, feet are individually adjustable
- · Non-slip pads on top and legs to ensure stability
- · Grooves holds timber in place 38 mm slots (x4)
- · Easy to store
- · Space-saving design
- · Maximum capacity: 1350 kg per pair
- · Dimensions (cm): $69 \times 83.1 \times 11$ (folded)

69 × 81-100 × 39.5-48 (open)

CODE	DESCRIPTION		\boxtimes		PRICE
1-92-980	FATMAX Extendable Metal Sawhorse (pair)	-	2	3 2 5 3 5 6 1 9 2 9 8 0 9	

STANLEY® 2-IN-1 WORKBENCH



- The V-groove ensures effortless cutting of pipes and round materials, while the feet are protected with non-slip rubber for more safety
- · When folded flat, it is easy to store and does not take up much space
- · Width of the work surface 541 mm
- · Double working height 620 800 mm
- · Load capacity 250 kg, suitable for even the most demanding applications
- Dimensions 83 x 61 x 21.8 cm

CODE	DESCRIPTION		3		PRICE
STST83800-1	Workbench 2-in-1	-	1	3253561838002	

STANLEY® 2-IN-1 WORKBENCH




- · 250kg capacity workbench supports up to 250kg.
- Dual heights: 595mm and 775mm for versatile use as a workbench, tool stand, vice or sawhorse.
- Supplied with a third removable panel to convert from a vice to spacious workbench in one easy move.
- Swivels pegs Enable larger or awkward shaped materials to be held firmly in place and helps to increase clamping force.
- · Anti slip rubber feet for added safety
- \cdot The V-groove ensures effortless cutting of pipes and round materials, while the feet are protected with non-slip rubber for more safety

CODE	DESCRIPTION	<u></u>	\boxtimes		PRICE
STST83400-1	STANLEY® 2-in-1 Workbench & Vice	-	1	3253561834004	

 $\mathsf{0}$



ONLINE SERVICE www.2helpu.com



VISIT THE STANLEY SERVICE WEBSITE FOR:

- 1. THE WARRANTY POLICY
- 2. FREQUENTLY ASKED QUESTIONS
- 3. UP-TO-DATE SPARE PARTS INFORMATION
- 4. PARTS DRAWINGS AND PARTS LISTS OF STANLEY AND STANLEY FATMAX® PRODUCTS



STANLEY

STANLEY BLACK & DECKER AB

Box 94 431 35 Mölndal **Sverige**

Tel: +4631-68 60 00

www.STANLEYWORKS.no www.STANLEYWORKS.se www.STANLEYWORKS.dk www.STANLEYWORKS.fi





